



Crop Progress

ISSN: 1948-3007

Released June 7, 2021, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, United States Department of Agriculture (USDA).

NASS Survey Update!

In the first two weeks of June, NASS will gather information about this season's crop production, supplies of grain in storage, and livestock inventory. The information will help producers, suppliers, traders, buyers and others make informed business decisions. The results will be available on June 24 in the *Hogs and Pigs* report and on June 30 in the *Acreage* and *Grain Stocks* reports. **Farmers should watch for their surveys and be sure to respond. Your information matters!**

Corn Emerged - Selected States

[These 18 States planted 92% of the 2020 corn acreage]

State	Week ending			2016-2020 Average
	June 6, 2020	May 30, 2021	June 6, 2021	
	(percent)	(percent)	(percent)	(percent)
Colorado	93	54	68	81
Illinois	88	86	93	82
Indiana	83	76	88	72
Iowa	96	87	96	89
Kansas	84	66	74	83
Kentucky	78	77	85	83
Michigan	69	79	92	62
Minnesota	96	89	96	88
Missouri	89	83	91	89
Nebraska	94	84	95	89
North Carolina	97	96	100	96
North Dakota	48	63	73	70
Ohio	70	70	83	68
Pennsylvania	57	50	68	66
South Dakota	87	82	93	75
Tennessee	85	87	96	93
Texas	97	88	90	91
Wisconsin	84	77	90	73
18 States	87	81	90	82

Corn Condition – Selected States: Week Ending June 6, 2021

[These 18 States planted 92% of the 2020 corn acreage]

State	Very poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Colorado	-	6	20	64	10
Illinois	-	2	24	58	16
Indiana	2	4	21	63	10
Iowa	1	2	20	60	17
Kansas	1	4	19	66	10
Kentucky	1	2	11	73	13
Michigan	1	4	39	48	8
Minnesota	-	3	28	56	13
Missouri	1	8	34	54	3
Nebraska	1	2	13	60	24
North Carolina	-	6	20	57	17
North Dakota	5	12	41	39	3
Ohio	-	1	23	62	14
Pennsylvania	-	3	24	61	12
South Dakota	5	10	39	43	3
Tennessee	1	3	17	58	21
Texas	-	2	19	50	29
Wisconsin	1	5	18	54	22
18 States	1	4	23	58	14
Previous week	1	3	20	62	14
Previous year	1	3	21	60	15

- Represents zero.

Soybeans Planted - Selected States

[These 18 States planted 96% of the 2020 soybean acreage]

State	Week ending			2016-2020 Average
	June 6, 2020	May 30, 2021	June 6, 2021	
	(percent)	(percent)	(percent)	(percent)
Arkansas	75	81	86	81
Illinois	86	89	93	77
Indiana	86	86	92	75
Iowa	97	93	98	87
Kansas	77	58	68	62
Kentucky	66	66	74	60
Louisiana	93	79	86	95
Michigan	86	91	97	73
Minnesota	98	99	100	91
Mississippi	91	89	94	91
Missouri	61	49	65	64
Nebraska	98	94	98	90
North Carolina	66	60	72	62
North Dakota	71	88	95	87
Ohio	81	84	89	71
South Dakota	90	92	97	78
Tennessee	61	66	72	68
Wisconsin	93	91	97	80
18 States	84	84	90	79

Soybeans Emerged - Selected States

[These 18 States planted 96% of the 2020 soybean acreage]

State	Week ending			2016-2020 Average
	June 6, 2020	May 30, 2021	June 6, 2021	
	(percent)	(percent)	(percent)	(percent)
Arkansas	64	67	77	72
Illinois	65	74	84	61
Indiana	72	63	78	56
Iowa	85	72	86	68
Kansas	57	40	49	43
Kentucky	48	45	57	42
Louisiana	86	56	78	90
Michigan	65	67	87	50
Minnesota	87	81	93	71
Mississippi	80	76	83	82
Missouri	41	38	49	48
Nebraska	83	69	84	70
North Carolina	51	47	58	48
North Dakota	29	45	65	52
Ohio	55	58	74	51
South Dakota	64	65	86	54
Tennessee	42	47	59	49
Wisconsin	72	63	83	54
18 States	65	62	76	59

Soybean Condition – Selected States: Week Ending June 6, 2021

[These 18 States planted 96% of the 2020 soybean acreage]

State	Very poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Arkansas	-	3	23	58	16
Illinois	-	2	25	61	12
Indiana	1	3	22	64	10
Iowa	1	3	23	58	15
Kansas	3	2	29	64	2
Kentucky	1	1	15	70	13
Louisiana	-	10	17	71	2
Michigan	1	3	39	49	8
Minnesota	-	3	27	55	15
Mississippi	1	-	14	70	15
Missouri	-	3	38	56	3
Nebraska	1	2	11	66	20
North Carolina	-	5	29	58	8
North Dakota	9	23	43	23	2
Ohio	-	3	26	61	10
South Dakota	1	11	43	42	3
Tennessee	1	2	17	65	15
Wisconsin	1	5	22	59	13
18 States	1	5	27	57	10
Previous week	(NA)	(NA)	(NA)	(NA)	(NA)
Previous year	1	3	24	60	12

- Represents zero.

(NA) Not available.

Cotton Planted - Selected States

[These 15 States planted 99% of the 2020 cotton acreage]

State	Week ending			2016-2020 Average
	June 6, 2020	May 30, 2021	June 6, 2021	
	(percent)	(percent)	(percent)	(percent)
Alabama	95	89	95	92
Arizona	100	95	99	100
Arkansas	95	92	98	98
California	99	95	100	98
Georgia	86	78	89	86
Kansas	91	66	89	69
Louisiana	97	63	77	98
Mississippi	90	83	91	90
Missouri	64	98	98	88
North Carolina	82	80	93	87
Oklahoma	26	39	44	53
South Carolina	82	85	90	89
Tennessee	83	92	96	93
Texas	72	54	60	72
Virginia	85	80	93	88
15 States	76	64	71	78

Cotton Squaring – Selected States

[These 15 States planted 99% of the 2020 cotton acreage]

State	Week ending			2016-2020 Average
	June 6, 2020	May 30, 2021	June 6, 2021	
	(percent)	(percent)	(percent)	(percent)
Alabama	4	-	1	5
Arizona	43	19	27	29
Arkansas	1	-	-	12
California	9	-	5	7
Georgia	16	1	8	12
Kansas	1	-	2	-
Louisiana	12	-	2	14
Mississippi	1	-	1	5
Missouri	-	-	-	5
North Carolina	3	-	1	5
Oklahoma	-	-	-	1
South Carolina	3	-	-	2
Tennessee	5	3	8	8
Texas	16	10	12	13
Virginia	4	-	2	6
15 States	12	6	9	11

- Represents zero.

Cotton Condition – Selected States: Week Ending June 6, 2021

[These 15 States planted 99% of the 2020 cotton acreage]

State	Very poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Alabama	-	-	20	72	8
Arizona	-	-	20	53	27
Arkansas	-	-	13	58	29
California	-	-	10	90	-
Georgia	1	7	29	56	7
Kansas	-	3	42	52	3
Louisiana	-	2	10	88	-
Mississippi	1	5	19	64	11
Missouri	-	7	25	68	-
North Carolina	-	4	24	70	2
Oklahoma	-	-	42	58	-
South Carolina	1	17	20	57	5
Tennessee	4	6	17	62	11
Texas	1	20	50	26	3
Virginia	-	2	11	86	1
15 States	1	14	39	41	5
Previous week	1	18	38	38	5
Previous year	2	11	44	36	7

- Represents zero.

Rice Emerged - Selected States

[These 6 States planted 100% of the 2020 rice acreage]

State	Week ending			2016-2020 Average
	June 6, 2020	May 30, 2021	June 6, 2021	
	(percent)	(percent)	(percent)	(percent)
Arkansas	86	89	95	93
California	83	65	75	75
Louisiana	97	91	95	98
Mississippi	87	90	94	92
Missouri	76	96	96	88
Texas	98	89	91	96
6 States	87	86	91	91

Rice Condition – Selected States: Week Ending June 6, 2021

[These 6 States planted 100% of the 2020 rice acreage]

State	Very poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Arkansas	-	2	21	57	20
California	-	-	10	80	10
Louisiana	-	-	39	61	-
Mississippi	-	-	11	84	5
Missouri	-	-	34	58	8
Texas	-	5	44	41	10
6 States	-	1	24	62	13
Previous week	-	1	25	60	14
Previous year	-	2	28	56	14

- Represents zero.

Peanuts Planted - Selected States

[These 8 States planted 96% of the 2020 peanut acreage]

State	Week ending			2016-2020 Average
	June 6, 2020	May 30, 2021	June 6, 2021	
	(percent)	(percent)	(percent)	(percent)
Alabama	89	84	92	87
Florida	96	89	95	93
Georgia	91	82	93	91
North Carolina	77	73	88	84
Oklahoma	46	41	47	71
South Carolina	90	89	95	93
Texas	78	39	50	84
Virginia	93	83	92	88
8 States	88	77	87	89

Peanut Condition – Selected States: Week Ending June 6, 2021

[These 8 States planted 96% of the 2020 peanut acreage]

State	Very poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Alabama	-	1	25	62	12
Florida	-	4	57	38	1
Georgia	1	7	28	57	7
North Carolina	-	-	18	75	7
Oklahoma	-	-	34	66	-
South Carolina	1	4	34	55	6
Texas	1	18	30	49	2
Virginia	-	-	14	85	1
8 States	1	7	31	55	6
Previous week	1	6	28	55	10
Previous year	1	8	25	62	4

- Represents zero.

Sorghum Planted - Selected States

[These 6 States planted 100% of the 2020 sorghum acreage]

State	Week ending			2016-2020 Average
	June 6, 2020	May 30, 2021	June 6, 2021	
	(percent)	(percent)	(percent)	(percent)
Colorado	54	26	33	46
Kansas	48	17	30	37
Nebraska	91	45	73	77
Oklahoma	37	30	33	47
South Dakota	63	65	80	62
Texas	88	82	89	90
6 States	62	41	52	59

Sorghum Condition – Selected States: Week Ending June 6, 2021

[These 6 States planted 100% of the 2020 sorghum acreage]

State	Very poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Colorado	-	7	19	62	12
Kansas	1	1	25	68	5
Nebraska	-	1	13	78	8
Oklahoma	-	1	14	84	1
South Dakota	-	1	74	23	2
Texas	1	4	15	67	13
6 States	1	2	23	66	8
Previous week	(NA)	(NA)	(NA)	(NA)	(NA)
Previous year	1	5	39	50	5

- Represents zero.

(NA) Not available.

Sunflowers Planted - Selected States

[These 4 States planted 87% of the 2020 sunflower acreage]

State	Week ending			2016-2020 Average
	June 6, 2020	May 30, 2021	June 6, 2021	
	(percent)	(percent)	(percent)	(percent)
Colorado	49	18	28	29
Kansas	47	27	40	34
North Dakota	57	56	72	72
South Dakota	42	35	54	42
4 States	49	42	59	54

Winter Wheat Headed - Selected States

[These 18 States planted 90% of the 2020 winter wheat acreage]

State	Week ending			2016-2020 Average
	June 6, 2020	May 30, 2021	June 6, 2021	
	(percent)	(percent)	(percent)	(percent)
Arkansas	100	95	98	100
California	100	100	100	100
Colorado	83	56	72	85
Idaho	31	19	29	43
Illinois	92	95	96	96
Indiana	88	74	93	91
Kansas	97	95	96	98
Michigan	46	51	86	52
Missouri	95	96	96	98
Montana	4	5	6	16
Nebraska	63	49	79	77
North Carolina	100	98	100	99
Ohio	92	78	91	90
Oklahoma	100	100	100	100
Oregon	91	79	94	87
South Dakota	47	34	64	54
Texas	100	100	100	99
Washington	70	51	69	71
18 States	84	79	85	86

Winter Wheat Harvested – Selected States

[These 18 States harvested 91% of the 2020 winter wheat acreage]

State	Week ending			2016-2020 Average
	June 6, 2020	May 30, 2021	June 6, 2021	
	(percent)	(percent)	(percent)	(percent)
Arkansas	26	-	11	23
California	14	-	5	12
Colorado	-	(NA)	-	-
Idaho	-	(NA)	-	-
Illinois	-	(NA)	-	2
Indiana	-	(NA)	-	1
Kansas	-	(NA)	-	1
Michigan	-	(NA)	-	-
Missouri	1	(NA)	-	3
Montana	-	(NA)	-	-
Nebraska	-	(NA)	-	-
North Carolina	15	6	10	16
Ohio	-	(NA)	-	-
Oklahoma	16	1	2	17
Oregon	-	(NA)	-	-
South Dakota	-	(NA)	-	-
Texas	50	18	20	40
Washington	-	(NA)	-	-
18 States	6	(NA)	2	7

- Represents zero.

(NA) Not available.

Winter Wheat Condition - Selected States: Week Ending June 6, 2021

[These 18 States planted 90% of the 2020 winter wheat acreage]

State	Very poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Arkansas	-	15	27	46	12
California	-	5	10	30	55
Colorado	5	10	29	50	6
Idaho	2	17	45	29	7
Illinois	1	2	21	54	22
Indiana	1	3	21	61	14
Kansas	3	7	25	53	12
Michigan	3	7	36	49	5
Missouri	-	5	30	58	7
Montana	3	28	36	29	4
Nebraska	3	9	32	46	10
North Carolina	3	20	41	32	4
Ohio	-	1	23	60	16
Oklahoma	3	6	31	53	7
Oregon	26	37	28	8	1
South Dakota	13	24	40	23	-
Texas	8	21	42	26	3
Washington	8	26	41	25	-
18 States	5	13	32	42	8
Previous week	6	13	33	40	8
Previous year	7	12	30	42	9

- Represents zero.

Spring Wheat Emerged - Selected States

[These 6 States planted 100% of the 2020 spring wheat acreage]

State	Week ending			2016-2020 Average
	June 6, 2020	May 30, 2021	June 6, 2021	
	(percent)	(percent)	(percent)	(percent)
Idaho	96	94	99	90
Minnesota	92	97	100	93
Montana	85	74	87	82
North Dakota	69	76	87	85
South Dakota	95	93	97	95
Washington	94	93	98	93
6 States	79	80	90	86

Spring Wheat Condition – Selected States: Week Ending June 6, 2021

[These 6 States planted 100% of the 2020 spring wheat acreage]

State	Very poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Idaho	-	11	64	23	2
Minnesota	-	4	24	56	16
Montana	3	15	35	46	1
North Dakota	13	16	39	30	2
South Dakota	7	26	51	16	-
Washington	21	35	27	17	-
6 States	9	16	37	35	3
Previous week	4	16	37	39	4
Previous year	-	1	17	72	10

- Represents zero.

Oats Emerged - Selected States

[These 9 States planted 72% of the 2020 oat acreage]

State	Week ending			2016-2020 Average
	June 6, 2020	May 30, 2021	June 6, 2021	
	(percent)	(percent)	(percent)	(percent)
Iowa	99	98	100	99
Minnesota	97	92	98	94
Nebraska	96	96	98	96
North Dakota	62	72	85	77
Ohio	92	94	96	91
Pennsylvania	86	75	85	91
South Dakota	96	94	97	94
Texas	100	100	100	100
Wisconsin	89	91	94	86
9 States	90	91	95	92

Oats Headed - Selected States

[These 9 States planted 72% of the 2020 oat acreage]

State	Week ending			2016-2020 Average
	June 6, 2020	May 30, 2021	June 6, 2021	
	(percent)	(percent)	(percent)	(percent)
Iowa	16	21	37	26
Minnesota	17	2	6	9
Nebraska	34	29	54	41
North Dakota	-	-	-	2
Ohio	23	19	28	19
Pennsylvania	3	2	3	16
South Dakota	11	18	26	15
Texas	100	100	100	100
Wisconsin	10	13	22	6
9 States	33	31	37	34

- Represents zero.

Oat Condition – Selected States: Week Ending June 6, 2021

[These 9 States planted 72% of the 2020 oat acreage]

State	Very poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Iowa	1	2	29	54	14
Minnesota	2	5	35	50	8
Nebraska	2	7	36	48	7
North Dakota	8	17	51	23	1
Ohio	-	1	29	68	2
Pennsylvania	-	-	36	48	16
South Dakota	5	18	46	31	-
Texas	9	25	34	30	2
Wisconsin	1	2	17	59	21
9 States	5	13	36	39	7
Previous week	4	9	32	48	7
Previous year	-	4	25	59	12

- Represents zero.

Barley Emerged - Selected States

[These 5 States planted 81% of the 2020 barley acreage]

State	Week ending			2016-2020 Average
	June 6, 2020	May 30, 2021	June 6, 2021	
	(percent)	(percent)	(percent)	(percent)
Idaho	94	90	97	92
Minnesota	94	89	92	93
Montana	90	71	80	83
North Dakota	67	76	86	84
Washington	91	91	97	86
5 States	85	79	87	86

Barley Condition – Selected States: Week Ending June 6, 2021

[These 5 States planted 81% of the 2020 barley acreage]

State	Very poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Idaho	-	5	52	38	5
Minnesota	1	5	22	55	17
Montana	5	11	27	55	2
North Dakota	11	20	47	20	2
Washington	20	21	41	18	-
5 States	6	12	39	40	3
Previous week	3	10	39	43	5
Previous year	-	2	19	65	14

- Represents zero.

Pasture and Range Condition – Selected States: Week Ending June 6, 2021

[National pasture and range conditions for selected States are weighted based on pasture acreage and/or livestock inventories]

State	Very poor (percent)	Poor (percent)	Fair (percent)	Good (percent)	Excellent (percent)
Alabama	1	3	20	75	1
Arizona	67	15	10	8	-
Arkansas	2	9	32	45	12
California	30	20	30	20	-
Colorado	-	17	43	28	12
Connecticut	-	-	50	50	-
Delaware	2	9	36	40	13
Florida	4	22	34	33	7
Georgia	3	15	34	44	4
Idaho	4	17	52	27	-
Illinois	-	2	23	45	30
Indiana	2	4	25	53	16
Iowa	3	12	32	42	11
Kansas	1	3	21	61	14
Kentucky	1	4	17	62	16
Louisiana	-	10	33	56	1
Maine	-	57	13	30	-
Maryland	7	11	12	64	6
Massachusetts	-	10	80	10	-
Michigan	3	16	46	26	9
Minnesota	4	14	38	41	3
Mississippi	1	8	36	49	6
Missouri	-	3	19	75	3
Montana	28	27	22	21	2
Nebraska	3	7	46	31	13
Nevada	30	20	50	-	-
New Hampshire	-	8	47	29	16
New Jersey	-	3	36	47	14
New Mexico	21	38	24	8	9
New York	1	6	16	57	20
North Carolina	3	15	51	29	2
North Dakota	44	23	25	8	-
Ohio	2	5	19	69	5
Oklahoma	-	1	33	62	4
Oregon	49	21	22	8	-
Pennsylvania	-	8	19	49	24
Rhode Island	-	10	80	10	-
South Carolina	6	16	38	34	6
South Dakota	11	43	38	7	1
Tennessee	1	7	29	53	10
Texas	10	15	24	31	20
Utah	25	42	32	1	-
Vermont	-	-	3	25	72
Virginia	3	16	44	36	1
Washington	48	37	14	1	-
West Virginia	1	12	25	56	6
Wisconsin	1	7	24	48	20
Wyoming	12	22	40	26	-
48 States	17	20	28	27	8
Previous week	18	21	30	25	6
Previous year	6	13	32	41	8

- Represents zero.

Days Suitable for Fieldwork - Selected States

[Days suitable for fieldwork are weighted based on cropland acreage]

State	Week ending		
	June 6, 2020	May 30, 2021	June 6, 2021
	(Days)	(Days)	(Days)
Alabama	5.9	6.4	5.3
Arizona	7.0	7.0	7.0
Arkansas	5.6	4.7	3.5
California	6.9	7.0	7.0
Colorado	6.6	3.9	5.7
Connecticut	6.0	5.4	5.6
Delaware	6.5	5.0	4.5
Florida	5.5	6.7	6.6
Georgia	5.8	6.6	6.4
Idaho	5.9	6.2	6.8
Illinois	5.5	3.9	5.6
Indiana	5.6	4.5	4.6
Iowa	5.1	3.4	6.2
Kansas	6.2	2.6	4.0
Kentucky	5.5	5.3	3.8
Louisiana	6.0	4.8	4.2
Maine	6.3	5.0	5.0
Maryland	5.5	5.0	5.5
Massachusetts	7.0	4.0	6.0
Michigan	5.8	4.8	6.3
Minnesota	5.7	4.7	6.4
Mississippi	5.0	6.0	4.6
Missouri	4.0	2.1	4.2
Montana	6.2	4.6	6.5
Nebraska	5.7	3.9	6.1
Nevada	6.7	7.0	7.0
New Hampshire	6.5	5.8	6.0
New Jersey	6.0	5.0	5.0
New Mexico	6.7	6.3	5.9
New York	5.5	5.0	5.5
North Carolina	5.4	6.4	4.7
North Dakota	6.1	5.7	6.5
Ohio	5.2	4.2	3.5
Oklahoma	6.6	3.6	3.5
Oregon	5.9	6.7	6.7
Pennsylvania	5.5	4.5	4.0
Rhode Island	7.0	7.0	7.0
South Carolina	5.7	6.7	5.1
South Dakota	5.8	5.0	6.9
Tennessee	5.5	5.4	3.5
Texas	5.9	3.6	3.3
Utah	6.1	6.9	7.0
Vermont	4.5	6.0	6.0
Virginia	6.1	5.5	5.2
Washington	5.7	7.0	7.0
West Virginia	5.1	4.4	5.5
Wisconsin	5.0	4.2	6.3
Wyoming	6.4	6.0	5.9

Topsoil Moisture Condition - Selected States: Week Ending June 6, 2021

[National topsoil moisture conditions for selected States are weighted based on cropland acreage]

State	Very short (percent)	Short (percent)	Adequate (percent)	Surplus (percent)
Alabama	7	13	78	2
Arizona	23	10	67	-
Arkansas	-	3	56	41
California	65	10	25	-
Colorado	5	11	73	11
Connecticut	-	4	90	6
Delaware	5	8	81	6
Florida	14	38	48	-
Georgia	24	44	31	1
Idaho	9	35	56	-
Illinois	5	16	71	8
Indiana	4	14	70	12
Iowa	7	32	59	2
Kansas	-	4	81	15
Kentucky	1	6	78	15
Louisiana	-	-	53	47
Maine	17	73	10	-
Maryland	-	9	91	-
Massachusetts	-	14	83	3
Michigan	18	46	35	1
Minnesota	10	41	48	1
Mississippi	2	17	69	12
Missouri	-	2	87	11
Montana	20	31	48	1
Nebraska	3	20	75	2
Nevada	25	25	50	-
New Hampshire	11	37	52	-
New Jersey	7	7	82	4
New Mexico	40	35	22	3
New York	10	30	46	14
North Carolina	2	21	55	22
North Dakota	49	35	14	2
Ohio	1	10	71	18
Oklahoma	-	7	73	20
Oregon	59	23	18	-
Pennsylvania	-	15	80	5
Rhode Island	40	60	-	-
South Carolina	4	22	71	3
South Dakota	28	50	22	-
Tennessee	1	6	64	29
Texas	1	11	53	35
Utah	20	50	30	-
Vermont	1	45	54	-
Virginia	10	26	57	7
Washington	40	46	14	-
West Virginia	5	22	73	-
Wisconsin	9	24	64	3
Wyoming	14	39	47	-
48 States	12	22	56	10
Previous week	11	18	58	13
Previous year	4	18	69	9

- Represents zero.

Subsoil Moisture Condition - Selected States: Week Ending June 6, 2021

[National subsoil moisture conditions for selected States are weighted based on cropland acreage]

State	Very short (percent)	Short (percent)	Adequate (percent)	Surplus (percent)
Alabama	3	10	85	2
Arizona	22	10	68	-
Arkansas	2	5	62	31
California	65	10	25	-
Colorado	9	25	64	2
Connecticut	-	11	89	-
Delaware	2	18	78	2
Florida	7	46	47	-
Georgia	13	42	43	2
Idaho	10	34	56	-
Illinois	6	16	72	6
Indiana	5	15	69	11
Iowa	12	34	53	1
Kansas	1	7	80	12
Kentucky	1	8	80	11
Louisiana	-	-	56	44
Maine	17	72	11	-
Maryland	-	8	92	-
Massachusetts	-	5	95	-
Michigan	21	43	36	-
Minnesota	7	35	57	1
Mississippi	5	17	68	10
Missouri	-	1	89	10
Montana	25	31	43	1
Nebraska	5	22	70	3
Nevada	30	30	40	-
New Hampshire	16	34	50	-
New Jersey	-	7	93	-
New Mexico	49	40	10	1
New York	10	27	49	14
North Carolina	3	15	69	13
North Dakota	53	27	20	-
Ohio	1	12	73	14
Oklahoma	-	15	74	11
Oregon	60	24	16	-
Pennsylvania	3	25	67	5
Rhode Island	-	30	70	-
South Carolina	4	27	66	3
South Dakota	27	46	27	-
Tennessee	1	8	72	19
Texas	2	19	48	31
Utah	24	37	39	-
Vermont	2	40	58	-
Virginia	11	32	56	1
Washington	39	37	24	-
West Virginia	6	19	75	-
Wisconsin	8	23	65	4
Wyoming	26	34	40	-
48 States	14	22	56	8
Previous week	13	22	57	8
Previous year	4	14	71	11

- Represents zero.

Crop Progress and Condition Tables Expected Next Week

Barley: Emerged, Headed, Condition
Corn: Emerged, Condition
Cotton: Planted, Squaring, Condition
Oats: Headed, Condition
Pasture and Range: Condition
Peanuts: Planted, Pegging, Condition
Rice: Emerged, Headed, Condition
Sorghum: Planted, Headed, Condition

Soybeans: Planted, Emerged, Condition
Spring Wheat: Emerged, Headed, Condition
Sunflowers: Planted
Winter Wheat: Headed, Harvested, Condition
Days Suitable for Fieldwork
Topsoil Moisture Condition
Subsoil Moisture Condition

Statistical Methodology

Survey Procedures: Crop progress and condition estimates are based on survey data collected each week from early April through the end of November. The non-probability crop progress and condition surveys include input from approximately 3,600 respondents whose occupations provide them opportunities to make visual observations and frequently bring them in contact with farmers in their counties. Based on standard definitions, these respondents subjectively estimate the progress of crops through various stages of development, as well as the progress of producer activities. They also provide subjective evaluations of crop conditions.

Most respondents complete their questionnaires on Friday or early Monday morning and submit them to the National Agricultural Statistics Service (NASS) Field Offices in their States by mail, telephone, fax, e-mail, or through a secured internet website. A small number of reports are completed on Thursday, Saturday, and Sunday. Regardless of when questionnaires are completed, respondents are asked to report for the entire week ending on Sunday. For reports submitted prior to the Sunday reference date, a degree of uncertainty is introduced by projections for weekend changes in progress and condition. By the end of the 2020 season, over 95 percent of the data were being submitted through the internet website. As a result, the majority of all data are submitted on Monday morning, significantly reducing projection uncertainty.

Respondents are sent written reporting instructions at the beginning of each season and are contacted periodically to ensure proper reporting. Terms and definitions of crop stages and condition categories used as reporting guidelines are available on the NASS website at www.nass.usda.gov/Publications/National_Crop_Progress.

Estimating Procedures: Reported data are reviewed for reasonableness and consistency by comparing with data reported the previous week and data reported in surrounding counties for the current week. Field Offices summarize the reported data to district and State levels, weighting each county's reported data by NASS county acreage estimates. Summarized indications are compared with previous week estimates, and progress items are compared with earlier stages of development and historical averages to ensure reasonableness. Weather events and respondent comments are also taken into consideration. State estimates are submitted to the Agricultural Statistics Board (ASB) along with supporting comments, where they are compared with surrounding States and compiled into a National level summary by weighting each State by its acreage estimates. National crop planting progress, progress of development stages, and condition estimates are weighted using the program State's average planted acres over the previous three crop years. National crop harvest progress estimates are weighted using the program State's average harvested acres over the previous three crop years. Pasture and range condition is weighted using pasture acreage and/or livestock inventories from the most recent Census of Agriculture. Days suitable for fieldwork, topsoil moisture and subsoil moisture are weighted using cropland acreage from the Census of Agriculture.

Revision Policy: Progress and condition estimates in the *Crop Progress* report are released after 4:00 pm ET on the first business day of the week. These estimates are subject to revision the following week.

Information Contacts

Listed below are the commodity statisticians in the Crops Branch of the National Agricultural Statistics Service to contact for additional information. E-mail inquiries may be sent to nass@usda.gov

Lance Honig, Chief, Crops Branch.....	(202) 720-2127
Chris Hawthorn, Head, Field Crops Section.....	(202) 720-2127
Irwin Anolik – Crop Weather	(202) 720-7621
Joshua Bates – Oats, Soybeans	(202) 690-3234
David Colwell – Current Agricultural Industrial Reports.....	(202) 720-8800
James Johanson – Barley, County Estimates, Hay	(202) 690-8533
Greg Lemmons – Corn, Flaxseed, Proso Millet.....	(202) 720-9526
James Johanson – Rye, Wheat	(202) 720-8068
Becky Sommer – Cotton, Cotton Ginnings, Sorghum.....	(202) 720-5944
John Stephens – Peanuts, Rice.....	(202) 720-7688
Travis Thorson – Sunflower, Other Oilseeds.....	(202) 720-7369

Access to NASS Reports

For your convenience, you may access NASS reports and products the following ways:

- All reports are available electronically, at no cost, on the NASS web site: www.nass.usda.gov
- Both national and state specific reports are available via a free e-mail subscription. To set-up this free subscription, visit www.nass.usda.gov and click on “National” or “State” in upper right corner above “search” box to create an account and select the reports you would like to receive.
- Cornell’s Mann Library has launched a new website housing NASS’s and other agency’s archived reports. The new website, <https://usda.library.cornell.edu>. All email subscriptions containing reports will be sent from the new website, <https://usda.library.cornell.edu>. To continue receiving the reports via e-mail, you will have to go to the new website, create a new account and re-subscribe to the reports. If you need instructions to set up an account or subscribe, they are located at: <https://usda.library.cornell.edu/help>. You should whitelist notifications@usda-esmis.library.cornell.edu in your email client to avoid the emails going into spam/junk folders.

For more information on NASS surveys and reports, call the NASS Agricultural Statistics Hotline at (800) 727-9540, 7:30 a.m. to 4:00 p.m. ET, or e-mail: nass@usda.gov.

The U.S. Department of Agriculture (USDA) prohibits discrimination against its customers, employees, and applicants for employment on the basis of race, color, national origin, age, disability, sex, gender identity, religion, reprisal, and where applicable, political beliefs, marital status, familial or parental status, sexual orientation, or all or part of an individual's income is derived from any public assistance program, or protected genetic information in employment or in any program or activity conducted or funded by the Department. (Not all prohibited bases will apply to all programs and/or employment activities.)

If you wish to file a Civil Rights program complaint of discrimination, complete the [USDA Program Discrimination Complaint Form](#) (PDF), found online at www.ascr.usda.gov/filing-program-discrimination-complaint-usda-customer, or at any USDA office, or call (866) 632-9992 to request the form. You may also write a letter containing all of the information requested in the form. Send your completed complaint form or letter to us by mail at U.S. Department of Agriculture, Director, Office of Adjudication, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, by fax (202) 690-7442 or email at program.intake@usda.gov.