Crop Report

For the Period June 8 to June 14, 2021

Published by the Ministry of Agriculture ISSN 0701 7085 Report number 07, June 17, 2021

Provincially, topsoil moisture conditions have increased compared to the previous week due to rainfall. Cropland topsoil moisture is rated as two per cent surplus, 72 per cent adequate, 23 per cent short and three per cent very short. Hay and pasture land topsoil moisture is rated as one per cent surplus, 61 per cent adequate, 30 per cent short and eight per cent very short.

Heavy localized rainfall resulted in occasions of flooding and water pooling in low areas of some fields across the province. With the rain came extremely strong winds in some regions as well, resulting in damage to or loss of bins, buildings and crops. Areas of the province that only saw wind and no rain are becoming concerned about dry conditions.

One year ago

Strong winds prevented in crop spraying throughout the province and continued to dry out the topsoil. The Humboldt area received 71 mm of rain which was very welcome. The majority of crops were at normal development for the time of year. The largest causes of crop damage were from heat, wind and flea beetles.

Follow the 2021 Crop Report on Twitter @SKAgriculture

North-east of Old Wives Lake saw the largest localized rain shower, resulting in approximately 208 mm over the course of a few hours, causing road wash outs, flooding, filling of sloughs and dugouts and some crop damage. Other areas that saw large amounts of rainfall this week include Big Beaver with 127 mm, Frobisher with 111 mm and Moosomin with 110 mm. The south-east received the most rainfall over the week but rain was general throughout all regions of the province.

There were reports of localized flooding in areas that received a lot of rainfall in a short amount of time. Winds have also delayed many producers from being able to spray, but they have been busy spraying for weeds and insects as wind conditions and crop stages allow.

Provincial Crop Development June 14, 2021											
% Ahead % Normal % Behind											
Fall Cereals	9	70	21								
Spring Cereals	5	76	19								
Oilseeds	3	66	31								
Pulse Crops	7	78	15								

Provincially, 78 per cent of the pulse crops, 76 per cent of the spring cereals, 70 per cent of the fall cereals and 66 per cent of the oilseed crops are at their normal stages of development for this time of year.

For further information, contact Matthew Struthers, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3714, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.







Crop conditions across the province mostly range from fair to good. With the recent rains, producers are hopeful that conditions will improve.

In general, emergence of earlier seeded crops is good, but the lack of moisture and wind in some fields has reduced germination of canola and has resulted in spotty emergence. Areas where germination was very poor might be reseeded if conditions allow, now that soil moisture is ample.

Certain parts of the province that did not see much rainfall last week saw damage from dry soil conditions. Other damage that was reported this week was from flea beetles, gophers and some first signs of seedling diseases.

Producers have been busy spraying for weed and insect control as wind conditions and crop stages allow. Reseeding from dry conditions and insect damage, specifically in canola fields, has also been reported and some producers are finishing up seeding green feed.

Southeastern Saskatchewan:

- Crop District 1 Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE Radville, Minton and Lake Alma areas

In the southeast region, strong winds have continued this week causing damage to small seedlings and drying out the topsoil. Rains received in the region were welcome, but flooding occurred in areas where large amounts of rain were received over a short period of time. Even with this rainfall more

Southeast Crop Development - June 14, 2021										
% Ahead % Normal % Behind										
Fall Cereals	4	49	41							
Spring Cereals	5	75	20							
Oilseeds	3	72	25							
Pulse Crops	6	80	14							

is still needed in the region to help crops throughout the season. The heavy rainfall in parts of the region has allowed for some dugouts to fill and reach levels that producers are more content with.

In some areas, canola development and hay and pasture growth have been slowed down due to dry conditions. Some producers have reported that they will be reseeding some of their canola fields to green feed for this reason. Now that some substantial rain has been received, hay and pasture land is expected to improve.

Good amounts of rain were received across the region over the past week with the Forbisher area reporting the most at 111 mm, followed by the Moosomin area with 110, the Regina area 93 mm, the Whitewood and Glenavon areas 69 mm and 43 mm in the Radville area. Some of the rain showers were heavily localized with some producers watching the neighbors' fields receive a lot of rain while they received nothing.

Compared to last week, topsoil moisture ratings have greatly improved this week due to heavy rainfalls over multiple days. Cropland topsoil moisture is rated as three per cent surplus, 83 per cent adequate, 13 per cent short and one per cent very short. Hay and

pasture land topsoil moisture is rated as one per cent surplus, 74 per cent adequate, 24 per cent short and one per cent very short.

In the southeast region, 80 per cent of the pulse crops, 75 per cent of the spring cereals, 72 per cent of the oilseed crops and 49 per cent of the fall cereals are at their normal stages of development for this time of year.

Crop conditions range from fair to good in the region with 70 per cent of the lentils, 64 per cent of the spring wheat and 61 per of the canola being in good condition at this time.

Canola emergence has been patchy in some areas and has shown damage from dry conditions and flea beetle pressure.

The majority of crop damage this week continued to be due to strong winds, dry soil conditions, flea beetles and in some areas, water-logged soils. Producers have also noted that there are increases in weed pressure in fields that they have not been able to spray.

Southwestern Saskatchewan:

- Crop District 3ASW Coronach, Assiniboia and Ogema areas
- Crop District 3AN Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 Consul, Maple Creek and Leader areas

Hot dry winds in the southwest region continue to dry out soils and prevent producers from being able to spray in some cases. Most fields are showing good crop development while the majority of pastures and hay land in the region are behind in growth and are drying out quickly; more rain is needed soon.

Southwest Crop Development - June 14, 2021										
% Ahead % Normal % Behind										
Fall Cereals	7	80	13							
Spring Cereals	4	77	19							
Oilseeds	2	73	25							
Pulse Crops	8	80	12							

North east of Old Wives Lake received the most rainfall in the region and province this week with 208 mm; it was reported that side roads were washed out, dugouts and sloughs filled up and low areas of fields are now under water. The Big Beaver area received 127 mm, the Mossbank area 83 mm, the Mortlach area 74 mm, the Limerick area 38 mm and the Consul area 20 mm. The moisture was very welcome even in areas where excessive amounts were received.

Moisture conditions have slightly improved in the last week because of this. Most of the crops are growing well, but more rain is needed to help support crop and pasture growth.

Cropland topsoil moisture is rated as two per cent surplus, 66 per cent adequate, 26 per cent short and six per cent very short. Hay and pasture land topsoil moisture is rated as 53 per cent adequate, 30 per cent short and 17 per cent very short.

Regionally, 80 per cent of the fall cereals, 77 per cent of the spring cereals, 73 per cent of the oilseed crops and 80 per cent of the pulse crops are at their normal stages of development for this time of year.

Crop conditions range from fair to good in the region, with 61 per cent of the spring wheat, 58 per of the canola, 57 per cent of the lentils and 56 per cent of the durum being in good condition at this time.

Canola emergence in some fields is patchy from poor germination conditions and heavy flea beetle pressure. The majority of crop damage this week was due to wind, dry conditions, heat, flea beetles and gophers. There were reports of light hail events but they did not result in crop damage.

East-Central Saskatchewan:

- Crop District 5 Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A Lumsden, Craik, Watrous and Clavet areas

Very little in-crop spraying is taking place due to strong winds and rain throughout the region this past week; this is allowing weeds to establish themselves and pose the risk of outcompeting crops. Producers are hoping to get a good window to spray before their crops are too large.

East-Central Crop Development - June 14, 2021										
% Ahead % Normal % Behind										
Fall Cereals	20	77	3							
Spring Cereals	3	76	21							
Oilseeds	2	58	40							
Pulse Crops	5	79	17							

Most of the east-central region received some rainfall over the weekend, but reporters have indicated that more is needed to progress crop development and sustain pastures.

The Craven are received the most rain with 70 mm. The Bulyea are received 69 mm, the Rhein area 67 mm, the Esterhazy and Jedburgh areas 60 mm, the Semens and Pelly areas 52 mm and the Meacham area nine mm.

The rain received this past week improved topsoil moisture conditions in the region. Cropland topsoil moisture is rated as 71 per cent adequate, 27 per cent short and two per cent very short. Hay and pasture land topsoil moisture is rated 55 per cent adequate, 34 per cent short and eleven per cent very short.

Crop development is on track for the region with 79 per cent of the pulse crops, 77 per cent of the fall cereals, 76 per cent of the spring cereals and 58 per cent of the oilseed crops are at their normal stages of development for this time of year. Canola is slightly behind due to the cooler temperatures earlier in spring and the dry conditions.

Crop conditions range from fair to good in the region, with 71 per cent of the spring wheat, 58 per cent of the lentils and 44 per of the canola being in good condition at this time.

The majority of crop damage this week was due to strong winds, dry conditions, flea beetles and gophers which have left isolated bare patches in some fields.

West-Central Saskatchewan:

- Crop District 6B Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A Rosetown, Kindersley, Eston and Major areas
- Crop District 7B Kerrobert, Macklin, Wilkie and Biggar areas

There were good amounts of rainfall last week in the region, the amount received in some areas is enough to help crops that were struggling with the dry soil conditions.

West-Central Crop Development - June 14, 2021											
% Ahead % Normal % Behind											
Fall Cereals	7	67	26								
Spring Cereals	3	70	27								
Oilseeds	0	63	37								
Pulse Crops	7	69	24								

Producers in parts of the region were able to get into their fields to

spray for weeds and insect pests while others were hindered by the wind and rain and had to wait until conditions improved.

Rainfall in the region was spotty with some areas seeing thundershowers and others receiving nothing. The Luseland are received the most at 40 mm, the Eyebrow, Cando and Unity areas 38 mm, the Smiley and Phippen areas 37 mm and the Hanley area 20 mm.

Moisture conditions in the west-central region have slightly improved from their levels the previous week. Cropland topsoil moisture is rated as 61 per cent adequate, 36 per cent short and three per cent very short. Hay and pasture land topsoil moisture is rated as 41 per cent adequate, 53 per cent short and six per cent very short.

Regionally, 70 per cent of the spring cereals, 69 per cent of the pulse crops, 67 per cent of the fall cereals and 63 per cent of the oilseed crops are at their normal stages of development for this time of year.

Crop conditions range from fair to good in the region, with 66 per cent of the lentils, 54 per of the canola and 53 per cent of the durum in good condition at this time.

Rain in the past few weeks in the region has helped improve crop, hay and pasture land development but more is needed since this region has seen less rain than other regions in the province and is drying out quickly.

The majority of crop damage this week was due to strong winds and some reports of flea beetles. Producers are busy branding and vaccinating calves and top dressing fertilizer on some hay fields to try and increase forage yields.

Northeastern Saskatchewan:

- Crop District 8 Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE Prince Albert, Choiceland and Paddockwood areas

Some areas of the region reported enough rainfall to allow for runoff to occur, while others indicated what they received was hardly enough to counter the wind and heat during the week. Most fields have been sprayed at least once but those looking to apply a second

Northeast Crop Development - June 14, 2021											
% Ahead % Normal % Behind											
Fall Cereals	11	82	7								
Spring Cereals	14	76	10								
Oilseeds	10	66	24								
Pulse Crops	17	72	11								

pass are being delayed by the wind. Re-seeding of canola that was damaged by flea beetle is now complete in many parts of the region.

Areas around Vonda and Melfort received the highest amount of rain in the region this week with 40 mm. The Hudson Bay area received 38 mm, the Birch Hills area 34 mm, the Prince Albert and Spruce Home areas 30 mm and the Nipawin area area 22 mm.

Regionally, the moisture conditions improved this week. Cropland topsoil moisture is rated as eight per cent surplus, 83 per cent adequate and nine per cent short. Hay and pasture land topsoil moisture is rated as eight per cent surplus, 74 per cent adequate and 18 per cent short.

In the northeast region, 82 per cent of the fall cereals, 76 per cent of the spring cereals, 72 per cent of the pulse crops and 66 per cent of the oilseed crops are at their normal stages of development for this time of year.

Crop conditions range from fair to good in the region, with 87 per cent of the peas, 63 per cent of the spring wheat and 57 per of the canola being in good condition at this time.

The crops, as well as hay land and pasture, are doing well for growth and development in most areas of the region. Some canola fields that have been hit hard by flea beetles were the exception.

The majority of crop damage this week was due to wind, heat and flea beetles. Producers are currently assessing the damage that was caused by the strong winds that occurred in certain areas of the region.

Northwestern Saskatchewan:

- Crop District 9AW Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

The region received steady rainfall that was able to soak in well without causing too much run off or pooling in fields. This rain and the wind that came with it prevented producers from spraying but they are ready continue once conditions allow for it.

Northwest Cro	Northwest Crop Development - June 14, 2021										
	% Ahead	% Normal	% Behind								
Fall Cereals	n/a	n/a	n/a								
Spring Cereals	2	83	15								
Oilseeds	0	78	22								
Pulse Crops	3	92	5								

The Frenchman Butte and St.Walburg areas received the most rain with 54 mm, the Spiritwood area received 45 mm, the Neilburg area 44 mm, the Barthel area 41 mm and the Mayfair area 25 mm.

Moisture conditions this week have largely improved in the northwest region, with more fields being rated as surplus. Cropland topsoil moisture is rated as seven per cent surplus, 78 per cent adequate and 15 per cent short. Hay and pasture land topsoil moisture is rated as five per cent surplus, 72 per cent adequate and 23 per cent short.

Regionally, 92 per cent of the pulse crops, 83 per cent of the spring cereals and 78 per cent of the oilseed crops and are at their normal stages of development for this time of year.

Crop conditions range from fair to good in the region, with 93 per cent of the peas, 73 per cent of the spring wheat, 67 per of the canola being in good condition at this time.


The majority of crop damage this week was due to wind, heat and pests such as flea beetles and gophers.

Crop Conditions - June 14, 2021


Provincial													
	Mintor whoat	Fall mea			Oat	Darloy	Canariusand						
0/ aveallant	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed						
% excellent	1	0	11	14	15	14	10						
% good	46	47	66	60	64	63	55						
% fair	40	47	21	25	19	22	32						
% poor	6	5	2	1	2	1	3						
% very poor	7	1	0	0	0	0	0						
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea						
% excellent	9	9	0	18	12	12	12						
% good	64	55	66	66	68	61	65						
% fair	26	32	34	15	19	26	22						
% poor	1	4	0	1	1	1	1						
% very poor	0	0	0	0	0	0	0						
			Southeas	st		_	_						
Winter wheat Fall rye Spring wheat Durum Oat Barley Canarysee													
% excellent	0	0	9	12	12	13	25						
% good	57	38	64	74	72	64	64						
% fair	25	46	25	13	15	22	11						
% poor	15	13	2	1	1	1	0						
% very poor	3	3	0	0	0	0	0						
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea						
% excellent	9	10	0	19	14	13	25						
% good	64	61	63	67	69	70	73						
% fair	27	25	37	14	17	16	2						
% poor	0	3	0	0	0	1	0						
% very poor	0	1	0	0	0	0	0						
, ,			Southwe	st									
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed						
% excellent	0	0	10	17	16	8	0						
% good	19	45	61	56	50	59	46						
% fair	61	55	27	26	32	32	48						
% poor	2	0	2	1	2	1	6						
% very poor	18	0	0	0	0	0	0						
, a va. , pas.	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea						
% excellent	13	3	0	0	12	14	9						
% good	47	58	46	50	60	57	63						
% good % fair	37	37	54	50	24	28	26						
% poor	3	2	0	0	4	1	2						
% very poor	0	0	0	0	0	0	0						
70 VCI y pool	J	3	East-cent		0	0	-						
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed						
% excellent	0	0	7	7	8	11	0						
% good	59	47	71	71	60	66	41						
% fair	40	53	20	22	26	23	55						
% poor	1	0	2	0	6	0	4						
% very poor	0	0	0	0	0	0	0						
70 VCI y POOI	J	J	J	J	J	U	J						

East-central (continued)													
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea						
% excellent	7	8	0	19	16	17	N/A						
% good	78	44	46	67	66	58	N/A						
% fair	13	40	54	14	18	25	N/A						
% poor	2	8	0	0	0	0	N/A						
% very poor	0	N/A											
West-central Winter wheat Fall rue Spring wheat During Oct Barloy Cananyand													
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed						
% excellent	0	0	7	0	8	7	0						
% good	37	47	63	53	58	56	56						
% fair	45	38	25	43	33	36	42						
% poor	18	15	5	4	1	1	2						
% very poor	0	0	0	0	0	0	0						
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea						
% excellent	4	7	0	0	10	5	0						
% good	57	54	47	56	63	66	57						
% fair	38	36	51	38	26	28	43						
% poor	1	3	2	6	1	1	0						
% very poor	0	0	0	0	0	0	0						
			Northeas	st									
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed						
% excellent	41	0	28	1	36	30	23						
% good	57	70	63	98	57	61	71						
% fair	2	29	9	1	7	9	6						
% poor	0	1	0	0	0	0	0						
% very poor	0	0	0	0	0	0	0						
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea						
% excellent	17	17	N/A	N/A	19	9	N/A						
% good	66	57	N/A	N/A	76	87	N/A						
% fair	17	21	N/A	N/A	5	4	N/A						
% poor	0	3	N/A	N/A	0	0	N/A						
% very poor	0	2	N/A	N/A	0	0	N/A						
			Northwes	st									
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed						
% excellent	0	0	13	N/A	1	6	N/A						
% good	20	35	73	N/A	90	82	N/A						
% fair	30	15	14	N/A	9	12	N/A						
% poor	50	50	0	N/A	0	0	N/A						
% very poor	0	0	0	N/A	0	0	N/A						
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea						
% excellent	0	9	N/A	N/A	2	0	N/A						
% good	100	67	N/A	N/A	91	93	N/A						
% fair	0	21	N/A	N/A	7	7	N/A						
% poor	0	3	N/A	N/A	0	0	N/A						
% very poor	0	0	N/A	N/A	0	0	N/A						

Crop Districts and Rural Municipalities in Saskatchewan







Crop Dietri


Ν

Crop Districts - Saskatchewan Ministry of Agriculture

Geomatics Services, Ministry of Agriculture October 30, 2020


Weekly Rainfall

from June 8 to June 14, 2021



Weekly Rainfall

from June 8 to June 14, 2021



150

Kilometers

Projection: UTM Zone 13 Datum: NAD83

200

IDW interpolation (power 2.5, fixed radius 300 km)

June 16, 2021

Geomatics Services, Ministry of Agriculture

Saskatchewan /

Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period from June 8 to 14, 2021


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apı
1A	2	Mount Pleasant	N/A	39	4A	51	Reno	20.5	101.8	7A	287	St. Andrews	5	11
	3	Enniskillen	111	198		79 A	Arlington	17	90		288	Pleasant Valley	9	58
	32	Reciprocity	N/A	58		79 B	Arlington	15.1	67.5		290	Kindersley	8.1	50.4
	61	Antler	89	172		109	Carmichael	8	43.6		292	Milton	N/A	55
	64	Brock	86	161		110	Piapot	4	50		317	Marriott	11	65
	65	Tecumseh	60	137	4B	139	Gull Lake	N/A	39		320 A	Oakdale	16	75.5
1B	95	Golden West	55	56		229	Miry Creek	14.3	55.7		320 B	Oakdale	17	57
	122	Martin	110	164		231	Happyland	27	81		321	Prairiedale	37	102
	123	Silverwood	69	171	5A	181	Langenburg	53	127	7B	347	Biggar	28	92
	124	Kingsley	56	150		183	Fertile Belt	60	154		350	Mariposa	9	17
		Chester	61	209		211	Churchbridge	51	133		351	Progress	40	108
		Chester	69	197		213	Saltcoats	40	101		377	Glenside	10	68
	151	Rocanville	61	153		217	Lipton	35	157		378	Rosemount	38	126
		Elcapo	60	157		241	Calder	61	123		382	Eye Hill	35.4	85.4
		Elcapo	38	38		243	Wallace	58	136		409 A 409 B	Buffalo Buffalo	N/A	55
O 4	155	Wolseley	40	184		245 A	Garry	49	92				37	93
2A	67	Weyburn	N/A	104		245 B	Garry	30	124	8A	410	Round Valley	38	84.1
	68 96	Brokenshell	62	190		246 A 246 B	Ituna Bon Accord Ituna Bon Accord	60	153	6A	394	Hudson Bay	38	99
		Fillmore	N/A					N/A	108.2		395	Porcupine	N/A	94
	97 100	Wellington	51	181.5 146		247	Kellross	50	161.1		397	Barrier Valley	18.8	103.
2B		Elmsthorpe	59		5B	248 273	Touchwood	37	91		427	Tisdale	N/A	NIL
2 D		Francis Francis	30	175.5	ЭВ		Sliding Hills	67	123.5		428	Star City	9	63
				99		277 301	Emerald	23	109		456 457 A	Arborfield	23	110
	129 131	Bratt's Lake Baildon	N/A 61	103 173		305	St.Philips Invermay	N/A 36	45.1 132		437 A 486	Connaught Moose Range	16 N/A	56.3 57
		Indian Head	20	126.2		305	Elfros	24	106		487	J	22	66
		Indian Head	32	213		307 308 A	Big Quill	19	90	8B	369	Nipawin St. Peter	22	97
	150 B	Sherwood	93	191		308 B	Big Quill	N/A	33	OD	370 A	Humboldt	15	90
	160	Pense	65	125		331	Livingston	52	117.5		370 A 370 B	Humboldt	N/A	61
		Moose Jaw	92	170		334	Preeceville	30.4	77		370 B	Bayne	26	88
		Moose Jaw	189	321		336	Sasman	18	94		371	Grant	40.2	81.2
	162 A		48.4	181.5		337	Lakeview	34	88.5		400	Three Lakes	20	77
	162 A		57	161.5		366	Kelvington	48	109.5		429	Flett's Springs	29	77
	191	Marquis	N/A	73		367	Ponass Lake	43	109.5		430	Invergordon	40	111
ASE		Laurier	43	85.4	6A	190 A	Dufferin	N/A	97		459	Kinistino	N/A	79
-OL		Laurier	31	144	0/1	190 A	Dufferin	48	140		460	Birch Hills	34	42
ASW	10	Happy Valley	127	229		190 B	Dufferin	57	164	9AE	461	Prince Albert	30	70.8
1011	40	Bengough	N/A	1		190 C	Dufferin	N/A	trace	JAL	488	Torch River	25	61
	43	Old Post	14	105		219 A	Longlaketon	N/A	83		491 A	Buckland	30	75
		Stonehenge	38.3	89.5		219 B	Longlaketon	70	186		491 B	Buckland	N/A	37
		Stonehenge	34	80		220	McKillop	69	178		520	Paddockwood	64	129
	73 B	Wood River	33	159.5		221	Sarnia	29	51.5		521	Lakeland	64	104
SAN	102	Lake Johnston	83	174.7		222	Craik	41	118	9AW	405	Great Bend	N/A	42
//\IN	103	Sutton	N/A	31		251	Big Arm	N/A	43	JAVV	435	Redberry	18	88
		Hillsborough	74	140		252	Arm River	N/A	57		436	Douglas	3	42
		Hillsborough	208	312		279	Mount Hope	52	122		437	North Battleford	trace	59
	193	Eyebrow	19	97		282	McCraney	23	68.8		463	Duck Lake	17	89
BS	75	Pinto Creek	17	87.5		339	Leroy	21.1	100.8		466	Meeting Lake	25	84
	77	Wise Creek	15	92		340	Wolverine	37.5	100.5		467 A	Round Hill	24	84
	78	Grassy Creek	19	84		341	Viscount	9	57		467 B	Round Hill	24	80
	106	Whiska Creek	19	56		343	Blucher	47	93		493	Shellbrook	50	64
	107	Lac Pelletier	N/A	59	6B	223 A		38	95		496	Spiritwood	45	114
	108	Bone Creek	20	95			Huron	25	90		497	Medstead	N/A	56
BN	138	Webb	15	76.5		223 C		N/A	NIL	9B	440	Hillsdale	38	102.
	165	Morse	6	51.5		284 A	Rudy	30	77	100	442	Manitou Lake	44.5	108
		Riverside	NIL	41		284 B	Rudy	12	12		498	Parkdale	18	81
		Riverside	23.5	68.5		285	Fertile Valley	14.5	57		499	Mervin	29.7	91.3
	226	Victory	N/A	6		286	Milden	8	64		501 A	Frenchman Butte	54	113
	228	Lacadena	7	44		314	Dundurn	20	74		501 B	Frenchman Butte	NIL	18
	257	Monet	12.5	130.5		344	Corman Park	12	16		501 C	Frenchman Butte	54	97
			12.0	. 50.0		376	Eagle Creek	11	79		502	Britannia	N/A	46.
						403	Rosthern	14	84		561	Loon Lake	41	94
											588	Meadow Lake	29	89
											622	Beaver River	29	58
											~			_ 00

Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.


Cumulative Rainfall

from April 1 to June 14, 2021




Cropland Topsoil Moisture Conditions

June 14, 2021




Hay and Pasture Topsoil Moisture Conditions June 14, 2021



Minimum Temperature

from June 8 to June 14, 2021



Maximum Temperature

from June 8 to June 14, 2021

