

Crop Report

For the Period August 6 to August 12, 2024

Published by the Ministry of Agriculture
ISSN
Report number 15, August 15, 2024

Harvest is underway in many areas of the province as hot and dry conditions continue to advance crop maturity. Producers that haven't begun to harvest continue to desiccate, empty grain bins and prepare equipment. Pasture conditions in much of Saskatchewan are diminishing due to the hot and dry conditions. Sporadic rainfall in north and east parts of the province will benefit later seeded crops as they mature, but it is too late to benefit early seeded crops.

With more producers beginning to harvest in Saskatchewan, harvest progress has increased in the last week and is currently six per cent complete. This is slightly above the five and 10-year averages, both of which are five per cent. The southwest is the furthest ahead in the province with 16 per cent harvest complete in this region. The southeast trails behind with 11 per cent of crops harvested. Harvest is just beginning in central Saskatchewan with only two per cent complete in the east-central region and one per cent complete in the west-central region. Harvest has yet to start in both northwest and northeast Saskatchewan, but producers are ready to go when crops are ready.

Winter wheat and fall rye harvested acres have greatly increased in the last week. Provincially, 55 per cent of winter wheat is harvested, which is up 43 per cent in the last week, and 42 per cent of fall rye is harvested, which is up 27 per cent from a week ago. Pulse crop harvest continues as 28 per cent of lentils and 26 per cent of field peas are now harvested. Triticale is the leading spring-seeded cereal crop as 28 per cent of crops have been harvested, followed by eight per cent of barley crops now taken off. Three per cent of durum and two per cent of spring wheat have been combined. Harvest progress for oilseeds is insignificant as only one per cent of canola and mustard have been harvested.

Certain areas in northern and eastern regions received notable rainfall this week that will benefit later seeded crops and pasture conditions. The Kuroki area received the most

One year ago

The hot and dry conditions across many parts of Saskatchewan resulted in an early harvest in many regions, with the southwest leading harvest progress in Saskatchewan. Crop damage in many areas was caused by drought, grasshopper activity, and wind damage. These conditions also contributed to water shortages for livestock producers, forcing them to market cattle and haul water for their livestock.

Follow the 2024 Crop Report on
Twitter @SKAgriculture

Harvest Progress in SK

Per Cent Combined
Historical All Crops

Aug 12/24	6
Aug 14/23	9
Aug 15/22	5
Aug 9/21	7
Aug 10/20	1
Aug 12/19	1
5 year avg. (2019-2023)	5
10 year avg. (2014-2023)	5

For further information, contact Tyce Masich, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-867-7322, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period August 6 to August 12, 2024

Published by the Ministry of Agriculture

ISSN

Report number 15, August 15, 2024

rainfall this past week with 55 mm. The second highest rainfall was recorded around Wadena with 48 mm, followed by the Kelvington area with 36 mm. The Rose Valley and Middle Lake areas received notable rainfall as well with 35 mm in each area.

With the overall dry conditions this past week, topsoil moisture conditions continue to diminish. Cropland topsoil moisture is currently 29 per cent adequate, 48 per cent short and 23 per cent very short. Hayland topsoil moisture is 24 per cent adequate, 47 per cent short and 29 per cent very short. Pasture topsoil moisture is 16 per cent adequate, 47 per cent short and 37 per cent very short.

The limited rainfall in Saskatchewan is also impacting livestock water supplies and some livestock producers are concerned about water availability for their animals. Provincially, one per cent of livestock water supplies are severely short, 31 per cent are moderately short, 22 per cent are anticipated to be short in the next couple months and 47 per cent are not expected to be short for the foreseeable future. When asking producers if they are concerned about water availability on their farm, 77 per cent indicated they aren't concerned while 23 per cent said they are.

The majority of crop damage in Saskatchewan this week was from dry conditions paired with hot temperatures. Grasshopper damage to crops was also reported during this period, which is not surprising as hot and dry conditions generally promote grasshopper activity. Symptoms of sclerotinia stem rot are showing up in several canola fields and many crops this past week also experienced wind and aphid damage.

Harvest is a busy time in Saskatchewan and everyone is reminded to prioritize safety this fall. The Farm Stress Line is a toll-free number that producers can use to help manage their stress during this busy time, which can be reached at 1-800-667-4442. Producers should be aware of physical hazards such as fire, powerlines, etc. and take preventative measures to avoid incidents. The public is reminded that there is more heavy equipment traffic on roads during harvest, and to be patient by giving machinery extra time and space.

For further information, contact Tyce Masich, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-867-7322, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.




Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION


Saskatchewan

Harvest Progress

from August 6 to August 12, 2024



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Projection: UTM Zone 13 Datum: NAD83



Data Source:
Harvest Progress - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture

August 14, 2024

Saskatchewan Harvest Progress - August 12, 2024

*Other - crop that will not be harvested due to weather, insect or disease damage

East-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	92%	43%	93%	87%	99%	92%	100%	99%
In Swath	0%	3%	0%	0%	0%	0%	0%	0%
Ready To Straight Combine	0%	7%	6%	11%	0%	4%	0%	1%
Combined	6%	37%	1%	2%	0%	3%	0%	0%
Harvested As Feed	2%	10%	0%	0%	1%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	100%	100%	100%	69%	81%	100%	100%	
In Swath	0%	0%	0%	1%	0%	0%	0%	
Ready To Straight Combine	0%	0%	0%	22%	15%	0%	0%	
Combined	0%	0%	0%	8%	4%	0%	0%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
West-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	48%	65%	99%	100%	84%	100%	100%	99%
In Swath	0%	17%	0%	0%	9%	0%	0%	1%
Ready To Straight Combine	13%	1%	1%	0%	0%	0%	0%	0%
Combined	39%	17%	0%	0%	0%	0%	0%	0%
Harvested As Feed	0%	0%	0%	0%	7%	0%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	100%	99%	100%	88%	87%	100%	100%	
In Swath	0%	0%	0%	0%	1%	0%	0%	
Ready To Straight Combine	0%	1%	0%	9%	9%	0%	0%	
Combined	0%	0%	0%	3%	3%	0%	0%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
North East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	68%	51%	100%	42%	100%	98%	98%	100%
In Swath	1%	0%	0%	0%	0%	0%	0%	0%
Ready To Straight Combine	1%	0%	0%	0%	0%	1%	2%	0%
Combined	8%	0%	0%	0%	0%	0%	0%	0%
Harvested As Feed	0%	0%	0%	0%	0%	1%	0%	0%
Other (Damage/Challenges)	22%	49%	0%	58%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	50%	0%	100%	94%	91%	100%	75%	
In Swath	0%	0%	0%	0%	1%	0%	0%	
Ready To Straight Combine	50%	0%	0%	6%	5%	0%	0%	
Combined	0%	0%	0%	0%	3%	0%	0%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	100%	0%	0%	0%	0%	25%	

Saskatchewan Harvest Progress - August 12, 2024

*Other - crop that will not be harvested due to weather, insect or disease damage

North West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	50%	100%	No Response(s)	98%	99%	100%	100%
In Swath	0%	50%	0%	No Response(s)	0%	0%	0%	0%
Ready To Straight Combine	0%	0%	0%	No Response(s)	0%	1%	0%	0%
Combined	100%	0%	0%	No Response(s)	0%	0%	0%	0%
Harvested As Feed	0%	0%	0%	No Response(s)	2%	0%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	No Response(s)	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	No Response(s)	100%	No Response(s)	98%	96%	No Response(s)	No Response(s)	
In Swath	No Response(s)	0%	No Response(s)	0%	0%	No Response(s)	No Response(s)	
Ready To Straight Combine	No Response(s)	0%	No Response(s)	2%	4%	No Response(s)	No Response(s)	
Combined	No Response(s)	0%	No Response(s)	0%	0%	No Response(s)	No Response(s)	
Harvested As Feed	No Response(s)	0%	No Response(s)	0%	0%	No Response(s)	No Response(s)	
Other (Damage/Challenges)	No Response(s)	0%	No Response(s)	0%	0%	No Response(s)	No Response(s)	

Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

For the Period August 6 to August 12, 2024

Harvest has begun for many producers in the southeast as the hot temperatures and limited rainfall are causing crops to rapidly mature.

Harvest is currently 11 per cent complete in the southeast, which is above the six per cent provincial average. Harvest progress in this region is also ahead of the four per cent five-year average and five per cent 10-year average.

Fall rye leads the way for harvest progress as 64 per cent is now in the bin. Winter wheat progress is significantly behind fall rye with 18 per cent combined so far.

Producers are making good progress with pulse crops as 41 per cent of field pea, 31 per cent of chickpea, and 29 per cent of lentil crops have been harvested. Durum leads the way for spring seeded cereal crops as 18 per cent of durum harvest is complete, followed closely by oats at 12 per cent and barley at 10 per cent. Very few oilseed acres have been harvested as merely one per cent of canola harvest is complete, but progress will pick up in the coming weeks.

Southeast Saskatchewan	
Census Division	% Harvested (August 12, 2024)
1	4%
2	33%
5	3%
6	5%
Region average	11%

There was very little rainfall for much of the southeast during this period, with only a few scattered showers taking place. The Carnduff area received 27 mm of rain, which was the most in this region. The Saltcoats area received the second highest rainfall with 17 mm. The limited rainfall in the region affected cropland topsoil moisture, which is currently 29 per cent adequate, 44 per cent short and 27 per cent very short. Hayland topsoil moisture is 27 per cent adequate, 42 per cent short and 31 per cent very short. Finally, pasture topsoil moisture is 21 per cent adequate, 40 per cent short and 39 per cent very short.

Livestock water supplies are being impacted by the recent dry conditions. There are concerns amongst producers of algae bloom in water sources due to the hot and dry environment. Moderate shortages are reported in 34 per cent of livestock water sources, 17 per cent of sources are estimated to be short within the next two months and 49 per cent are not expected to be short in the coming months. Eighty-three per cent of livestock producers in the region are not concerned about water shortages in the future and 17 per cent of producers have water security concerns.

Crop damage in the southeast during the period was mainly due to lack of moisture and heat. Wind, sclerotinia and grasshopper damage were also reported in the last week.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

For the Period August 6 to August 12, 2024

Harvest is in full swing for much of Southwest Saskatchewan. Any rainfall received likely won't benefit crops now but will help pasture conditions. Producers are hoping for a wet fall to replenish soil moisture.

The southwest leads Saskatchewan in harvest progress as 16 per cent of crops have been harvested, which is well above the six-per cent provincial average. Harvest progress this year is also above the 10 per cent five-year average and 10 per cent 10-year average for this region.

Fall seeded cereals lead the way for harvest progress as winter wheat harvest is 100 per cent complete and fall rye harvest is wrapping up with 93 per cent complete. Around half of field pea and lentil crops are off as 57 per cent of field peas and 45 per cent of lentils have been combined. Triticale crops are now 33 per cent harvested which leads spring-seeded cereal crops. Barely is close behind with 25 per cent of acres harvested. Harvest of other spring cereals are just getting started as only six per cent of oats, three per cent of spring wheat and one per cent of durum have been harvested. Like the rest of the province, most oilseed crops aren't ready for harvest in the southwest as only two per cent of canola and one per cent of mustard have been harvested.

Little rainfall occurred during this reporting period, but there were a few pockets of precipitation. The highest rainfall was in the Richmond-area which received 25 mm of rain. The Dollard area received the second highest rainfall with 17 mm. Overall, the lack of rainfall in much of the southwest has negatively affected topsoil moisture. Cropland topsoil moisture this week is rated as eight per cent adequate, 48 per cent short and 44 per cent very short. Hayland topsoil moisture is 4 per cent adequate, 47 percent short, and 49 per cent very short. Pasture topsoil moisture is a mere 3 per cent adequate, 45 per cent short and 52 per cent very short.

Despite the dry conditions, only 18 per cent of livestock producers have water security concerns for their livestock, while 82 per cent of producers are not currently concerned. Five per cent of livestock water sources are severely short, 27 per cent have moderate shortages, 36 per cent are anticipated to have shortages in the next two months and 32 per cent are not expected to have shortage concerns in the future. Livestock producers in the southwest would like to see lots of rain this fall to help improve water sources that are experiencing shortages.

Southwest Saskatchewan	
Census Division	% Harvested (August 12, 2024)
3	10%
4	4%
7	20%
8	23%
Region average	16%

Heat and limited moisture have been the largest factors causing crop damage this week. Aphids and grasshoppers have also been damaging crops recently. Finally, producers reported some minor wind damage to their crops during this period.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

For the Period August 6 to August 12, 2024

Many crops are close to reaching maturity and harvest is on the horizon. A few producers have been able to begin harvesting, but most have yet to start and are using this time to prepare equipment, desiccate and empty grain storage facilities.

Harvest in east-central Saskatchewan is two per cent complete, which matches both the five and 10-year averages. For 2024, harvest in this region is behind the six per cent provincial average. Fall rye has the highest harvest progress with 37 per cent of fall rye crops being harvested so far. Lentil progress is a distant second at eight per cent complete, followed by winter wheat at six per cent complete, and field peas being four per cent complete. Very few spring cereal and oilseed crops have yet to be harvested and progress for these crops is insignificant.

East-Central Saskatchewan	
Census Division	% Harvested (August 12, 2024)
9	2%
10	0%
11	4%
Region average	2%

Rainfall was variable throughout east-central Saskatchewan this week as some areas received significant precipitation and other areas didn't receive any. The Kuroki area received 55 mm of rain, which was the highest in the province. The Wadena area received 48 mm of rain this week, which was the second highest amount in the province. Other areas in the east-central to receive notable rainfall include Leroy with 31 mm, Danbury with 28 mm, and Whitebeech with 24 mm. Topsoil moisture for cropland slightly improved this past week as 44 per cent of it is adequate, 50 per cent short and six per cent very short. Both hayland and pasture topsoil moisture slightly declined, though. Hayland topsoil moisture is 40 per cent adequate, 44 per cent short, and 16 per cent very short. Pasture topsoil moisture is 37 per cent adequate, 43 per cent short and 20 per cent very short.

Livestock producers in this region are experiencing some water shortages for their animals. Thirty-two per cent of water supplies are moderately short and five per cent of sources are expected to become short in the next couple of months, while 63 per cent of water sources are expected to have no shortage issues in the next few months. Thirty-two percent of livestock producers have concerns regarding water availability for their livestock while 68 per cent have no concerns.

Crop damage this week was primarily caused by wind, heat and dry conditions. Some grasshopper activity and sclerotinia stem rot symptoms were reported in fields, but these cases were fairly minor.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

For the Period August 6 to August 12, 2024

Conditions in the west-central region remain dry leading up to harvest. Harvest isn't fully underway yet in this region, but a few producers have been able to start. Lots of desiccating took place this week and many producers expect to begin harvesting in the next week or two.

Harvest in the west-central region is currently one per cent complete, which is less than the current six per cent provincial average. Harvest progress in west-central Saskatchewan this year is also behind the regional five-year average of five per cent and 10-year average of three per cent. Crops harvested so far are mainly winter wheat and fall rye. Thirty-nine per cent of winter wheat has been harvested while 17 per cent of fall rye harvest is complete. Field peas and lentils are the only other crops where harvest has begun in this region so far, with harvest progress for each of these crops being three per cent complete.

West-Central Saskatchewan	
Census Division	% Harvested (August 12, 2024)
12	2%
13	1%
Region average	1%

There was very little rainfall in west-central Saskatchewan this week, with only a few areas receiving precipitation. The Coleville area received 25 mm of rain which was the most in this region, followed by Macklin-area which received 15 mm and Smiley-area which received 13 mm. As a result of very limited precipitation, topsoil moisture in this region has rapidly declined since last week. Topsoil moisture is now 13 per cent adequate, 63 per cent short and 24 per cent very short. Hayland topsoil moisture is three per cent adequate, 67 per cent short and 30 per cent very short. Finally, pasture topsoil moisture conditions are dry as only three per cent is adequate, 66 per cent is short and 31 per cent is very short.

Livestock producers in this region are the most concerned about water availability for their livestock with 39 per cent of producers concerned and 61 per cent not concerned. Moderate shortages are being seen in 17 per cent of livestock water sources, another 44 per cent of water sources are expected to experience shortages in the next couple of months and 39 per cent are not expected to experience shortages in the next few months. Like most of the province, livestock producers are hoping for plenty of rain this fall and lots of snow during the winter to fill water sources for next year.

Dry conditions from a lack of rainfall and heat caused the most crop damage this week. Grasshoppers feeding on crops and sclerotinia stem rot infections also resulted in crop damage this week.

Northeastern Saskatchewan:

- Census Division 14 – Choceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

For the Period August 6 to August 12, 2024

Some areas in the northeast received rainfall which benefited later seeded crops and was welcomed by producers. Producers are currently busy getting harvest equipment ready and desiccating crops.

Harvest has not begun yet except for a few winter wheat and field pea crops. Eight per cent of winter wheat crops have been harvested and three per cent of field peas have been taken off. The slow harvest progress is due to a few factors, mainly the cool and wet spring causing seeding and crop development delays. Rainfall this past week further delays harvest as well, but many producers are hopeful they will begin harvesting within the next couple of weeks. Currently producers are in the process of desiccating crops and servicing harvest equipment.

Northeast Saskatchewan	
Census Division	% Harvested (August 12, 2024)
14	0%
15	0%
Region average	0%

Quite a few areas received rain this week while other areas didn't receive any. The Kelvington area got the most rain with 36 mm, while nearby Rose Valley received 35 mm. The Middle Lake area also received 35 mm of rain. Other areas to receive significant precipitation this week includes Arborfield and Porcupine Plain with 31 mm, Archerwill with 30 mm and Saint Brieux with 26 mm. The rainfall throughout much of the region improved topsoil moisture conditions for cropland, hayland and pasture. Cropland topsoil moisture is 60 per cent adequate, 38 per cent short and two per cent very short. Hayland topsoil moisture is 48 per cent adequate, 51 per cent short and one per cent very short. Pasture topsoil moisture is 48 per cent adequate, 50 per cent short and two per cent very short.

Producers in the northeast have the least concern about water availability for their livestock. Only 12 per cent of livestock producers have concerns about water availability which is well below the 23 per cent provincial average, and 77 per cent of producers do not have water security concerns for their livestock. Livestock producers in this region estimate that 27 per cent of livestock water sources have moderate shortages, 12 per cent are expected to be short in the coming months and 62 per cent are not expected to experience shortages. Overall, northeast Saskatchewan is one of the strongest regions in the province for livestock water availability.

Crop damage this week was largely from abiotic stresses such as wind, heat, and dry conditions. Aphids feeding on crops and sclerotinia stem rot infections are also causing crop damage in parts of the northeast.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

For the Period August 6 to August 12, 2024

The northwest continues to be hot and dry which is hurting crop and pasture conditions. Additionally, crops are maturing quickly, and producers are starting to swath and desiccate crops.

Harvest has yet to kick off in this region as less than one per cent of crops are currently harvested. This is slightly behind the five and 10-year regional averages of one per cent completion, and greatly behind the six per cent provincial average for this year. The only crop harvested so far this year is winter wheat, which is 100 per cent complete.

Northwest Saskatchewan	
Census Division	% Harvested (August 12, 2024)
16	0%
17	1%
Region average	0%


The northwest received very little rainfall this week.

The most rainfall in the region occurred in the Hafford-area which only received 3 mm. Overall, topsoil moisture conditions were negatively impacted by the limited precipitation this week. Cropland topsoil moisture is currently 22 per cent adequate, 48 per cent short and 30 per cent very short. Hayland topsoil moisture is 19 per cent adequate, 47 per cent short and 34 per cent very short. Pasture topsoil moisture is 15 per cent adequate, 49 per cent short and 36 per cent very short. Producers want a wet fall after harvest to improve soil moisture.

The limited moisture in this region has 36 per cent of livestock producers concerned about water availability for their livestock, which is the second highest percentage in the province. The northwest leads the province in livestock water shortages with 57 per cent of water sources having moderate shortages, 21 per cent of sources expected to have shortage issues in the next two months and only 21 per cent of sources expected to have no shortage issues.

Like much of the province, dry conditions and hot temperatures caused the greatest crop damage this past week. Some producers reported wind and frost damage to crops in their area as well.



Crop Report Regions & Census Divisions



Weekly Rainfall

from August 6 to August 12, 2024

Rainfall (mm)



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from August 6 to August 12, 2024

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	32	RECIPROCITY	10	277	8	168	RIVERSIDE	0	150	14	394	HUDSON BAY	0	294
1	4	COALFIELDS	12	270	8	138	WEBB	0	181	14	486	MOOSE RANGE	12	292
1	95	GOLDEN WEST	14	206	8	228	LACADENA	0	192	14	488	TORCH RIVER	12	318
1	3	ENNISKILLEN	14	311	8	229	MIRY CREEK	3	179	14	394A	HUDSON BAY	23	184
1	2	MOUNT PLEASANT	17	351	8	231	HAPPYLAND	3	187	14	397A	BARRIER VALLEY	27	327
1	2A	MOUNT PLEASANT	27	321	8	138A	WEBB	3	249	14	397	BARRIER VALLEY	30	211
1	65	TECUMSEH	N/A	175	8	139	GULL LAKE	7	131	14	395	PORCUPINE	31	306
2	38A	LAURIER	0	129	8	168A	RIVERSIDE	8	60	14	456	ARBORFIELD	31	350
2	38	LAURIER	0	162	8	142	ENTERPRISE	25	293	14	367	PONASS LAKE	35	336
2	68	BROKENSHELL	0	189	8	137	SWIFT CURRENT	N/A	150	14	366	KELVINGTON	36	272
2	67	WEYBURN	0	197	8	259A	SNIPER LAKE	N/A	197	14	457	CONNAUGHT	N/A	199
2	100	ELMSTHORPE	0	290	8	257	MONET	N/A	216	14	428	STAR CITY	N/A	242
2	6	CAMBRIA	N/A	32	8	259	SNIPER LAKE	N/A	220	14	487	NIPAWIN	N/A	305
2	10	HAPPY VALLEY	N/A	162	9	245	GARRY	0	339	14	488A	TORCH RIVER	N/A	312
3	101	TERRELL	0	141	9	243	WALLACE	12	167	15	520	PADDOCKWOOD	0	217
3	106	WHISKA CREEK	0	170	9	245A	GARRY	14	329	15	521	LAKELAND	0	217
3	73	STONEHENGE	0	196	9	241A	CALDER	14	333	15	403	ROSTHERN	0	244
3	76	AUVERGNE	0	227	9	241	CALDER	16	247	15	461A	PRINCE ALBERT	0	269
3	102	LAKE JOHNSTON	0	260	9	331	LIVINGSTON	24	240	15	491	BUCKLAND	0	297
3	74	WOOD RIVER	0	272	9	333	CLAYTON	28	262	15	463	DUCK LAKE	0	360
3	75	PINTO CREEK	5	196	9	301	ST. PHILIPS	N/A	113	15	372	GRANT	8	251
4	79A	ARLINGTON	0	158	9	275	INSINGER	N/A	114	15	461	PRINCE ALBERT	10	202
4	51	RENO	7	168	9	273	SLIDING HILLS	N/A	207	15	460	BIRCH HILLS	11	191
4	110	PIAPOT	10	193	10	248	TOUCHWOOD	1	179	15	402	FISH CREEK	12	276
4	78A	GRASSY CREEK	10	224	10	246A	ITUNA BON ACCORD	2	250	15	430	INVERGORDON	15	271
4	77A	WISE CREEK	14	226	10	279	MOUNT HOPE	2	207	15	371A	BAYNE	16	255
4	79	ARLINGTON	17	192	10	276B	FOAM LAKE	10	353	15	429	FLETT'S SPRINGS	17	264
4	108	BONE CREEK	N/A	164	10	276A	FOAM LAKE	10	420	15	403A	ROSTHERN	17	319
5	181	LANGENBURG	0	216	10	307	ELFROS	17	296	15	459	KINISTINO	20	298
5	215	STANLEY	0	238	10	277A	EMERALD	22	292	15	370	HUMBOLDT	22	255
5	122	MARTIN	0	251	10	339	LEROY	31	243	15	371	BAYNE	23	250
5	183	FERTILE BELT	0	292	10	337	LINDE	48	248	15	369	ST. PETER	23	340
5	151	ROCANVILLE	2	227	10	336	SASMAN	55	311	15	371B	BAYNE	25	206
5	125A	CHESTERFIELD	3	129	10	276	FOAM LAKE	N/A	37	15	399	LAKE LENORE	26	420
5	123	SILVERWOOD	4	271	10	279A	MOUNT HOPE	N/A	59	15	400	THREE LAKES	35	387
5	124	KINGSLEY	5	177	10	247	KELLROSS	N/A	169	16	467	ROUND HILL	0	163
5	211	CHURCHBRIDGE	14	394	10	277	EMERALD	N/A	291	16	466	MEETING LAKE	0	174
5	155	WOLSELEY	15	239	10	246	ITUNA BON ACCORD	N/A	326	16	436	DOUGLAS	0	230
5	211A	CHURCHBRIDGE	15	277	11	284	RUDY	0	205	16	467A	ROUND HILL	0	236
5	213	SALTCOATS	18	236	11	251	BIG ARM	0	242	16	437	NORTH BATTLEFORD	0	247
5	154A	ELCAPO	N/A	181	11	314	DUNDURN	1	264	16	406	MAYFIELD	0	249
6	190	DUFFERIN	0	141	11	282	McCRANEY	7	311	16	493	SHELLBROOK	0	321
6	219B	LONGLAKETON	0	149	11	310	USBORNE	N/A	203	16	497	MEDSTEAD	1	194
6	220A	McKILLOP	0	153	11	344	CORMAN PARK	N/A	256	16	435	REDBERRY	3	359
6	190C	DUFFERIN	0	190	12	316	HARRIS	0	193	16	437A	NORTH BATTLEFORD	N/A	215
6	221	SARNIA	0	210	12	346	PERDUE	0	286	17	498	PARKDALE	0	120
6	220B	McKILLOP	0	240	12	288	PLEASANT VALLEY	0	306	17	468	MEOTA	0	125
6	130	REDBURN	0	248	12	377	GLENSIDE	0	319	17	502	BRITANNIA	0	129
6	186	ABERNETHY	0	242	12	345	VANSCOY	0	321	17	499	MERVIN	0	140
6	219A	LONGLAKETON	1	55	12	285A	FERTILE VALLEY	0	323	17	501A	FRENCHMAN BUTTE	0	175
6	217	LIPTON	1	289	12	376	EAGLE CREEK	0	342	17	471	ELDON	0	208
6	216	TULLYMET	1	161	12	347	BIGGAR	0	343	17	561	LOON LAKE	1	202
6	127	FRANCIS	2	211	12	285	FERTILE VALLEY	0	353	17	501	FRENCHMAN BUTTE	2	178
6	129	BRATT'S LAKE	3	243	12	287	ST. ANDREWS	N/A	172	17	472	WILTON	N/A	8
6	159B	SHERWOOD	7	172	12	286	MILDEN	N/A	254	17	470	PAYNTON	N/A	64
6	159A	SHERWOOD	10	218	12	317A	MARRIOTT	N/A	274	17	588	MEADOW LAKE	N/A	266
6	190A	DUFFERIN	N/A	136	12	378	ROSEMOUNT	N/A	283					
6	190B	DUFFERIN	N/A	158	12	317	MARRIOTT	N/A	410					
6	160	PENSE	N/A	188	13	440	HILLSDALE	0	164					
6	216A	TULLYMET	N/A	190	13	410	ROUND VALLEY	0	213					
6	219	LONGLAKETON	N/A	197	13	409A	BUFFALO	0	232					
6	156	INDIAN HEAD	N/A	203	13	350	MARIPOSA	2	222					
7	132A	HILLSBOROUGH	0	195	13	351	PROGRESS	6	321					
7	165	MORSE	0	196	13	442	MANITOU LAKE	9	203					
7	161	MOOSE JAW	0	197	13	292A	MILTON	10	298					
7	193	EYEBROW	0	219	13	321	PRAIRIE DALE	13	342					
7	162A	CARON	0	225	13	382	EYE HILL	15	339					
7	223	HURON	0	235	13	320A	OAKDALE	25	239					
7	162	CARON	0	234	13	290	KINDERSLEY	N/A	130					
7	132	HILLSBOROUGH	1	251	13	320	OAKDALE	N/A	151					
7	191	MARQUIS	8	253	13	409	BUFFALO	N/A	276					
7	136	COULEE	N/A	150	13	292	MILTON	N/A	305					


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week

Cumulative Rainfall

from April 1 to August 12, 2024




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Cropland Topsoil Moisture Conditions

from August 6 to August 12, 2024




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Hay Topsoil Moisture Conditions

from August 6 to August 12, 2024



Pasture Topsoil Moisture Conditions

from August 6 to August 12, 2024




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Minimum Temperature

from August 6 to August 12, 2024



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Projection: UTM Zone 13 Datum: NAD83





Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture

August 14, 2024

Maximum Temperature

from August 6 to August 12, 2024



Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture

August 14, 2024