

Crop Report

For the Period June 4 to June 10, 2024

Published by the Ministry of Agriculture
ISSN
Report number 06, June 13, 2024

Provincially, most producers have completed their seeding operations with 98 per cent of the 2024 crop seeded. Rain continued to hinder seeding operations in the northeast and east-central parts of the province. Some producers have indicated their acres may not be able to be seeded this year due to the excess moisture in some areas.

Rain fell throughout the province over the last week with the northeast region receiving the highest amounts. The Lake Lenore area reported the highest rainfall amount at 81 mm followed by the Arborfield area at 78 mm and the Duck Lake area at 76 mm. Regions that have received increased precipitation have noted that the heavy rainfall has caused water to collect in lower lying areas with crop flooding occurring.

With the continued rainfall across the province, moisture conditions continue to increase with a few more regions indicating surplus moisture. Cropland topsoil moisture is rated as eight per cent surplus, 90 per cent adequate and two per cent short. Hayland topsoil moisture is reported at five per cent surplus, 89 per cent adequate and six per cent short. Pasture topsoil moisture is five per cent surplus, 87 per cent adequate and eight per cent short.

Although many crops fall within the normal stages of development for this time of year, there has been a week over week increase to the percentage of crops reported as behind the normal stages of development due to the cooler temperatures experienced and delays to seeding from rainfall. Spring wheat and oilseed crops are the furthest behind the normal stages of development for this time of the year.

One year ago

Most producers have completed seeding operations, with 99 per cent of the crop seeded. Crop conditions across the province mostly range from fair to excellent. Provincially, 85 per cent of the fall cereals, 83 per cent of the pulses and 76 per cent of spring cereals and oilseeds are at their normal stages of development.

Follow the 2024 Crop Report on Twitter @SKAgriculture

Provincial Seeding Progress

Per cent seeded by crop
for the period up to June 10, 2024

Region	Seeding Complete
Southeast	99%
Southwest	99%
East-central	97%
West-central	99%
Northeast	95%
Northwest	98%
Provincial	98%

Provincial Crop Development-June 10, 2024

Crop	% Ahead	% Normal	% Behind
Fall Cereals	9%	79%	12%
Spring Cereals	5%	69%	26%
Oilseeds	3%	63%	34%
Pulse Crops	2%	79%	19%
Perennial Forage	8%	76%	16%
Annual Forage	2%	76%	22%

For further information, contact Meghan Rosso, MSc, PAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period June 4 to June 10, 2024

Published by the Ministry of Agriculture
ISSN
Report number 06, June 13, 2024

Many producers indicate that pasture conditions have shown great improvement throughout the province given the moisture received. The majority of crops across the province are reported in good to excellent condition given the moisture received. This has provided a great start for crops as compared to previous years.

Of the cereal crops grown across the province, winter wheat is reported at 69 per cent good and 18 per cent excellent. Fall rye is 73 per cent good and 14 per cent excellent. Spring wheat is 64 per cent good and 23 per cent excellent. Durum is 66 per cent good and 27 per cent excellent. Oats are rated as 68 per cent good and 19 per cent excellent. Barley is 66 per cent good and 21 per cent excellent. Triticale is 83 per cent good and 13 per cent excellent. Canary seed is rated at 65 per cent good and 24 per cent excellent.

Provincially, field peas are rated as 67 per cent good and 24 per cent excellent. Lentils are 69 per cent good and 21 per cent excellent. Soybeans are 73 per cent good and 10 per cent excellent. Chickpeas are 84 per cent good and 11 per cent excellent across the province.

Across the province, flax is rated as 68 per cent good and 23 per cent excellent. Mustard is 71 per cent good and 17 per cent excellent. Canola shows to have a wider range of reported crop condition with 16 per cent excellent, 62 per cent good and 19 per cent rated as fair.

Environmental conditions contributing to crop damage this week include excessive moisture, frost and wind. Damage overall was reported as minor except for a few areas of the province reporting increased crop damage from wind and excessive moisture. In addition to damage caused by crop flooding in low lying areas from excessive moisture, producers also note that crops are showing signs of stress due to the excess moisture in some regions of the province. Flea beetles, grasshoppers and gophers continue to cause crop damage throughout many regions with some areas reporting minor to moderate crop damage.

For further information, contact Meghan Rosso, MSc, PAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period June 4 to June 10, 2024

Published by the Ministry of Agriculture

ISSN

Report number 06, June 13, 2024

As producers wrap up seeding, they are applying in-crop herbicides during appropriate weather, as well as rock picking. Crops will continue to be monitored for insects and environmental damage. As cattle are moved out to pasture, producers will monitor and fix fence where required. For many producers, this is still a stressful time of year and producers are encouraged to take safety precautions in all the work they do. The Farm Stress Line can help by providing support for producers toll free at 1-800-667-4442.

Follow the 2024 Crop Report on Twitter at @SKAgriculture

For further information, contact Meghan Rosso, MSc, PAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan!

Crop Development (for the period of June 4 to June 10, 2024)

Provincial			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	9%	79%	12%
Spring Cereals	5%	69%	26%
Oilseeds	3%	63%	34%
Pulse Crops	2%	79%	19%
Perennial Forage	8%	76%	16%
Annual Forage	2%	76%	22%

Southeast Saskatchewan			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	14%	83%	3%
Spring Cereals	9%	73%	18%
Oilseeds	4%	70%	26%
Pulse Crops	4%	80%	16%
Perennial Forage	17%	77%	6%
Annual Forage	8%	82%	10%

Southwest Saskatchewan			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	7%	93%	0%
Spring Cereals	6%	78%	16%
Oilseeds	2%	81%	17%
Pulse Crops	3%	84%	13%
Perennial Forage	5%	87%	8%
Annual Forage	2%	96%	2%

East-central Saskatchewan			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	14%	64%	22%
Spring Cereals	6%	60%	34%
Oilseeds	1%	62%	37%
Pulse Crops	3%	82%	15%
Perennial Forage	2%	65%	33%
Annual Forage	0%	85%	15%

West-central Saskatchewan			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	6%	69%	25%
Spring Cereals	3%	69%	28%
Oilseeds	6%	62%	32%
Pulse Crops	4%	69%	27%
Perennial Forage	11%	65%	24%
Annual Forage	1%	70%	29%


Northeast Saskatchewan			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	0%	44%	56%
Spring Cereals	1%	64%	35%
Oilseeds	1%	58%	41%
Pulse Crops	5%	66%	29%
Perennial Forage	1%	76%	23%
Annual Forage	1%	95%	4%

Northwest Saskatchewan			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	0%	68%	32%
Spring Cereals	3%	67%	30%
Oilseeds	2%	58%	40%
Pulse Crops	0%	86%	14%
Perennial Forage	0%	94%	6%
Annual Forage	0%	63%	37%

Crop Conditions Continued -June 4 to June 10, 2024

West Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	10%	10%	34%	25%	35%	28%	23%	30%
good	76%	73%	57%	65%	56%	64%	64%	60%
fair	14%	17%	9%	10%	9%	8%	13%	10%
poor	0%	0%	0%	0%	0%	0%	0%	0%
very poor	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	33%	30%	0%	32%	40%	26%	13%	
good	60%	59%	75%	59%	53%	67%	81%	
fair	7%	11%	25%	9%	7%	7%	6%	
poor	0%	0%	0%	0%	0%	0%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	
North East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	9%	0%	26%	21%	14%	23%	9%	18%
good	20%	2%	53%	21%	61%	51%	47%	53%
fair	35%	0%	20%	58%	18%	20%	43%	21%
poor	0%	98%	1%	0%	7%	6%	1%	7%
very poor	35%	0%	0%	0%	0%	0%	0%	1%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	0%	0%	27%	22%	7%	0%	
good	50%	0%	100%	58%	59%	47%	50%	
fair	0%	100%	0%	6%	16%	46%	0%	
poor	50%	0%	0%	0%	2%	1%	0%	
very poor	0%	0%	0%	9%	0%	0%	50%	
North West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	50%	56%	17%	0%	11%	13%	42%	9%
good	50%	44%	68%	100%	74%	75%	58%	64%
fair	0%	0%	12%	0%	13%	10%	0%	23%
poor	0%	0%	2%	0%	1%	1%	0%	3%
very poor	0%	0%	1%	0%	1%	1%	0%	1%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	50%	No Response(s)	No Response(s)	7%	15%	No Response(s)	No Response(s)	
good	50%	No Response(s)	No Response(s)	77%	77%	No Response(s)	No Response(s)	
fair	0%	No Response(s)	No Response(s)	16%	6%	No Response(s)	No Response(s)	
poor	0%	No Response(s)	No Response(s)	0%	1%	No Response(s)	No Response(s)	
very poor	0%	No Response(s)	No Response(s)	0%	1%	No Response(s)	No Response(s)	

Crop Report Regions & Census Divisions



Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Most producers have wrapped up seeding within the region apart from a few acres that are being seeded to greenfeed as conditions allow. Overall, producers are reporting good growing conditions with pasture and hayland looking promising within the region. Producers will be applying in-crop applications when weather permits and continuing to monitor crops over the coming week.

Rain fell throughout most of the region over the past week with a few scattered showers at the beginning of the week followed by more general rain as the reporting week ended. The areas to report the highest amounts included the Craven area at 47 mm followed by the Bethune and Indian Head areas at 45 mm. The Avonlea area received 26 mm and the Moosomin area received 20 mm. The Carnduff area reported 24 mm for the past week.

Topsoil moisture continues to increase in the region this week. Cropland topsoil moisture is six per cent surplus, 90 per cent adequate and four per cent short. Hayland topsoil moisture is rated as three per cent surplus, 86 per cent adequate, 10 per cent short and one per cent very short. Pasture topsoil moisture is three per cent surplus, 84 per cent adequate, 12 per cent short and one per cent very short.

Overall, crops within the region are falling into the normal stages of development for this time of year. An increase in the per cent that are falling behind in development is due to the cooler temperatures, high winds and delays to seeding progress due to rainfall.

Southeast Saskatchewan Crop Development			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	14%	83%	3%
Spring Cereals	9%	73%	18%
Oilseeds	4%	70%	26%
Pulse Crops	4%	80%	16%
Perennial Forage	17%	77%	6%
Annual Forage	8%	82%	10%

Producers report good growing conditions within the region with many crops reported in excellent to good condition. A full summary of individual crop conditions for the region can be viewed in the attached crop conditions table.

Minor crop damage was reported in the region due to excessive moisture, frost and hail. Elevated crop damage due to flea beetles, gophers and wind were reported within the region over the past week. Producers will continue to monitor grasshopper pressure as the season continues but some minor crop damage has been reported in some areas.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

As seeding wraps up in the region, producers are busy continuing to monitor their crops and are beginning spray operations when weather permits. Producers report that the pasture and hayland is looking good within the region.

Rain was widespread throughout the region this week with the highest amount recorded in the Moose Jaw area at 34 mm. The Swift Current area received 27 mm, the Hazenmore area received 25 mm and the Shaunavon area received 16 mm.

The continued rainfall is replenishing soil moisture within the region. Cropland topsoil moisture is three per cent surplus, 95 per cent adequate and two per cent short. Hayland topsoil moisture is rated as three per cent surplus, 90 per cent adequate and seven per cent short. Pasture topsoil moisture is six per cent surplus, 84 per cent adequate, nine per cent short and one per cent very short.

Crops within the region are falling mainly into the normal stages of development for this time of year. An increase in the per cent that are falling behind in development is due to the cooler temperatures, high winds and delays to seeding progress due to rainfall.

Southwest Saskatchewan Crop Development			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	7%	93%	0%
Spring Cereals	6%	78%	16%
Oilseeds	2%	81%	17%
Pulse Crops	3%	84%	13%
Perennial Forage	5%	87%	8%
Annual Forage	2%	96%	2%

Many crops within the region are reported in excellent to good condition given the timely rainfalls over the past few weeks. A full summary of individual crop conditions for the region can be viewed in the attached crop conditions table.

Excessive moisture, frost and hail caused minor crop damage over the past week. Some root rot has been observed in pulse fields within the region. Moderate crop damage was reported due to wind, flea beetles, grasshoppers and gophers with some producers needing to re-seed canola due to the resulting crop damage. Producers will continue to monitor their fields and will be taking control measures in many areas over the upcoming weeks.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Seeding was able to advance within the region despite rain delays over the past week. The east-central region overall is reporting 97 per cent seeding completion. Within the region, census division 9 is reporting 93 per cent seeding completion, census division 10 is reporting 97 per cent and census division 11 is reporting 99 per cent completion.

Rain was widespread throughout the region the past week with a few areas reporting increased amounts. The Foam Lake area reported the highest amount at 61 mm. The Goodeve area reported 45 mm, the Wadena area recorded 44 mm and the Hanley area reported 41 mm.

Topsoil moisture continues to improve in the region this week. Cropland topsoil moisture is nine per cent surplus, 88 per cent adequate and three per cent short. Hayland topsoil moisture is rated as eight per cent surplus, 81 per cent adequate and eleven per cent short. Pasture topsoil moisture is eight per cent surplus, 79 per cent adequate and 13 per cent short.

Although the majority of crops fall within the normal stages of development for this time of year, excessive moisture, cooler temperatures and windy conditions have slowed development. Oilseed crops are reported to be the furthest behind at 37 per cent.

East-central Saskatchewan Crop			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	14%	64%	22%
Spring Cereals	6%	60%	34%
Oilseeds	1%	62%	37%
Pulse Crops	3%	82%	15%
Perennial Forage	2%	65%	33%
Annual Forage	0%	85%	15%

Producers report good hay and pasture development within the region. The majority of crops are reported to be in good condition. Oilseed crops, along with triticale, canary seed and chickpeas are showing reductions to fair crop conditions over other crops within the region. A full summary of individual crop conditions for the region can be viewed in the attached crop conditions table.

Minor crop damage was reported in the region due to frost and grasshoppers. Moderate damage was reported due to wind, excessive moisture, cutworms and flea beetles. The damage has reached a stage that some producers are beginning to take flea beetle control measures. Producers noted that the excessive moisture caused crop flooding and caused some issues with canola emergence. There are concerns for root rot development within the region as well.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Most producers have wrapped up seeding within the region. Overall, producers are reporting good growing conditions. Pastures are developing well, and producers are optimistic about potential hay crops within the region. Producers will be applying in-crop applications when weather permits and continuing to monitor crops over the coming week.

Rainfall was variable throughout the region with the east side of the region receiving higher amounts of rain over the past week. The highest rainfall recorded was in the Sonningdale area at 49 mm followed by the Perdue area at 40 mm. The Rosetown area received 29 mm, the Wilkie area received 26 mm and the Kindersley area received eight mm over the past week.

Topsoil moisture slightly increased in the region this week. Cropland topsoil moisture is one per cent surplus, 96 per cent adequate and three per cent short. Hayland topsoil moisture is rated as 95 per cent adequate and five per cent short. Pasture topsoil moisture is 94 per cent adequate and six per cent short.

The majority of crops fall within the normal stages of development for this time of year, but excessive moisture and cooler temperatures have caused an increased number to fall behind in development. Oilseed crops are reported to be the furthest behind at 32 per cent.

West-central Saskatchewan Crop			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	6%	69%	25%
Spring Cereals	3%	69%	28%
Oilseeds	6%	62%	32%
Pulse Crops	4%	69%	27%
Perennial Forage	11%	65%	24%
Annual Forage	1%	70%	29%

Many crops within the region are reported in excellent to good condition given the timely rainfalls over the past few weeks. A full summary of individual crop conditions for the region can be viewed in the attached crop conditions table.

Producers reported minor crop damage due to excessive moisture but noted that some flooding did occur in low lying areas within the region. Increased crop damage was reported due to frost and wind, but it is anticipated that most crops will recover. Producers will continue to monitor flea beetle and grasshopper pressure; at this point moderate crop damage has been reported and some control measures are being taken.

Northeastern Saskatchewan:

- Census Division 14 – Choceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Despite continued rain interruptions, seeding was able to advance within the region over the past week. The northeast region overall is reporting 95 per cent seeding completion. Census division 14 is reporting 96 per cent seeding completion and census division 15 is reporting 95 per cent completion. The current moisture status within the region is posing challenges to seeding completion with a few producers noting that unless the weather changes, they are unlikely to finish seeding some acres this year.

Rain fell throughout the region with many areas reporting heavy amounts. The highest amount recorded was in the Lake Lenore area at 81 mm. This was followed by the Arborfield area at 78 mm and the Duck Lake area at 76 mm. The lowest rainfall recorded for the past week fell in the Rosthern area which reported 18 mm.

Topsoil moisture continues to increase with many areas reporting surplus moisture conditions. Cropland topsoil moisture is rated at 23 per cent surplus and 77 per cent adequate. Hayland topsoil moisture is rated as 13 per cent surplus and 87 per cent adequate. Pasture topsoil moisture is 15 per cent surplus and 85 per cent adequate.

Although the majority of crops fall within the normal stages of development for this time of year, many are not advancing at the expected rate. This is due to excessive moisture, cooler temperatures and delays to seeding progress from rainfall. Fall cereals and oilseed crops are the furthest behind at 56 per cent and 41 per cent respectively.

Northeast Saskatchewan Crop Development			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	0%	44%	56%
Spring Cereals	1%	64%	35%
Oilseeds	1%	58%	41%
Pulse Crops	5%	66%	29%
Perennial Forage	1%	76%	23%
Annual Forage	1%	95%	4%

The majority of crops are reported to be in good condition within the region, but many areas are beginning to report fair crop conditions due to stress from excessive moisture. A full summary of individual crop conditions for the region can be viewed in the attached crop conditions table.

Minor crop damage was reported in the region due to frost and wind over the past week. Moderate crop damage occurred due to flea beetles along with excessive moisture conditions. Producers report drowned out areas within fields along with large areas of standing water that are causing stress to developing crops. Given the excessive moisture conditions, there are also concerns for root rot and leaf disease development within the region as well.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Most producers have wrapped up seeding within the region, but excessive moisture is posing challenges to seeding completion in the region's more northern areas. A few producers note that it is likely some acres will not be seeded due to the excessive moisture currently in the fields.

Rain fell throughout the region over the past week with heavy rainfall amounts recorded in the northern areas of the region. The highest amount recorded was in the Hafford area at 60 mm followed by the Meadow Lake area at 55 mm. The North Battleford area received 45 mm and the Prince Albert area received 39 mm.

Topsoil moisture continues to increase within the region this week. Cropland topsoil moisture is six per cent surplus and 94 per cent adequate. Hayland topsoil moisture is rated as three per cent surplus, 96 per cent adequate and one per cent short. Pasture topsoil moisture is one per cent surplus, 97 per cent adequate and two per cent short.

Most crops fall within the normal stages of development for this time of year, but many are starting to fall behind in development. This is due to excessive moisture, cooler temperatures and delays to seeding progress from rainfall. Oilseed crops and annual forages are the furthest behind at 40 per cent and 37 per cent respectively.


Northwest Saskatchewan Crop Development			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	0%	68%	32%
Spring Cereals	3%	67%	30%
Oilseeds	2%	58%	40%
Pulse Crops	0%	86%	14%
Perennial Forage	0%	94%	6%
Annual Forage	0%	63%	37%

Producers report many crops are in excellent to good condition throughout the region. Canola in some areas within the region is falling slightly behind the reported good conditions for the other crops. A full summary of individual crop conditions for the region can be viewed in the attached crop conditions table.

Minor crop damage was reported in the region due to frost, wind and cutworms over the past week. Moderate crop damage occurred due to flea beetles with some producers taking control measures. Excessive moisture is also causing crop damage due to flooded and drowned out areas within fields and is raising concerns for root rot and leaf disease development within the region.

Weekly Rainfall

from June 4 to June 10, 2024



Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from June 4 to June 10, 2024

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	4	COALFIELDS	0	140	8	142	ENTERPRISE	5	134	14	488A	TORCH RIVER	30	152
1	95	GOLDEN WEST	5	90	8	139	GULL LAKE	7	87	14	397	BARRIER VALLEY	37	84
1	3	ENNSKILLEN	7	140	8	168	RIVERSIDE	10	84	14	394A	HUDSON BAY	44	100
1	2A	MOUNT PLEASANT	10	145	8	259	SNIFE LAKE	10	115	14	486	MOOSE RANGE	46	186
1	32	RECIPROCITY	24	112	8	137	SWIFT CURRENT	13	94	14	395	PORCUPINE	46	197
1	2	MOUNT PLEASANT	24	199	8	138	WEBB	13	117	14	397A	BARRIER VALLEY	47	174
1	65	TECUMSEH	N/A	93	8	229	MIRY CREEK	14	137	14	457	CONNAUGHT	48	153
2	67	WEYBURN	5	95	8	259A	SNIFE LAKE	15	124	14	428	STAR CITY	51	146
2	68	BROKENSHELL	10	86	8	228	LACADENA	19	121	14	487	NIPAWIN	53	138
2	38	LAURIER	10	125	8	257	MONET	20	136	14	488	TORCH RIVER	57	169
2	10	HAPPY VALLEY	17	113	8	138A	WEBB	27	151	14	394	HUDSON BAY	62	202
2	100	ELMSTHORPE	26	169	8	168A	RIVERSIDE	N/A	44	14	367	PONASS LAKE	65	199
2	6	CAMBRIA	N/A	32	8	231	HAPPYLAND	N/A	121	14	366	KELVINGTON	67	144
2	38A	LAURIER	N/A	72	9	243	WALLACE	12	87	14	456	ARBORFIELD	78	189
3	73	STONEHENGE	19	133	9	245A	GARRY	16	124	15	403A	ROSTHERN	18	103
3	106	WHISKA CREEK	19	92	9	241	CALDER	21	107	15	371	BAYNE	19	79
3	74	WOOD RIVER	21	166	9	241A	CALDER	21	168	15	521	LAKELAND	21	99
3	76	AUVERGNE	22	138	9	331	LIVINGSTON	28	150	15	520	PADDOCKWOOD	21	99
3	75	PINTO CREEK	25	152	9	273	SLIDING HILLS	33	122	15	370	HUMBOLDT	35	130
3	101	TERRELL	27	126	9	333	CLAYTON	39	181	15	461A	PRINCE ALBERT	38	133
3	102	LAKE JOHNSTON	30	186	9	245	GARRY	45	115	15	372	GRANT	38	96
4	77A	WISE CREEK	2	120	9	273A	SLIDING HILLS	N/A	19	15	403	ROSTHERN	38	133
4	51	RENO	5	104	9	301	ST. PHILIPS	N/A	51	15	460	BIRCH HILLS	39	111
4	110	PIAPOT	6	166	9	275	INSINGER	N/A	84	15	371A	BAYNE	41	111
4	79A	ARLINGTON	7	95	10	248	TOUCHWOOD	20	92	15	461	PRINCE ALBERT	47	131
4	79	ARLINGTON	9	120	10	246	ITUNA BON ACCORD	22	132	15	369	ST. PETER	51	199
4	78A	GRASSY CREEK	15	178	10	279	MOUNT HOPE	23	84	15	491	BUCKLAND	52	170
4	108	BONE CREEK	16	95	10	247	KELLROSS	30	61	15	371B	BAYNE	59	65
5	125A	CHESTERFIELD	9	32	10	337	LUNDE	33	115	15	459	KINISTINO	64	133
5	211	CHURCHBRIDGE	9	126	10	307	ELFROS	36	168	15	430	INVERGORDON	65	157
5	181	LANGENBURG	10	113	10	339	LEROY	37	133	15	399	LAKE LENORE	67	184
5	124	KINGSLEY	12	111	10	276B	FOAM LAKE	41	176	15	429	FLETT'S SPRINGS	70	172
5	151	ROCANVILLE	12	125	10	277A	EMERALD	43	129	15	463	DUCK LAKE	76	167
5	213	SALTCOATS	13	78	10	336	SASMAN	44	174	15	400	THREE LAKES	81	191
5	123	SILVERWOOD	14	179	10	276A	FOAM LAKE	55	265	15	402	FISH CREEK	N/A	75
5	154A	ELCAPO	15	95	10	277	EMERALD	61	132	16	467	ROUND HILL	24	82
5	211A	CHURCHBRIDGE	17	116	10	276	FOAM LAKE	N/A	37	16	466	MEETING LAKE	24	92
5	215	STANLEY	18	71	10	279A	MOUNT HOPE	N/A	59	16	436	DOUGLAS	25	101
5	183	FERTILE BELT	18	117	10	246A	ITUNA BON ACCORD	N/A	116	16	467A	ROUND HILL	26	109
5	122	MARTIN	20	124	11	310	USBORNE	0	80	16	437A	NORTH BATTLEFORD	30	109
5	155	WOLSELEY	30	106	11	284	RUDY	18	107	16	406	MAYFIELD	30	149
6	186	ABERNETHY	1	86	11	251	BIG ARM	25	112	16	497	MEDSTEAD	33	81
6	216A	TULLYMET	8	8	11	282	McCRAANEY	37	170	16	493	SHELLBROOK	39	152
6	219	LONGLAKETON	16	92	11	344	CORMAN PARK	39	126	16	437	NORTH BATTLEFORD	45	146
6	220B	McKILLOP	22	111	11	314	DUNDURN	41	131	16	435	REDBERRY	60	219
6	127	FRANCIS	22	119	12	347	BIGGAR	17	129	17	470	PAYNTON	0	23
6	130	REDBURN	24	151	12	285	FERTILE VALLEY	25	121	17	471	ELDON	8	122
6	220A	McKILLOP	26	92	12	288	PLEASANT VALLEY	26	184	17	502	BRITANNIA	10	71
6	190	DUFFERIN	27	102	12	287	ST. ANDREWS	29	137	17	501	FRENCHMAN BUTTE	17	107
6	159A	SHERWOOD	29	125	12	376	EAGLE CREEK	29	202	17	499	MERVIN	18	64
6	159B	SHERWOOD	32	95	12	345	VANSKOY	31	190	17	498	PARKDALE	25	43
6	221	SARNIA	33	129	12	317	MARRIOTT	35	193	17	468	MEOTA	25	65
6	160	PENSE	34	117	12	285A	FERTILE VALLEY	36	119	17	561	LOON LAKE	31	115
6	129	BRATT'S LAKE	37	155	12	316	HARRIS	40	84	17	501A	FRENCHMAN BUTTE	32	120
6	156	INDIAN HEAD	45	125	12	346	PERDUE	40	146	17	588	MEADOW LAKE	55	162
6	190C	DUFFERIN	45	141	12	377	GLENSIDE	49	169	17	472	WILTON	N/A	8
6	219A	LONGLAKETON	47	54	12	378	ROSEMOUNT	N/A	50					
6	216	TULLYMET	N/A	36	12	286	MILDEN	N/A	117					
6	219B	LONGLAKETON	N/A	44	12	317A	MARRIOTT	N/A	125					
6	190B	DUFFERIN	N/A	71	13	410	ROUND VALLEY	0	107					
6	190A	DUFFERIN	N/A	76	13	321	PRAIRIE DALE	0	126					
6	217	LIPTON	N/A	136	13	442	MANITOU LAKE	3	95					
7	136	COULEE	7	102	13	320A	OAKDALE	8	85					
7	162	CARON	8	107	13	351	PROGRESS	8	110					
7	165	MORSE	18	147	13	382	EYE HILL	10	121					
7	161	MOOSE JAW	28	136	13	292A	MILTON	13	149					
7	193	EYEBROW	28	148	13	440	HILLSDALE	14	74					
7	191	MARQUIS	28	157	13	292	MILTON	14	118					
7	223	HURON	30	162	13	350	MARIPOSA	16	79					
7	132	HILLSBOROUGH	33	174	13	409	BUFFALO	23	138					
7	132A	HILLSBOROUGH	34	99	13	409A	BUFFALO	26	131					
7	162A	CARON	N/A	103	13	320	OAKDALE	N/A	88					
					13	290	KINDERSLEY	N/A	121					

Municipality No: A, B, C and D - more than one reporter



These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week

Cumulative Rainfall

from April 1 to June 10, 2024

Rainfall (mm)




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Cropland Topsoil Moisture Conditions

from June 4 to June 10, 2024




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Hay Topsoil Moisture Conditions


from June 4 to June 10, 2024



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions

from June 4 to June 10, 2024




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Minimum Temperature

from June 4 to June 10, 2024




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.


	<p>1:3,500,000</p> <p>Kilometers</p> <p>Projection: UTM Zone 13 Datum: NAD83</p>	<p>Data Sources: Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada. Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada IDW interpolation (power 3.5, fixed radius 300 km) Geomatics Services, Ministry of Agriculture</p> <p>June 12, 2024</p>
--	--	--

Maximum Temperature

from June 4 to June 10, 2024



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture

June 12, 2024