

Crop Report

For the Period May 27 to June 2, 2025

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 05, June 5, 2025

Over the past week, seeding advanced considerably across the province and is now approaching the finish line. Seeding is 97 per cent complete, up from 88 per cent last week. This is similar to the five-year average of 95 per cent and 10-year average of 96 per cent.

The southwest, west-central and northeast are the furthest advanced at 99 per cent complete. The northwest is 98 per cent complete, followed closely by the southeast and east-central regions both at 95 per cent complete.

Provincially, seeding is complete or nearly complete for field peas, spring wheat, durum, barley, triticale, canola, lentils, mustard, flax and oats. Chickpeas, canary seed, soybeans and perennial forage are the furthest behind in seeding progress.

Rainfall was minimal throughout the province with most areas not reporting any. The highest rainfall was reported in the Eldon area at 11 millimetres (mm), followed by the Reno and Medstead areas both at nine mm. The Meadow Lake area received eight mm.

Topsoil moisture continued to decline this week. Cropland topsoil moisture is rated as one per cent surplus, 46 per cent adequate, 44 per cent short and nine per cent very short. Hayland topsoil moisture is reported at one per cent surplus, 38 per cent adequate, 45 per cent short and 16 per cent very short. Pasture topsoil moisture is one per cent surplus, 31 per cent adequate, 48 per cent short and 20 per cent very short.

Producers report mostly good crop emergence across the province with some reports of spotty emergence in later seeded crops. Of the crops that have emerged, the majority are reported in good to fair condition. For pulse crops, soybeans are rated in the best condition with 21 per cent rated excellent, 64 per cent good and 15 per cent fair. This is followed by lentils rated at seven per cent excellent, 72 per cent good and 20 per cent fair, as well as field peas rated at seven per cent excellent, 68 per cent good and 24 per cent fair. Chickpeas are rated at five per cent excellent, 81 per cent good and 14 per cent fair.

One year ago

Seeding was nearing completion at 94 per cent of the crop seeded. Rainfall was variable but it allowed topsoil moisture conditions to improve across the province. Winter cereals were tillering while, spring seeded crops were in the seedling stage. Minor crop damage was being reported due to wind, frost, hail and insect pressure.

Follow the 2025 Crop Report on
Twitter @SKAgriculture

Seeding Progress in SK

Per cent seeded

Historical all Crops

June 2, 2025	97
June 3, 2024	94
June 5, 2023	96
June 6, 2022	91
May 31, 2021	97
June 1, 2020	96
5 year avg. (2020-2024)	95
10 year avg. (2015-2024)	96

For further information, contact Kim Stonehouse, MSc, PAg,
Crops Extension Specialist, Regional Services Branch,

Toll Free: 1-866-457-2377 or 306-878-8807, Email: cropreport@gov.sk.ca.

Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period May 27 to June 2, 2025

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 05, June 5, 2025

For cereal crops, durum is rated at nine per cent in excellent condition, 67 per cent good and 23 per cent fair, while oats are nine per cent excellent, 52 per cent good and 35 per cent fair. Spring wheat is rated at eight per cent in excellent condition, 60 per cent good and 29 per cent fair, followed by barley at seven per cent in excellent condition, 60 per cent good and 30 per cent fair.

Other cereal crops have also been rated as being in mostly good to fair condition. Winter wheat is rated at six per cent in excellent condition, 52 per cent good and 36 per cent fair; fall rye is four per cent excellent, 52 per cent good and 29 per cent fair; canary seed is 10 per cent in excellent condition, 61 per cent good and 27 per cent fair, and finally triticale is 62 per cent good and 33 per cent fair.

For oilseed crops, flax is rated at 12 per cent excellent, 62 per cent good and 24 per cent fair, followed by canola at seven per cent excellent condition, 50 per cent good and 35 per cent fair. Mustard is at two per cent excellent, 65 per cent good and 32 per cent fair.

There have been various causes of crop damage over the past week. Dry conditions, wind and heat were reported in various locations across the province, with minor crop damage overall. Minor crop damage from flea beetle, cutworm, grasshopper and wireworm pressure was reported with some producers taking control measures. Some minor damage from wildlife was also reported, and producers continue to monitor gopher populations across the province.

Producers have been busy with seeding and spraying when the weather permits, along with rock picking, land rolling and moving cattle out to pasture and branding. Producers are reminded to keep safety top of mind while working. For any crop or livestock questions, producers are encouraged to call the Agriculture Knowledge Centre, toll free at 1-866-457-2377.

A complete, printable version of the Crop Report is available online – [Download Crop Report](#).

Follow the 2025 Crop Report on X/Twitter at [@SKAgriculture](#).

For further information, contact Kim Stonehouse, MSc, PAg,
Crops Extension Specialist, Regional Services Branch,

Toll Free: 1-866-457-2377 or 306-878-8807, Email: cropreport@gov.sk.ca.

Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**



SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Seeding Progress

from April 1 to June 2, 2025

Seeding Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Regional Seeding Progress by Crop Type

Per cent seeded by crop
for the period of May 27 to June 2, 2025

	South East	South West	East Central	West Central	North East	North West	Provincial
Spring Wheat	98%	100%	98%	100%	100%	100%	99%
Durum	98%	100%	89%	100%	89%	No Response(s)	98%
Oats	92%	98%	88%	96%	99%	95%	94%
Barley	96%	98%	96%	98%	99%	99%	97%
Triticale	56%	100%	75%	100%	50%	No Response(s)	97%
Flax	92%	100%	98%	99%	94%	100%	95%
Canola	94%	100%	94%	99%	99%	99%	97%
Mustard	84%	100%	75%	99%	69%	No Response(s)	96%
Soybeans	89%	100%	72%	75%	33%	No Response(s)	74%
Lentils	98%	100%	98%	100%	78%	100%	97%
Field Peas	100%	100%	100%	100%	100%	100%	100%
Canary Seed	90%	99%	72%	98%	94%	100%	89%
Chickpeas	85%	100%	33%	100%	38%	No Response(s)	92%
Perennial Forage	59%	96%	81%	82%	83%	70%	77%


Saskatchewan Crop Conditions - May 27 - June 2, 2025

Provincial								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	6%	4%	8%	9%	9%	7%	12%	7%
good	52%	60%	56%	67%	52%	60%	62%	50%
fair	36%	29%	32%	23%	35%	30%	24%	35%
poor	3%	6%	3%	1%	4%	3%	2%	8%
very poor	3%	1%	1%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	2%	21%	7%	7%	10%	5%	
good	62%	65%	64%	72%	68%	61%	81%	
fair	33%	32%	15%	20%	24%	27%	14%	
poor	5%	1%	0%	1%	1%	2%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	
South East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	41%	23%	26%	14%	33%	26%	23%	13%
good	45%	56%	58%	73%	56%	59%	58%	62%
fair	14%	21%	14%	13%	11%	15%	18%	22%
poor	0%	0%	1%	0%	0%	0%	1%	3%
very poor	0%	0%	1%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	37%	26%	41%	19%	20%	34%	23%	
good	42%	47%	56%	68%	67%	45%	56%	
fair	21%	27%	3%	13%	13%	21%	21%	
poor	0%	0%	0%	0%	0%	0%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	
South West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	0%	0%	0%	4%	0%	0%	0%	0%
good	63%	72%	82%	70%	88%	85%	70%	67%
fair	31%	18%	17%	24%	12%	14%	28%	31%
poor	3%	7%	1%	2%	0%	1%	1%	2%
very poor	3%	3%	0%	0%	0%	0%	1%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	0%	0%	0%	1%	0%	0%	
good	49%	64%	100%	83%	69%	84%	84%	
fair	45%	34%	0%	16%	30%	13%	16%	
poor	6%	2%	0%	1%	0%	3%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	
East Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	0%	1%	7%	5%	9%	13%	8%	10%
good	75%	66%	64%	61%	58%	56%	50%	52%
fair	22%	33%	26%	34%	24%	24%	39%	28%
poor	2%	0%	3%	0%	9%	7%	3%	9%
very poor	1%	0%	0%	0%	0%	0%	0%	1%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	0%	0%	3%	9%	0%	0%	
good	34%	43%	40%	63%	65%	70%	65%	
fair	40%	43%	60%	31%	23%	30%	35%	
poor	26%	14%	0%	3%	3%	0%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Crop Conditions Continued - May 27 to June 2, 2025

West Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	0%	0%	5%	0%	0%	3%	0%	5%
good	70%	60%	56%	47%	74%	59%	69%	53%
fair	30%	40%	38%	51%	26%	37%	30%	39%
poor	0%	0%	1%	2%	0%	1%	1%	3%
very poor	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	No Response(s)	0%	No Response(s)	0%	0%	0%	No Response(s)	
good	No Response(s)	69%	No Response(s)	71%	72%	59%	No Response(s)	
fair	No Response(s)	31%	No Response(s)	29%	28%	41%	No Response(s)	
poor	No Response(s)	0%	No Response(s)	0%	0%	0%	No Response(s)	
very poor	No Response(s)	0%	No Response(s)	0%	0%	0%	No Response(s)	
North East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	0%	0%	1%	0%	1%	0%	0%	1%
good	0%	4%	39%	55%	37%	34%	31%	24%
fair	100%	90%	53%	45%	58%	58%	54%	58%
poor	0%	6%	7%	0%	4%	8%	15%	17%
very poor	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	0%	0%	0%	0%	0%	0%	
good	0%	0%	0%	25%	42%	41%	25%	
fair	100%	66%	100%	75%	51%	56%	75%	
poor	0%	34%	0%	0%	7%	3%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	
North West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	No Response(s)	0%	3%	No Response(s)	4%	3%	0%	2%
good	No Response(s)	0%	52%	No Response(s)	39%	46%	50%	50%
fair	No Response(s)	35%	41%	No Response(s)	51%	47%	50%	39%
poor	No Response(s)	65%	4%	No Response(s)	6%	4%	0%	8%
very poor	No Response(s)	0%	0%	No Response(s)	0%	0%	0%	1%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	No Response(s)	No Response(s)	No Response(s)	6%	3%	0%	No Response(s)	
good	No Response(s)	No Response(s)	No Response(s)	61%	58%	0%	No Response(s)	
fair	No Response(s)	No Response(s)	No Response(s)	33%	37%	25%	No Response(s)	
poor	No Response(s)	No Response(s)	No Response(s)	0%	2%	75%	No Response(s)	
very poor	No Response(s)	No Response(s)	No Response(s)	0%	0%	0%	No Response(s)	

Crop Report Regions & Census Divisions



Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Seeding is reported at 95 per cent complete within the region, up from 80 per cent last week.

This is similar to the five-year average of 94 per cent reported in the southeast region.

Seeding is complete, or near completion, for many crops including field peas, lentils, spring wheat, durum and canary seed. Barley is reported at 96 per cent seeding completion. Canola is reported at 94 per cent complete, followed by oats and flax at 92 per cent each. Seeding completion for canary seed and soybeans are 90 per cent and 89 per cent, respectively. Chickpeas are 85 per cent complete while mustard is 84 per cent. The crops furthest behind are perennial forage crops at 59 per cent and triticale at 56 per cent complete.

Southeast Saskatchewan	
Census Division	% seeded (June 2, 2025)
1	92%
2	97%
5	94%
6	95%
Region average	95%

Very little rain fell throughout the region last week with only a small amount reported in the Mount Pleasant area at three mm.

Topsoil moisture was again reduced within the region although most areas remain adequate. Cropland topsoil moisture is reported at five per cent surplus, 76 per cent adequate and 19 per cent short. Hayland topsoil moisture is seven per cent surplus, 65 per cent adequate, 24 per cent short and four per cent very short. Pasture topsoil moisture is rated as eight per cent surplus, 65 per cent adequate, 22 per cent short and five per cent very short.

Overall, crop conditions are rated as good to excellent for the majority of crops with a few reports of crops that are in fair condition. A full summary of individual crop conditions for all regions can be viewed in the attached crop conditions table.

Producers in the region report minor to moderate crop damage due to wind. Some reports indicate there was minor damage due to excessive moisture. Increased crop damage is reported due to heat and dry conditions. Producers are continuing to monitor areas for grasshoppers, gophers and waterfowl, with some minor to moderate damage from flea beetles and cutworms.

As the week progresses, producers will be working to wrap up seeding and move into in-crop spraying when the weather allows along with land rolling, rock picking and getting the last of the animals out to pasture.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Seeding is reported at 99 per cent complete within the region, up from 95 per cent last week. This is slightly above the five-year average of 97 per cent.

Seeding is at or near completion for all crops. The only crop that is slightly behind is perennial forage at 96 per cent.

Only small amounts of rain fell throughout the region. The highest rainfall recorded fell in the Reno area at nine mm. The Grassy Creek area received five mm followed by the Arlington area at three mm. The Hillsborough and Snipe Lake areas reported one mm for the week.

Southwest Saskatchewan	
Census Division	% seeded (June 2, 2025)
3	100%
4	100%
7	97%
8	99%
Region average	99%

Windy and dry conditions within the region have significantly reduced topsoil moisture over the week. Cropland topsoil moisture is reported at 44 per cent adequate, 49 per cent short and seven per cent very short. Hayland topsoil moisture is 30 per cent adequate, 55 per cent short and 15 per cent very short. Pasture topsoil moisture is rated as 22 per cent adequate, 55 per cent short and 23 per cent very short.

Most reports suggest good crop emergence is reported within the region with some exceptions for late seeded crops. Overall, crop conditions are rated as good to fair. A full summary of individual crop conditions for all regions can be viewed in the attached crop conditions table.

Overall, crop damage was reported as minor for the week with some reports indicating moderate to severe damage caused by wind, dry conditions and heat. Producers are continuing to monitor areas for flea beetles, grasshoppers and gophers with some reports of minor damage.

Producers within the region are working on in-crop spraying and land rolling when the weather allows. Cattle are continuing to be taken to pasture.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Seeding advanced within the region and is now reported at 95 per cent complete. This is up from 81 per cent last week and is significantly ahead of the five-year average of 90 per cent.

East-Central Saskatchewan	
Census Division	% seeded (June 2, 2025)
9	91%
10	94%
11	98%
Region average	95%

Seeding is complete, or near completion, for field peas, lentils, spring wheat and flax. Barley is reported at 96 per cent complete followed by canola at 94 per cent. Durum is 89 per cent complete and oats are 88 per cent complete. Mustard and triticale are both reported at 75 per cent completion followed by soybeans and canary seed at 72 per cent each. The crop that is the furthest behind is chickpeas at 33 per cent. Seeding perennial forage crops is at 81 per cent complete.

Almost no rain fell throughout the region. The only recorded amount was one mm that fell in the Corman Park area.

Lack of rainfall within the region continues to reduce topsoil moisture conditions. Cropland topsoil moisture is reported at 42 per cent adequate, 47 per cent short and 11 per cent very short. Hayland topsoil moisture is 41 per cent adequate, 46 per cent short and 13 per cent very short. Pasture topsoil moisture is rated as 38 per cent adequate, 47 per cent short and 15 per cent very short.

Producers report that crops are looking good as they emerge, but hot and windy conditions have slowed development. Overall, crop conditions are rated as good to fair. A full summary of individual crop conditions for the region can be viewed in the attached crop conditions table.

Producers in the region report minor to moderate crop damage due to wind. Increased crop damage is reported due to heat and dry conditions. Producers are continuing to monitor areas for flea beetles, cutworms, grasshoppers, wireworms, alfalfa weevil, cabbage seed pod weevil, pea leaf weevil and root maggots. Reports of producers taking control measures for flea beetles were received.

As the week progresses, producers will continue seeding and will begin in-crop spraying operations when the weather allows. Producers continue to move remaining cattle out to pasture.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Producers made good progress over the past week. The region is currently reporting 99 per cent seeding completion, up from 94 per cent last week and similar to the five-year average of 97 per cent.

West-Central Saskatchewan	
Census Division	% seeded (June 2, 2025)
12	99%
13	99%
Region average	99%

Seeding is at or near completion for field peas, lentils, chickpeas, spring wheat, durum and triticale. Canola, flax and mustard are all at 99 per cent complete followed by barley and canary seed at 98 per cent. Oats are 96 per cent and soybeans are 75 per cent complete within the region. Perennial forage is reported at 82 per cent complete.

Rainfall was very limited throughout the region over the past week. The highest rainfall recorded was in the Buffalo area at seven mm followed by the Reford and Hillsdale areas both at two mm.

Limited rainfall within the region continues to reduce topsoil moisture conditions. Cropland topsoil moisture is reported at one per cent surplus, 28 per cent adequate, 59 per cent short and 12 per cent very short. Hayland topsoil moisture is 19 per cent adequate, 49 per cent short and 32 per cent very short. Pasture topsoil moisture is rated as 18 per cent adequate, 55 per cent short and 27 per cent very short.

Producers report good emergence on the earlier seeded crops with some spotty germination on the later seeded crops. Overall, crop conditions are rated as good to fair. A full summary of individual crop conditions for all regions can be viewed in the attached crop conditions table.

Overall, crop damage was reported as minor to moderate with a few reports of severe damage caused by wind, heat and dry conditions. Producers are continuing to monitor areas for flea beetles and cutworms.

As producers work to complete seeding, they are also busy starting in-crop spraying when the weather allows. Some producers are finishing moving cattle to pasture.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Producers were able to make good progress over the last week. Producers report 99 per cent seeding completion, up from 92 per cent reported last week. This is ahead of the five-year average of 95 per cent.

Northeast Saskatchewan	
Census Division	% seeded (June 2, 2025)
14	100%
15	98%
Region average	99%

Seeding is complete, or near completion, for field peas, spring wheat, barley, oats and canola. Flax and canary seed are 94 per cent complete followed

by durum at 89 per cent complete. Lentils are 78 per cent complete followed by mustard at 69 per cent seeding completion. Of the lower acreage crops for the region, triticale is reported at 50 per cent complete followed by chickpeas at 38 per cent and soybeans at 33 per cent. Perennial forage is reported at 83 per cent complete.

This week, no rainfall was reported anywhere in the region.

The lack of rainfall in the region has contributed to a continued reduction in topsoil moisture. Cropland topsoil moisture is reported at 22 per cent adequate, 56 per cent short and 22 per cent very short. Hayland topsoil moisture is 19 per cent adequate, 58 per cent short and 23 per cent very short. Pasture topsoil moisture is similar at 14 per cent adequate, 59 per cent short and 27 per cent very short.

Due to the lack of moisture, overall crop conditions are rated as fair to good with a few crops reported as in poor condition. A full summary of individual crop conditions for all regions can be viewed in the attached crop conditions table.

Producers in the region report minor to moderate crop damage due to wind and heat, with a number of reports indicating moderate to severe crop damage due to dry conditions. Minor to moderate crop damage is reported due to flea beetles with reports of some producers taking control measures within the region. Producers continue to monitor for cutworms.

When weather allows, producers are beginning in-crop herbicide applications and are continuing to monitor fields for pests while moving cattle out to pasture.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Producers were able to progress in their seeding operations throughout the region over the past week. Currently, producers are reporting 98 per cent seeding completion, up from 93 per cent last week. This is ahead of the five-year average of 92 per cent.

Seeding is complete, or near completion, for almost all crops in the region. Oats are lagging behind slightly at 95 per cent complete. Perennial forage is reported at 70 per cent complete.

Northwest Saskatchewan	
Census Division	% seeded (June 2, 2025)
16	98%
17	99%
Region average	98%

Rain fell in reduced amounts throughout the region this week. The highest reported rainfall was in the Eldon area at 11 mm followed by the Meadow Lake area at eight mm. The Mervin area received five mm and the Meota and Frenchman Butte areas each received three mm.

Topsoil moisture conditions within the region have again been reduced. Cropland topsoil moisture is reported at 33 per cent adequate, 50 per cent short and 17 per cent very short. Hayland topsoil moisture is 21 per cent adequate, 58 per cent short and 21 per cent very short. Pasture topsoil moisture is 19 per cent adequate, 58 per cent short and 23 per cent very short.


Overall crop conditions are rated as good to fair with some crops reported as being in poor condition within the region. A full summary of individual crop conditions for all regions can be viewed in the attached crop conditions table.

Producers in the region report minor to moderate crop damage due to wind and heat. Increased crop damage is being reported due to dry conditions. They are continuing to monitor areas for flea beetles that have caused minor to moderate crop damage within the region.

As weather allows, producers will continue with their seeding operations and begin in-crop herbicide applications. Throughout the week ahead, producers will be monitoring for insect pressure and moving cattle out to pasture.

Weekly Rainfall

from May 27 to June 2, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from May 27 to June 2, 2025

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	2	MOUNT PLEASANT	3	118	8	137	SWIFT CURRENT	0	75	14	366	KELVINGTON	0	15
1	3	ENNISKILLEN	0	140	8	138	WEBB	N/A	86	14	367	PONASS LAKE	0	4
1	4	COALFIELDS	0	146	8	139	GULL LAKE	0	42	14	394	HUDSON BAY	0	18
1	32	RECIPROCITY	0	100	8	142	ENTERPRISE	0	24	14	395	PORCUPINE	N/A	7
1	34	BROWNING	0	162	8	168	RIVERSIDE	0	70	14	397	BARRIER VALLEY	0	8
1	94	HAZELWOOD	0	78	8	228	LACADENA	0	47	14	428	STAR CITY	N/A	7
1	95	GOLDEN WEST	0	123	8	229	MIRY CREEK	N/A	56	14	456	ARBORFIELD	0	11
1	2A	MOUNT PLEASANT	3	146	8	231	HAPPYLAND	0	21	14	457	CONNAUGHT	0	2
2	10	HAPPY VALLEY	0	104	8	259	SNIPER LAKE	0	33	14	486	MOOSE RANGE	0	4
2	38	LAURIER	0	125	8	260	NEWCOMBE	N/A	8	14	487	NIPAWIN	0	1
2	66	GRIFFIN	0	149	8	138A	WEBB	0	74	14	488	TORCH RIVER	0	7
2	67	WEYBURN	N/A	150	8	257A	MONET	0	46	14	394A	HUDSON BAY	0	19
2	70	KEY WEST	0	80	8	259A	SNIPER LAKE	1	55	14	397A	BARRIER VALLEY	0	8
2	100	ELMSTHORPE	0	129	9	241	CALDER	0	41	14	488A	TORCH RIVER	0	0
2	38A	LAURIER	0	95	9	243	WALLACE	0	30	14	488B	TORCH RIVER	N/A	3
3	11	HART BUTTE	0	52	9	245	GARRY	0	19	15	369	ST. PETER	0	4
3	73	STONEHENGE	0	37	9	273	SLIDING HILLS	0	29	15	370	HUMBOLDT	0	4
3	74	WOOD RIVER	0	28	9	274	GOOD LAKE	0	44	15	371	BAYNE	N/A	15
3	75	PINTO CREEK	0	60	9	301	ST. PHILIPS	0	18	15	372	GRANT	0	12
3	76	AUVERGNE	0	70	9	331	LIVINGSTON	0	37	15	373	ABERDEEN	0	13
3	101	TERRELL	0	22	9	333	CLAYTON	0	20	15	399	LAKE LENORE	0	3
3	102	LAKE JOHNSTON	0	82	9	241A	CALDER	0	68	15	400	THREE LAKES	N/A	7
3	106	WHISKA CREEK	0	85	9	245A	GARRY	0	20	15	402	FISH CREEK	N/A	4
3	74A	KEY WEST	0	73	10	246	ITUNA BON ACCORD	0	18	15	429	FLETT'S SPRINGS	0	6
4	51	RENO	9	24	10	247	KELLROSS	0	22	15	430	INVERGORDON	N/A	2
4	79	ARLINGTON	3	40	10	248	TOUCHWOOD	0	17	15	459	KINISTINO	0	5
4	110	PIAPOT	0	25	10	277	EMERALD	0	20	15	460	BIRCH HILLS	0	0
4	77A	WISE CREEK	0	37	10	279	MOUNT HOPE	0	23	15	461	PRINCE ALBERT	0	0
4	78A	GRASSY CREEK	5	41	10	307	ELFROS	0	21	15	463	DUCK LAKE	0	10
4	79A	ARLINGTON	0	41	10	309	PRAIRIE ROSE	0	24	15	491	BUCKLAND	0	4
5	122	MARTIN	0	100	10	336	SASMAN	0	25	15	520	PADDOCKWOOD	0	1
5	124	KINGSLEY	0	133	10	337	LAKEVIEW	N/A	24	15	521	LAKELAND	0	1
5	151	ROCANVILLE	0	74	10	339	LEROY	0	13	15	371A	BAYNE	0	13
5	155	WOLSELEY	N/A	41	10	246A	ITUNA BON ACCORD	0	14	15	371B	BAYNE	0	8
5	181	LANGENBURG	0	55	10	248A	TOUCHWOOD	0	32	15	403A	ROSTHERN	0	8
5	183	FERTILE BELT	N/A	53	10	276A	FOAM LAKE	0	32	15	403B	ROSTHERN	N/A	36
5	211	CHURCHBRIDGE	0	36	10	276B	FOAM LAKE	0	35	15	403C	ROSTHERN	0	12
5	213	SALT COATS	0	28	10	276C	FOAM LAKE	0	28	15	461A	PRINCE ALBERT	0	1
5	214	CANA	N/A	59	10	277A	EMERALD	0	21	16	406	MAYFIELD	N/A	0
5	215	STANLEY	0	5	10	279A	MOUNT HOPE	N/A	7	16	434	BLAINE LAKE	0	13
5	125A	CHESTERFIELD	0	79	11	251	BIG ARM	0	24	16	435	REDBERRY	N/A	16
5	154A	ELCAPO	N/A	52	11	282	McCRANEY	0	15	16	436	DOUGLAS	0	10
5	183A	FERTILE BELT	0	70	11	283	ROSEDALE	0	9	16	437	NORTH BATTLEFORD	1	20
5	211A	CHURCHBRIDGE	0	36	11	284	RUDY	0	15	16	466	MEETING LAKE	0	12
6	127	FRANCIS	0	40	11	310	USBORNE	0	11	16	467	ROUND HILL	0	12
6	128	LAJORD	0	37	11	314	DUNDURN	0	29	16	493	SHELLBROOK	0	2
6	130	REDBURN	0	75	11	344	CORMAN PARK	1	17	16	494	CANWOOD	0	3
6	156	INDIAN HEAD	N/A	69	11	282A	McCRANEY	0	17	16	497	MEDSTEAD	9	22
6	160	PENSE	N/A	50	12	286	MILDEN	0	38	16	437A	NORTH BATTLEFORD	0	9
6	186	ABERNETHY	0	46	12	287	ST. ANDREWS	N/A	36	16	467A	ROUND HILL	0	20
6	190	DUFFERIN	0	32	12	288	PLEASANT VALLEY	0	38	17	468	MEOTA	3	16
6	216	TULLYMET	N/A	16	12	316	HARRIS	N/A	44	17	470	PAYNTON	N/A	2
6	217	LIPTON	0	57	12	317	MARRIOTT	0	25	17	471	ELDON	11	23
6	219	LOGLAKETON	N/A	4	12	345	VANSCOY	0	40	17	498	PARKDALE	0	8
6	221	SARNIA	N/A	31	12	346	PERDUE	0	20	17	499	MERVIN	5	24
6	159A	SHERWOOD	0	68	12	347	BIGGAR	0	13	17	501	FRENCHMAN BUTTE	N/A	0
6	159B	SHERWOOD	0	47	12	376	EAGLE CREEK	0	17	17	502	BRITANNIA	2	16
6	190A	DUFFERIN	0	0	12	377	GLENSIDE	0	10	17	561	LOON LAKE	1	33
6	190B	DUFFERIN	N/A	29	12	378	ROSEMOUNT	N/A	7	17	588	MEADOW LAKE	8	19
6	190C	DUFFERIN	0	35	12	285A	FERTILE VALLEY	0	43	17	501A	FRENCHMAN BUTTE	3	31
6	216A	TULLYMET	N/A	18	13	290	KINDERSLEY	0	41	17	561A	LOON LAKE	1	19.45
6	219A	LOGLAKETON	0	45	13	292	MILTON	0	69					
6	219B	LOGLAKETON	0	19	13	321	PRAIRIEDALE	0	25					
6	220A	McKILLOP	0	27	13	350	MARIPOSA	0	17					
6	220B	McKILLOP	0	48	13	351	PROGRESS	N/A	12					
7	132	HILLSBOROUGH	1	79	13	379	REFORD	2	23					
7	136	COULEE	N/A	90	13	382	EYE HILL	0	61					
7	161	MOOSE JAW	0	58	13	409	BUFFALO	7	17					
7	162	CARON	0	55	13	410	ROUND VALLEY	0	18					
7	165	MORSE	N/A	25	13	440	HILLSDALE	2	21					
7	191	MARQUIS	0	17	13	442	MANITOU LAKE	0	28					
7	193	EYEBROW	0	22	13	292A	MILTON	0	100					
7	223	HURON	0	18	13	320A	OAKDALE	0	28					
7	132A	HILLSBOROUGH	0	63	13	320B	OAKDALE	0	33					
7	162A	CARON	0	31	13	409A	BUFFALO	0	23					
7	222A	CRAIK	0	17										
7	223A	HURON	0	15										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week


Cumulative Rainfall

from April 1 to June 2, 2025



Barley Crop Conditions


from May 27 to June 2, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Canola Crop Conditions


from May 27 to June 2, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Durum Crop Conditions


from May 27 to June 2, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Field Pea Crop Conditions


from May 27 to June 2, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Lentil Crop Conditions


from May 27 to June 2, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Spring Wheat Crop Conditions


from May 27 to June 2, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Cropland Topsoil Moisture Conditions


from May 27 to June 2, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from May 27 to June 2, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions


from May 27 to June 2, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Minimum Temperature


from May 27 to June 2, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Maximum Temperature

from May 27 to June 2, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.