

Crop Report

For the Period May 13 to May 19, 2025

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 03, May 22, 2025

Seeding in Saskatchewan is nearly three-quarters complete with 72 per cent of crops now planted, which is an increase of 23 per cent from last week. This is a smaller increase than the week prior, which is largely due to rain delays in parts of the south and east regions of the province. Seeding progress remains notably higher than the five-year average of 60 per cent and 10-year average of 64 per cent.

Producers in the southwest are in the home stretch of seeding with 89 per cent of crops currently seeded in this region. Progress in the northwest and west-central follow closely with 81 per cent of crops now seeded in these regions. Producers in the northeast made good progress this week as seeding progress in this region sits at 74 per cent. Seeding progress in the southeast and east-central are below the provincial average. Seeding in the southeast is 63 per cent complete, while the east-central region has the smallest percentage of current seeded acres with progress currently sitting at 58 per cent.

Most of the pulse crops in the province have been seeded. Field peas lead seeding progress by crop type at 92 per cent, followed closely by lentils and chickpeas at 90 per cent and 83 per cent, respectively. Large portions of many spring cereal crops have also been seeded. Triticale and durum lead cereal seeding progress at 87 per cent, followed by spring wheat at 80 per cent and barley at 71 per cent. Canary seed and oat crops lag further behind other cereal crops with 56 per cent and 55 per cent of crops seeded, respectively. Seeding progress for all oilseed crops has now reached the halfway point. Mustard continues to lead seeding progress for oilseed crops at 84 per cent, followed by canola at 58 per cent and flax at 50 per cent. Seeding of soybean and perennial forage crops has made the least progress so far as 31 per cent of these crops have been seeded.

There was more rainfall in the province this past week compared to the week before, with the southeast corner of the province receiving the most precipitation. The highest recorded rainfall was in the Lampman area, which received 139 millimeters (mm). The Oxbow and Frobisher areas followed with 104 mm and 100 mm, respectively. The Carnduff area also received notable rainfall with 93 mm. Despite the abundant rainfall in certain areas, other parts of the province remain dry, and producers there are hoping for rainfall soon.

One year ago

Seeding progress in Saskatchewan crossed the halfway point as 56 per cent of crops have been seeded. This is behind 5- and 10-year averages due to seeding delays from widespread rainfall. However, the wet conditions have contributed to strong topsoil moisture conditions in most of the province. Early seeded crops are beginning to emerge.

Follow the 2025 Crop Report on
Twitter @SKAgriculture

Seeding Progress in SK	
Per cent seeded Historical all Crops	
May 19, 2025	72
May 20, 2024	56
May 22, 2023	68
May 23, 2022	52
May 17, 2021	74
May 18, 2020	51
5 year avg. (2020-2024)	60
10 year avg. (2015-2024)	64

For further information, contact Tyce Masich, BSc, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-867-7322, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period May 13 to May 19, 2025

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 03, May 22, 2025

The rainfall helped replenish topsoil moisture in certain areas, while dry conditions in other areas continue to deplete topsoil moisture reserves. Provincially, cropland topsoil moisture is rated as six per cent surplus, 69 per cent adequate, 22 per cent short, and three per cent very short. Hayland topsoil moisture is rated as three per cent surplus, 64 per cent adequate, 27 per cent short, and six per cent very short. Topsoil moisture levels in pastures are slightly drier as conditions are rated as two per cent surplus, 60 per cent adequate, 31 per cent short, and seven per cent very short.

Seeding remains the primary focus for most producers in the province, but many are also busy spraying, land rolling and picking rocks. Livestock producers are also working to move their animals to the pasture for the season. While producers remain busy with fieldwork, they are reminded to be aware of powerlines and other hazards when transporting large equipment. Drivers are reminded to take extra precautions when encountering farm machinery on roadways.

A complete, printable version of the Crop Report is available online – [Download Crop Report](#). Follow the 2025 Crop Report on Twitter at [@SKAgriculture](#).

For further information, contact Tyce Masich, BSc, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-867-7322, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**



SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan 

Seeding Progress

from April 1 to May 19, 2025

Seeding Progress




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Regional Seeding Progress by Crop Type

Per cent seeded by crop
for the period of May 13 to May 19, 2025

	South East	South West	East Central	West Central	North East	North West	Provincial
Spring Wheat	67%	94%	71%	84%	95%	94%	80%
Durum	80%	94%	82%	73%	51%	No Response(s)	87%
Oats	62%	78%	33%	42%	81%	71%	55%
Barley	60%	91%	56%	70%	80%	83%	71%
Triticale	21%	97%	25%	100%	0%	30%	87%
Flax	47%	79%	40%	60%	52%	77%	50%
Canola	42%	91%	40%	75%	65%	68%	58%
Mustard	51%	97%	33%	75%	0%	No Response(s)	84%
Soybeans	45%	92%	40%	1%	17%	No Response(s)	31%
Lentils	87%	94%	94%	96%	75%	100%	90%
Field Peas	89%	97%	90%	97%	99%	100%	92%
Canary Seed	57%	80%	24%	71%	65%	100%	56%
Chickpeas	81%	90%	8%	61%	25%	No Response(s)	83%
Perennial Forage	27%	62%	27%	30%	21%	0%	31%

Crop Report Regions & Census Divisions



Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Producers in certain parts of the southeast experienced rain delays, but the region overall made steady seeding progress. Seeding in the southeast is currently 63 per cent complete, which is slightly higher than the five-year average of 58 per cent.

Pulse crops have the highest percentage of acres seeded. Currently, 89 per cent of field peas, 87 per cent of lentils, and 81 per cent of chickpeas have been planted. Most spring cereal crops are also well over half seeded. Durum leads the way with 80 per cent acres planted, followed by spring wheat at 67 per cent, oats at 62 per cent, barley at 60 per cent, and canary seed at 57 per cent. Triticale is significantly lower with 21 per cent currently planted. Seeding of oilseed crops is approximately half done with 51 per cent of mustard, 47 per cent of flax, and 42 per cent of canola in the ground. Forty-five per cent of soybean crops have been planted. Finally, seeding of perennial forage crops is 21 per cent complete.

Southeast Saskatchewan	
Census Division	% seeded (May 19, 2025)
1	72%
2	78%
5	38%
6	62%
Region average	63%

Most of the southeast received large amounts of precipitation this past week. The most rainfall recorded was 139 mm in the Lampman area, followed by the Oxbow area with 104 mm, and Frobisher area with 100 mm. The areas around Carnduff and Wapella also received significant rainfall with 93 mm and 87 mm, respectively.

Topsoil moisture levels are significantly higher in the southeast than the rest of the province due to the heavy rainfall. Cropland topsoil moisture is rated at 27 per cent surplus, 70 per cent adequate, and three per cent short. Hayland areas are rated as 13 per cent surplus, 79 per cent adequate, seven per cent short, and one per cent very short. Finally, topsoil moisture in pastures is rated as 14 per cent surplus, 77 per cent adequate, eight per cent short, and one per cent very short.

Most producers in the southeast are satisfied with moisture conditions and are eager to resume seeding after rain delays.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

The southwest leads the province in seeding progress, with many producers either done or nearly done. Seeding progress currently sits at 89 per cent, which is up 13 per cent from last week and above the 5-year average of 73 per cent.

Nearly all pulse crops in the southwest have been seeded as 97 per cent of field peas, 94 per cent of lentils, and 90 per cent of chickpeas have been planted. Most spring cereal crops are in as well, with seeding progress sitting at 97 per cent for triticale, 94 per cent for spring wheat and durum, 91 per cent for barley, 80 per cent for canary seed, and 78 per cent for oat crops. Seeding progress of oilseed crops is similar to pulses and cereals. Over 97 per cent of mustard acres and 91 per cent of canola acres have been seeded. Seeding for flax crops is 79 per cent complete.

Soybeans are the final annual crop reported, and 92 per cent of these acres have been planted. While producers are busy seeding the few remaining annual crop acres, perennial forage crops have the lowest percentage of seeded acres at 62 per cent.

Southwest Saskatchewan	
Census Division	% seeded (May 19, 2025)
3	87%
4	95%
7	85%
8	92%
Region average	89%

Some areas in the southwest got much needed rainfall as seeding wraps up. The area around Neidpath got the most rainfall with 43 mm, followed by Ponteix with 37 mm, and Mossbank with 34 mm. The Vanguard and Lafleche areas received similar rainfall with 33 mm falling in each area.

Contrary to historical trends, the southwest currently has some of the highest soil moisture conditions in the province. Cropland topsoil moisture is currently rated one per cent surplus, 75 per cent adequate, 21 per cent short, and three per cent very short. Hayland topsoil moisture is 74 per cent adequate, 22 per cent short, and four per cent very short. Finally, pasture topsoil moisture is rated as 64 per cent adequate, 30 per cent short, and six per cent very short.

Producers note that rain received this past week was very timely as crops are beginning to emerge and seeding is almost complete.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Seeding is 58 per cent complete in east-central Saskatchewan, which is an increase of 25 per cent from last week. This is the lowest progress percentage in the province but remains well above the five-year average of 46 per cent for this region.

In terms of seeding progress by crop type, pulses lead the way with 94 per cent of lentils and 90 per cent of field peas planted. Chickpea seeding progress is significantly lower at a mere eight per cent. Seeding progress for spring cereals vary. Crops like durum, spring wheat and barley are making steady progress at 82 per cent, 71 per cent, and 56 per cent seeded, respectively. Progress for other spring cereal crops is noticeable lower with oats being 33 per cent, triticale being 25 per cent, and canary seed being 24 per cent seeded.

Oilseed crops still have lots of acres left to seed. Currently, 40 per cent of canola and flax crops have been seeded, while mustard is slightly lower at 33 per cent. Seeding progress for soybeans is at 40 per cent, similar to oilseed crops. Finally, 27 per cent of perennial forage crops have been seeded in this region.

East-Central Saskatchewan	
Census Division	% seeded (May 19, 2025)
9	45%
10	49%
11	72%
Region average	58%

Some areas in the east-central received modest rainfall, while others had negligible precipitation. The Calder area reported 42 mm, the most in this region. The Stornoway and Whitebeech areas got the second-most rainfall with 30 mm.

Recent rainfall improved topsoil moisture slightly this past week. Cropland topsoil moisture is rated as one per cent surplus, 75 per cent adequate, 22 per cent short, and two per cent very short. Hayland topsoil moisture is two per cent surplus, 69 per cent adequate, 21 per cent short, and eight per cent very short. Pasture topsoil moisture conditions are two per cent surplus, 68 per cent adequate, 21 per cent short, and nine per cent very short.

While producers in the east-central are primarily focused on seeding, tasks like spraying, land rolling, and rock picking continue to keep producers busy.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Producers in the west-central were busy this past week, as this region saw the largest increase in crops seeded. Seeding is 81 per cent complete, up 38 per cent from a week ago. This is also higher than the five-year average for seeding progress of 69 per cent.

Seeding of field pea and lentil crops is almost complete as progress is at 97 per cent and 96 per cent, respectively. Chickpeas seeding progress is at 61 per cent, which is notably lower than other pulses. Seeding of most spring cereal crops is over half done with progress at 100 per cent for triticale, 84 per cent for spring wheat, 73 per cent for durum, 71 per cent for canary seed, and 70 per cent for barley. Oats are 42 per cent seeded and the only cereal crop under the halfway point. Canola and mustard are both 75 per cent seeded, with flax trailing at 60 per cent. Seeding for perennial forage and soybean crops continues at a slower pace than other crops. As of this week, 30 per cent of perennial forages and a mere one per cent of soybeans have been seeded.

West-Central Saskatchewan	
Census Division	% seeded (May 19, 2025)
12	79%
13	82%
Region average	81%

There was limited rainfall in the west-central this week except for a few areas. The Milden area got the most rainfall with 26 mm, followed by Kindersley with 15 mm. The areas around Rosetown, Arlee, Unity and Coleville all received 13 mm of rainfall.

Topsoil moisture conditions remain largely acceptable. Cropland topsoil moisture is rated as one per cent surplus, 69 per cent adequate, 28 per cent short, and two per cent very short. Hayland topsoil moisture levels are a bit lower with three per cent surplus, 48 per cent adequate, 41 per cent short, and eight per cent very short. Pasture topsoil moisture is similar to hayland, with levels at 48 per cent adequate, 44 per cent short, and eight per cent very short.

With producers making lots of seeding progress this past week, many are getting close to wrapping up. Most producers are hoping for a good rain shortly after seeding to aid in crop emergence and development.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Nearly three-quarters of crops have been seeded in the northeast. Progress current sits at 74 percent, much higher than the five-year average of 47 per cent. Conditions have been dry this spring in the northeast, which has resulted in rapid seeding progress.

Essentially all field peas have been seeded as progress is at 99 per cent, and many lentil crops have been seeded with progress at 75 per cent. Most spring cereal crops have been planted, with 95 per cent of spring wheat, 81 per cent of oats, and 80 per cent of barley in the ground. Canary seed and durum are further behind other cereals as 65 per cent and 51 per cent have been seeded, respectively. Oilseed crops are over half done as seeding progress is at 65 per cent for canola and 52 per cent for flax. Seventeen per cent of soybeans and 21 per cent of perennial forages have been planted.

Northeast Saskatchewan	
Census Division	% seeded (May 19, 2025)
14	79%
15	69%
Region average	74%

Rainfall has been scarce in the northeast this past week. The only places to receive notable rainfall were the Hudson Bay area with 13 mm and the Bruno and Kelvington areas with eight mm.

With limited rainfall, topsoil moisture levels dropped from last week. Cropland topsoil moisture is rated as 48 per cent adequate, 44 per cent short, and eight per cent very short. Hayland topsoil moisture is 40 per cent adequate, 52 per cent short, and eight per cent very short. Finally, pasture topsoil moisture is 36 per cent adequate, 56 per cent short, and eight per cent very short.

As seeding is close to wrapping up, producers are hoping to receive lots of rain in the coming weeks to help their crops and replenish soil moisture.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Seeding is 81 per cent complete in the northwest, which is an increase of 32 per cent and higher than the five-year average of 68 per cent. Dry conditions in this region have been the main factor behind the rapid seeding progress.

All expected acres of field peas, lentils and canary seed have been planted. Most spring cereal crops have been planted as well, with 94 per cent of spring wheat, 83 per cent of barley, and 71 per cent of oats in the ground. The exception is triticale, which is only at 30 per cent complete. Approximately three-quarters of oilseed crops have been seeded, with progress at 77 per cent for flax and 68 per cent for canola.

Northwest Saskatchewan	
Census Division	% seeded (May 19, 2025)
16	79%
17	83%
Region average	81%


Similar to the northeast, there has been limited rainfall in the northwest this spring. Only a few areas received noticeable rainfall, which was the Loon Lake area receiving 13 mm, followed by the Paradise Hill area receiving 11 mm. The Hafford and North Battleford areas both got 10 mm.

Topsoil moisture levels in the northwest are some of the lowest in the province. Cropland topsoil moisture is rated as five per cent surplus, 47 per cent adequate, 37 per cent short, and 11 per cent very short. Hayland topsoil moisture is rated as 40 per cent adequate, 45 per cent short, and 15 per cent very short. Finally, pasture topsoil moisture is rated as 38 per cent adequate, 45 per cent short, and 17 per cent short.

Producers are working to wrap up harvest and conduct other field work such as spraying, rock picking, and moving livestock. Producers are hoping for abundant rainfall soon to increase soil moisture levels and help crops.

Weekly Rainfall

from May 13 to May 19, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from May 13 to May 19, 2025

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	2	MOUNT PLEASANT	73	103	8	137	SWIFT CURRENT	23	71	14	366	KELVINGTON	8	13
1	3	ENNIKILLEN	104	131	8	138	WEBB	N/A	49	14	367	PONASS LAKE	2	4
1	4	COALFIELDS	100	140	8	139	GULL LAKE	16	42	14	394	HUDSON BAY	12	18
1	32	RECIPROCITY	49	94	8	142	ENTERPRISE	14	24	14	395	PORCUPINE	N/A	7
1	34	BROWNING	139	144	8	168	RIVERSIDE	20	70	14	397	BARRIER VALLEY	1	3
1	94	HAZELWOOD	73	73	8	228	LACADENA	11	42	14	428	STAR CITY	N/A	2
1	95	GOLDEN WEST	66	109	8	229	MIRY CREEK	21	56	14	456	ARBORFIELD	4	11
1	2A	MOUNT PLEASANT	93	128	8	231	HAPPYLAND	12	21	14	457	CONNAUGHT	N/A	2
2	10	HAPPY VALLEY	55	96	8	259	SNIPER LAKE	13	25	14	486	MOOSE RANGE	0	2
2	38	LAURIER	72	116	8	260	NEWCORBE	N/A	8	14	487	NIPAWIN	N/A	1
2	66	GRIFFIN	78	129	8	138A	WEBB	28	68	14	488	TORCH RIVER	0	5
2	67	WEYBURN	44	84	8	257A	MONET	16	46	14	394A	HUDSON BAY	13	17
2	70	KEY WEST	55	63	8	259A	SNIPER LAKE	20	49	14	397A	BARRIER VALLEY	5	8
2	100	ELMSTHORPE	67	114	9	241	CALDER	33	38	14	488A	TORCH RIVER	0	0
2	38A	LAURIER	66	83	9	243	WALLACE	30	30	14	488B	TORCH RIVER	N/A	3
3	11	HART BUTTE	27	49	9	245	GARRY	14	14	15	369	ST. PETER	N/A	4
3	73	STONEHENGE	27	37	9	273	SLIDING HILLS	24	27	15	370	HUMBOLDT	2	4
3	74	WOOD RIVER	28	28	9	274	GOOD LAKE	25	34	15	371	BAYNE	4	15
3	75	PINTO CREEK	N/A	21	9	301	ST. PHILIPS	15	18	15	372	GRANT	6	10
3	76	AUVERGNE	37	66	9	331	LIVINGSTON	30	37	15	373	ABERDEEN	3	8
3	101	TERRELL	N/A	18	9	333	CLAYTON	11	17	15	399	LAKE LENORE	0	3
3	102	LAKE JOHNSTON	34	82	9	241A	CALDER	42	63	15	400	THREE LAKES	0	7
3	106	WHISKA CREEK	33	78	9	245A	GARRY	13	15	15	402	FISH CREEK	N/A	0
3	74A	KEY WEST	33	73	10	246	ITUNA BON ACCORD	14	18	15	429	FLETT'S SPRINGS	0	4
4	51	RENO	10	14	10	247	KELLROSS	20	22	15	430	INVERGORDON	0	2
4	79	ARLINGTON	18	31	10	248	TOUCHWOOD	11	15	15	459	KINISTINO	0	3
4	110	PIAPOT	11	25	10	277	EMERALD	17	17	15	460	BIRCH HILLS	N/A	0
4	77A	WISE CREEK	26	37	10	279	MOUNT HOPE	12	19	15	461	PRINCE ALBERT	0	0
4	78A	GRASSY CREEK	30	36	10	307	ELFROS	11	17	15	463	DUCK LAKE	2	6
4	79A	ARLINGTON	26	41	10	309	PRAIRIE ROSE	21	21	15	491	BUCKLAND	1	1
5	122	MARTIN	87	92	10	336	SASMAN	13	25	15	520	PADDOCKWOOD	0	1
5	124	KINGSLEY	76	129	10	337	LAKEVIEW	11	24	15	521	LAKELAND	0	1
5	151	ROCANVILLE	63	72	10	339	LEROY	7	10	15	371A	BAYNE	8	13
5	155	WOLSELEY	27	37	10	246A	ITUNA BON ACCORD	6	14	15	371B	BAYNE	1	6
5	181	LANGENBURG	42	46	10	248A	TOUCHWOOD	18	29	15	403A	ROSTHERN	2	4
5	183	FERTILE BELT	45	48	10	276A	FOAM LAKE	17	27	15	403B	ROSTHERN	N/A	36
5	211	CHURCHBRIDGE	24	28	10	276B	FOAM LAKE	20	23	15	403C	ROSTHERN	5	10
5	213	SALTCOATS	25	26	10	276C	FOAM LAKE	19	21	15	461A	PRINCE ALBERT	0	1
5	214	CANA	19	55	10	277A	EMERALD	15	18	16	406	MAYFIELD	N/A	0
5	215	STANLEY	0	5	10	279A	MOUNT HOPE	N/A	7	16	434	BLAINE LAKE	5	5
5	125A	CHESTERFIELD	38	68	11	251	BIG ARM	18	19	16	435	REDBERRY	10	10
5	154A	ELCAPO	N/A	5	11	282	McCRANEY	10	10	16	436	DOUGLAS	2	2
5	183A	FERTILE BELT	52	65	11	283	ROSEDALE	8	9	16	437	NORTH BATTLEFORD	10	13
5	211A	CHURCHBRIDGE	31	31	11	284	RUDY	2	12	16	466	MEETING LAKE	6	6
6	127	FRANCIS	24	29	11	310	USBORNE	8	8	16	467	ROUND HILL	6	6
6	128	LAJORD	26	27	11	314	DUNDURN	7	23	16	493	SHELLBROOK	1	2
6	130	REDBURN	39	66	11	344	CORMAN PARK	5	11	16	494	CANWOOD	1	3
6	156	INDIAN HEAD	40	49	11	282A	McCRANEY	7	17	16	497	MEDSTEAD	3	4
6	160	PENSE	25	45	12	286	MILDEN	26	38	16	437A	NORTH BATTLEFORD	N/A	3
6	186	ABERNETHY	25	39	12	287	ST. ANDREWS	13	36	16	467A	ROUND HILL	6	10
6	190	DUFFERIN	25	32	12	288	PLEASANT VALLEY	9	32	17	468	MEOTA	5	5
6	216	TULLYMET	N/A	16	12	316	HARRIS	5	29	17	470	PAYNTON	1	1
6	217	LIPTON	36	51	12	317	MARRIOTT	8	20	17	471	ELDON	4	10
6	219	LONGLAKETON	N/A	4	12	345	VANS COY	12	38	17	498	PARKDALE	5	8
6	221	SARNIA	19	24	12	346	PERDUE	8	15	17	499	MERVIN	9	14
6	159A	SHERWOOD	36	59	12	347	BIGGAR	0	3	17	501	FRENCHMAN BUTTE	N/A	0
6	159B	SHERWOOD	26	39	12	376	EAGLE CREEK	13	13	17	502	BRITANNIA	2	9
6	190B	DUFFERIN	20	20	12	377	GLENSIDE	4	6	17	561	LOON LAKE	12	20
6	190C	DUFFERIN	22	22	12	378	ROSEMOUNT	7	7	17	588	MEADOW LAKE	0	11
6	216A	TULLYMET	18	18	12	285A	FERTILE VALLEY	8	39	17	501A	FRENCHMAN BUTTE	11	16
6	219A	LONGLAKETON	32	35	13	290	KINDERSLEY	15	35	17	561A	LOON LAKE	13	18
6	219B	LONGLAKETON	7	14	13	292	MILTON	6	69					
6	220A	McKILLOP	N/A	1	13	321	PRAIRIEDALE	7	25					
6	220B	McKILLOP	35	38	13	350	MARIPOSA	7	10					
7	132	HILLSBOROUGH	31	76	13	351	PROGRESS	5	12					
7	136	COULEE	43	90	13	379	REFORD	14	22					
7	161	MOOSE JAW	31	54	13	382	EYE HILL	10	56					
7	162	CARON	30	51	13	409	BUFFALO	2	3					
7	165	MORSE	N/A	0	13	410	ROUND VALLEY	13	18					
7	191	MARQUIS	N/A	17	13	440	HILLSDALE	4	11					
7	193	EYEBROW	12	21	13	442	MANITOU LAKE	5	14					
7	223	HURON	2	2	13	292A	MILTON	3	99					
7	132A	HILLSBOROUGH	26	63	13	320A	OAKDALE	5	25					
7	162A	CARON	13	31	13	320B	OAKDALE	13	33					
7	222A	CRAIK	5	6	13	409A	BUFFALO	8	16					
7	223A	HURON	10	12										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week


Cumulative Rainfall

from April 1 to May 19, 2025



Cropland Topsoil Moisture Conditions


from May 13 to May 19, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from May 13 to May 19, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions


from May 13 to May 19, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Minimum Temperature

from May 13 to May 19, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan

1:3,500,000

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83



Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture

May 21, 2025

Maximum Temperature

from May 13 to May 19, 2025

