

Crop Report

For the Period May 20 to May 26, 2025

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 04, May 29, 2025

Producers made significant progress again this week, with seeding now 88 per cent complete in Saskatchewan. This is ahead of the five-year average of 82 per cent and the 10-year average of 85 per cent. Topsoil moisture is showing some slight decline due to warm windy conditions.

The southwest is the furthest advanced in seeding progress at 95 per cent complete. This is followed closely by the west-central region at 94 per cent, the northwest region at 93 per cent and the northeast region at 92 per cent. The east-central and southeast regions are the furthest behind at 81 per cent and 80 per cent respectively.

Provincially, seeding progress is the furthest ahead for field peas and lentils at 98 per cent and 95 per cent complete, respectively. Chickpeas are reported at 91 per cent, while soybeans are only at 48 per cent. For cereal crops, triticale is the furthest ahead at 94 per cent. Durum and spring wheat are both 93 per cent. Barley is at 89 per cent followed by oats at 79 per cent and canary seed is at 75 per cent. For oilseeds, mustard is 92 per cent followed by canola at 83 per cent and flax at 73 per cent. Perennial forages are at 55 per cent complete.

Rainfall was variable across the province with some producers in the southeast regions experiencing increased amounts. The highest reported rainfall was in the Weyburn area at 66 millimetres (mm). The Griffin and Indian Head areas received 20 mm and the Browning area received 18 mm.

Overall, topsoil moisture is showing some slight reductions over the past week due to dry and windy conditions. Cropland topsoil moisture is four per cent surplus, 65 per cent adequate and 27 per cent short. Hayland topsoil moisture is two per cent surplus, 59 per cent adequate and 31 per cent short. Pasture topsoil moisture is very similar with one per cent surplus, 56 per cent adequate, 33 per cent short and two per cent very short.

One year ago

Producers were starting to make significant progress, with seeding at 77 per cent complete in Saskatchewan. Producers continued to report good crop emergence and that the majority were in excellent to good condition. Crop damage was minor with a few producers reporting light frost and areas with excessive water.

Follow the 2025 Crop Report on
Twitter @SKAgriculture

Seeding Progress in SK	
Per cent seeded Historical all Crops	
May 26, 2025	88
May 27, 2024	77
May 29, 2023	89
May 30, 2022	76
May 24, 2021	86
May 25, 2020	80
5 year avg. (2020-2024)	82
10 year avg. (2015-2024)	85

For further information, contact Kim Stonehouse, MSc, PAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-878-8807, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada



Crop Report

For the Period May 20 to May 26, 2025

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 04, May 29, 2025

Most producers are reporting normal crop development across the province. Fall cereals are currently rated at 89 per cent normal crop development for this time of year with seven per cent ahead and four per cent behind normal. Spring cereals are estimated to be 73 per cent normal with 13 percent ahead and 14 per cent behind. Pulse crops are rated at 76 per cent normal crop development with 10 per cent ahead and 14 per cent behind. Oilseeds are at 73 per cent normal with seven per cent ahead and 20 per cent behind normal development. Perennial forage is 79 per cent normal crop development with six per cent ahead and 15 per cent behind. Annual forage is indicated at 77 per cent normal crop development while 10 per cent is ahead and 13 per cent is behind.

Crop damage was minor with a few producers reporting some damage due to heat, wind and dry conditions. Flooding and frost were also noted as causing minor damage in some areas of the province. Flea beetle, wireworm and cutworm activity has been noted, with some producers taking control measures. Some regions have observed grasshoppers hatching but current reports of crop damage are few.

Most producers anticipate that seeding will wrap up within the next week if weather permits. Producers are also busy moving cattle to pasture, spraying and land rolling.

As producers continue with seeding and field work operations, they are encouraged to take safety precautions in all the work that they do. The Farm Stress Line can help by providing support for producers toll free at 1-800-667-4442.

A complete, printable version of the Crop Report is available online – [Download Crop Report](#). Follow the 2025 Crop Report on Twitter at [@SKAgriculture](#).

For further information, contact Kim Stonehouse, MSc, PAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-878-8807, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**



SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Seeding Progress

from April 1 to May 26, 2025

Seeding Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Regional Seeding Progress by Crop Type

Per cent seeded by crop
for the period of May 20 to May 26, 2025

	South East	South West	East Central	West Central	North East	North West	Provincial
Spring Wheat	85%	97%	90%	96%	99%	99%	93%
Durum	90%	97%	83%	96%	89%	No Response(s)	93%
Oats	74%	94%	67%	69%	95%	86%	79%
Barley	80%	95%	81%	94%	97%	95%	89%
Triticale	44%	100%	25%	100%	36%	90%	94%
Flax	63%	94%	73%	91%	85%	99%	73%
Canola	69%	95%	75%	93%	94%	91%	83%
Mustard	73%	98%	60%	96%	28%	No Response(s)	92%
Soybeans	66%	100%	69%	50%	33%	No Response(s)	48%
Lentils	95%	98%	96%	99%	78%	100%	95%
Field Peas	97%	99%	96%	100%	100%	100%	98%
Canary Seed	73%	95%	41%	96%	92%	100%	75%
Chickpeas	85%	99%	24%	100%	38%	No Response(s)	91%
Perennial Forage	27%	90%	60%	78%	60%	40%	55%

Crop Report Regions & Census Divisions



Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Despite some reports of seeding delays due to wet conditions in parts of the region, seeding is now reported at 80 per cent complete. This is up 25 per cent from last week and is on par with the five-year average of 80 per cent.

Field peas are the furthest ahead at 97 per cent complete followed by lentils at 95 per cent and chickpeas at 85 per cent. For cereal crops, durum is 90 per cent, spring wheat is 85 per cent, barley is 80 per cent, oats are 74 per cent, canary seed is 73 per cent and triticale is 44 per cent complete. Oilseed progress is further behind at 73 per cent for mustard, 69 per cent for canola and 63 percent for flax. Soybeans are 66 per cent complete. Perennial forage is reported at 27 per cent seeding completion in the region.

Southeast Saskatchewan	
Census Division	% seeded (May 26, 2025)
1	81%
2	85%
5	68%
6	83%
Region average	80%

Rain was variable this week with increased amounts reported for the central area of the region. The Weyburn area reported 66 mm this week followed by the Griffin and Indian Head areas at 20 mm each and the Browning area at 18 mm. Many other areas throughout the region also received some rainfall. Producers are hopeful for widespread rain following seeding completion to help support crop development.

Topsoil moisture conditions for cropland are reported at 17 per cent surplus, 79 per cent adequate and three per cent short. Hayland is reported at 12 per cent surplus, 79 per cent adequate and seven per cent short. Pasture topsoil moisture conditions are reported at 11 per cent surplus, 78 per cent adequate and eight per cent short.

Most producers are reporting normal crop development in the southeast. Fall cereals are currently rated at 82 per cent normal crop development for this time of year with 14 per cent ahead and four per cent behind normal. Spring cereals are estimated to be 74 per cent normal with nine percent ahead and 17 per cent behind. Pulse crops are rated at 77 per cent normal crop development with six per cent ahead and 17 per cent behind. Oilseeds are at 67 per cent normal with three per cent ahead and 30 per cent behind normal development. Perennial forage is 86 per cent normal crop development with three per cent ahead and 11 per cent behind. Annual forage is indicated at 88 per cent normal crop development while four per cent is ahead and eight per cent is behind.

Some producers in the southeast region are noting minor damage due to flooding, wind and frost with a few reports of more severe damage due to these factors. Reports of flea beetle, cutworm, wireworm, pea leaf weevil and root maggot activity were indicated this week with some producers taking control measures.

As the week progresses, producers will be working to complete seeding, land rolling and starting in-crop herbicide applications on earlier seeded crops.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Producers within the region report that seeding is 95 per cent complete. This is up six per cent from last week's reported completion and ahead of the five-year average of 91 per cent.

Southwest Saskatchewan	
Census Division	% seeded (May 26, 2025)
3	94%
4	97%
7	95%
8	96%
Region average	95%

Soybeans and triticale are the furthest advanced within the region indicating that seeding of these crops is virtually complete. Field peas and chickpeas are both 99 per cent complete and lentils are 98 per cent done. For cereal crops, durum and spring wheat are both 97 per cent, barley and canary seed are both 95 per cent and oats are 94 per cent complete. Oilseed progress is at 98 per cent for mustard, 95 per cent for canola and 94 per cent for flax. Perennial forage is reported at 90 per cent complete in the region.

Small amounts of rain fell over the week with the highest recorded amount in the Huron area at 16 mm. The Pinto Creek and Craik areas each reported 11 mm. Producers are hoping for additional rainfall over the coming weeks to help maintain moisture for crop development.

Topsoil moisture conditions remain mostly adequate for the region but are drying down. Cropland topsoil moisture is reported at 74 per cent adequate, 23 per cent short and three per cent very short. Hayland is reported at 62 per cent adequate, 33 per cent short and five per cent very short. Pasture topsoil moisture conditions are reported at 55 per cent adequate, 32 per cent short and 13 per cent very short.

Most producers are reporting normal crop development in the southwest. Fall cereals are currently rated at 96 per cent normal crop development for this time of year with three per cent ahead and only one per cent behind normal. Spring cereals are estimated to be 80 per cent normal with 13 percent ahead and seven per cent behind. Pulse crops are rated at 78 per cent normal crop development with 11 per cent ahead and 11 per cent behind. Oilseeds are at 85 per cent normal with five per cent ahead and 10 per cent behind normal development. Perennial forage is 95 per cent normal crop development with one per cent ahead and four per cent behind. Annual forage is indicated at 88 per cent normal crop development while nine per cent is ahead and three per cent is behind.

Some producers in the region are noting minor damage to crops from wind, dry conditions, heat and wildlife over the last week. A few have reported moderate to severe damage from

windy conditions. Reports of flea beetle, cutworm, wireworm, alfalfa weevil and grasshopper activity were indicated this week.

As producers continue with seeding they are also moving cattle out to pasture and picking rocks. Spraying continues with in-crop applications beginning on the earlier seeded crops.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Seeding progressed to 81 per cent within the region over the last week. This is above the five-year average of 70 per cent but is up 23 per cent from last week's report.

Lentils and field peas are the furthest advanced within the region at 96 per cent seeding completion for both crops. For cereal crops, spring wheat is 90 per cent, durum is 83 per cent, barley is 81 per cent, oats are 67 per cent, canary seed is 41 per cent and triticale is 25 per cent complete. Oilseed seeding progress is 75 per cent for canola, 73 per cent for flax and 60 per cent for mustard. Soybeans are 69 per cent complete and chickpeas are only at 24 percent. Perennial forage is reported at 60 per cent seeding completion in the region.

East-Central Saskatchewan	
Census Division	% seeded (May 26, 2025)
9	75%
10	77%
11	89%
Region average	81%

Rainfall amounts varied across the region. The highest amount reported was in the Foam Lake area at 12 mm followed by the Good Lake area at 10 mm. Other areas received lower or trace amounts of precipitation.

Topsoil moisture conditions remain mostly adequate for the region but all have been reduced compared to moisture conditions reported last week. Cropland topsoil moisture is reported at one per cent surplus, 62 per cent adequate, 34 per cent short and three per cent very short. Hayland is reported at one per cent surplus, 55 per cent adequate, 30 per cent short and 14 per cent very short. Pasture topsoil moisture conditions are reported at one per cent surplus, 52 per cent adequate, 30 per cent short and 17 per cent very short.

Producers are reporting mostly normal crop development in the east-central region with a significant amount considered to be behind. Fall cereals are currently rated at 78 per cent normal crop development for this time of year with nine per cent ahead and 13 per cent behind normal. Spring cereals are estimated to be 68 per cent normal with five per cent ahead and 27 per cent behind. Pulse crops are rated at 70 per cent normal crop development with three per cent ahead and 27 per cent behind. Oilseeds are at 64 per cent normal with two per cent ahead and 34 per cent behind normal development. Perennial forage is 64 per cent normal crop development with three per cent ahead and 33 per cent behind.

Producers in the region are noting minor frost damage to crops and some isolated areas with minor excess moisture, wildlife and waterfowl damage. Some minor to moderate damage

was reported due to wind, dry conditions and heat. Reports of cutworm, wireworm, root maggot, grasshopper and flea beetle activity were indicated this week, but overall only minor crop damage was reported.

As producers continue their seeding operations, they are also busy applying herbicides and moving cattle out to pasture.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Producers are reporting 94 per cent seeding completion within the region over the past week. This is up 13 per cent from last week and ahead of the five-year average of 86 per cent.

West-Central Saskatchewan	
Census Division	% seeded (May 26, 2025)
12	92%
13	95%
Region average	94%

Field peas, chickpeas and triticale are the furthest advanced within the region, indicating that seeding of these crops is virtually complete. They are followed by lentils at 99 per cent. For cereal crops, spring wheat, durum and canary seed are all at 96 per cent, barley is 94 per cent and oats are 69 per cent complete. For oilseeds, mustard is 96 per cent seeded, canola is 93 per cent and flax is at 91 per cent. Soybeans are 50 per cent seeded in the region. Perennial forage is reported at 78 per cent seeding completion in the region.

Rainfall was variable throughout the region with the highest rainfall recorded in the Harris area at 15 mm followed by the Manitou Lake area at 14 mm. The Biggar area received 10 mm and the Hillsdale area received eight mm. Producers are hoping for a timely rain to help with emergence and crop development.

Topsoil moisture conditions are becoming short for the region. Cropland topsoil moisture is reported at 47 per cent adequate, 47 per cent short and six per cent very short. Hayland is reported at 32 per cent adequate, 56 per cent short and 12 per cent very short. Pasture topsoil moisture conditions are reported at 28 per cent adequate, 57 per cent short and 15 per cent very short.

Producers are reporting mostly normal crop development in the west-central region. Fall cereals are currently rated at 100 per cent normal crop development for this time of year. Spring cereals are estimated to be 83 per cent normal with nine percent ahead and eight per cent behind. Pulse crops are rated at 81 per cent normal crop development with 11 per cent ahead and eight per cent behind. Oilseeds are at 84 per cent normal with six per cent ahead and 10 per cent behind normal development. Perennial forage is 80 per cent normal crop development with seven per cent ahead and 13 per cent behind. Annual forage is indicated at only 84 per cent normal crop development with 16 per cent behind.

Producers in the region are noting minor damage to crops due to wind and some minor to moderate damage from dry conditions and heat. Reports of cutworms and flea beetle activity were indicated this week, but only minor crop damage is currently reported.

As producers continue with seeding they are also busy applying in-crop herbicide.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Producers report 92 per cent seeding completion, up 18 per cent from last week's report. This is significantly ahead of the five-year average of 75 per cent.

Northeast Saskatchewan	
Census Division	% seeded (May 26, 2025)
14	96%
15	89%
Region average	92%

Of the pulses, field peas are the furthest advanced within the region with seeding estimated at being 100 per cent complete, followed by lentils at 78 per cent and chickpeas at 38 per cent complete. For cereal crops, spring wheat is at 99 per cent, barley is 97 per cent, oats are 95 per cent, canary seed is 92 per cent, durum is 89 per cent and triticale is at 36 per cent complete. Oilseed seeding progress is 94 per cent complete for canola, 85 per cent for flax and 28 per cent for mustard. Soybeans are 33 per cent seeded in the region. Perennial forage is reported at 60 per cent seeding completion in the region.

Very little rain fell throughout the region over the past week, with the highest recorded amount being five mm in each of the Barrier Valley, Star City and Aberdeen regions. Other areas received lower or trace amounts of precipitation. Producers are hoping for a significant rain to help with emergence and crop development.

Topsoil moisture conditions have become short for the region. Cropland topsoil moisture is reported at 31 per cent adequate, 59 per cent short and 10 per cent very short. Hayland is reported at 28 per cent adequate, 54 per cent short and 18 per cent very short. Pasture topsoil moisture conditions are reported at 27 per cent adequate, 56 per cent short and 17 per cent very short.

Producers are reporting mostly normal crop development with some crops ahead of normal in the northeast region. Fall cereals are currently rated at 83 per cent normal crop development for this time of year with one per cent ahead and 16 per cent behind normal. Spring cereals are estimated to be 62 per cent normal with 23 per cent ahead and 15 per cent behind. Pulse crops are rated at 64 per cent normal crop development with 25 per cent ahead and 11 per cent behind. Oilseeds are at 75 per cent normal with 10 per cent ahead and 15 per cent behind normal development. Perennial forage is 74 per cent normal crop development with 11 per cent ahead and 15 per cent behind. Annual forage is indicated at 79 per cent normal crop development with two per cent ahead and 19 per cent behind.

Producers in the region are noting minor to moderate damage to crops due to wind and heat and some areas with minor to severe damage due to dry conditions. There was also some minor frost damage this week. Minor damage related to flea beetles, wireworms and cutworms was also reported.

Producers will be busy completing seeding along with moving cattle out to pasture and conducting herbicide applications.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Producers are reporting 93 per cent seeding completion within the region over the past week. This is up 12 per cent from last week and ahead of the five-year average of 86 per cent.

Northwest Saskatchewan	
Census Division	% seeded (May 26, 2025)
16	92%
17	94%
Region average	93%

All of the field peas, lentils and canary seed crops are seeded within the region, while spring wheat and flax are nearly complete. Barley is reported at 95 per cent complete followed by canola at 91 per cent, triticale at 90 per cent and oats at 86 per cent. Perennial forage is reported at 40 per cent complete in the region.

Rain fell throughout the region over the past week with the highest recorded amount falling in the Loon Lake and Frenchman Butte regions at 12 mm. The Round Hill area received 10 mm followed by the Blaine Lake, Douglas and Meota areas at eight mm. While the rain was welcome this week, producers are hoping for more to help with emergence and crop development.

Topsoil moisture conditions improved slightly for the region this week. Cropland topsoil moisture is reported at 58 per cent adequate, 35 per cent short and seven per cent very short. Hayland is reported at 47 per cent adequate, 44 per cent short and nine per cent very short. Pasture topsoil moisture conditions are reported at 44 per cent adequate, 47 per cent short and nine per cent very short.

Producers are reporting mostly normal to ahead of normal crop development in the northwest region. Fall cereals are currently rated at 47 per cent normal crop development for this time of year with 53 per cent ahead of normal. Spring cereals are estimated to be 63 per cent normal with 28 percent ahead and nine per cent behind. Pulse crops are rated at 82 per cent normal crop development with 17 per cent ahead and one per cent behind. Oilseeds are at 67 per cent normal with 24 per cent ahead and nine per cent behind normal development. Perennial forage is 66 per cent normal crop development with 12 per cent ahead and 22 per cent behind. Annual forage is indicated at 81 per cent normal crop development with 19 per cent ahead of normal.

Producers in the region are noting minor to moderate damage to crops due to wind and heat and some areas with minor to severe damage due to dry conditions. Minor frost damage to crops was also reported. Reports of flea beetle activity were indicated this week, but only minor crop damage has been reported.

As the weather allows, producers will continue to seed, apply herbicide and monitor emerging crops. Producers are also busy moving cattle to pasture.

Saskatchewan Crop Development (for the period of May 20 to May 26, 2025)

Provincial Crop Development

Crop	% Ahead	% Normal	% Behind
Fall Cereals	7%	89%	4%
Spring Cereals	13%	73%	14%
Oilseeds	7%	73%	20%
Pulse Crops	10%	76%	14%
Perennial Forage	6%	79%	15%
Annual Forage	10%	77%	13%

Southeast Saskatchewan Crop Development

Crop	% Ahead	% Normal	% Behind
Fall Cereals	14%	82%	4%
Spring Cereals	9%	74%	17%
Oilseeds	3%	67%	30%
Pulse Crops	6%	77%	17%
Perennial Forage	3%	86%	11%
Annual Forage	4%	88%	8%

Southwest Saskatchewan Crop Development

Crop	% Ahead	% Normal	% Behind
Fall Cereals	3%	96%	1%
Spring Cereals	13%	80%	7%
Oilseeds	5%	85%	10%
Pulse Crops	11%	78%	11%
Perennial Forage	1%	95%	4%
Annual Forage	9%	88%	3%

East-Central Saskatchewan Crop Development

Crop	% Ahead	% Normal	% Behind
Fall Cereals	9%	78%	13%
Spring Cereals	5%	68%	27%
Oilseeds	2%	64%	34%
Pulse Crops	3%	70%	27%
Perennial Forage	3%	64%	33%
Annual Forage	3%	21%	76%

West-Central Saskatchewan Crop Development

Crop	% Ahead	% Normal	% Behind
Fall Cereals	0%	100%	0%
Spring Cereals	9%	83%	8%
Oilseeds	6%	84%	10%
Pulse Crops	11%	81%	8%
Perennial Forage	7%	80%	13%
Annual Forage	0%	84%	16%

Northeast Saskatchewan Crop Development


Crop	% Ahead	% Normal	% Behind
Fall Cereals	1%	83%	16%
Spring Cereals	23%	62%	15%
Oilseeds	10%	75%	15%
Pulse Crops	25%	64%	11%
Perennial Forage	11%	74%	15%
Annual Forage	2%	79%	19%

Northwest Saskatchewan Crop Development

Crop	% Ahead	% Normal	% Behind
Fall Cereals	53%	47%	0%
Spring Cereals	28%	63%	9%
Oilseeds	24%	67%	9%
Pulse Crops	17%	82%	1%
Perennial Forage	12%	66%	22%
Annual Forage	19%	81%	0%

Weekly Rainfall

from May 20 to May 26, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from May 20 to May 26, 2025

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	2	MOUNT PLEASANT	12	115	8	137	SWIFT CURRENT	4	75	14	366	KELVINGTON	2	15
1	3	ENNISKILLEN	9	140	8	138	WEBB	N/A	72	14	367	PONASS LAKE	0	4
1	4	COALFIELDS	6	146	8	139	GULL LAKE	0	42	14	394	HUDSON BAY	0	18
1	32	RECIPROCITY	6	100	8	142	ENTERPRISE	0	24	14	395	PORCUPINE	N/A	7
1	34	BROWNING	18	162	8	168	RIVERSIDE	0	70	14	397	BARRIER VALLEY	5	8
1	94	HAZELWOOD	5	78	8	228	LACADENA	5	47	14	428	STAR CITY	5	7
1	95	GOLDEN WEST	14	123	8	229	MIRY CREEK	0	56	14	456	ARBORFIELD	0	11
1	2A	MOUNT PLEASANT	15	143	8	231	HAPPYLAND	N/A	21	14	457	CONNAUGHT	0	2
2	10	HAPPY VALLEY	8	104	8	259	SNIPER LAKE	8	33	14	486	MOOSE RANGE	2	4
2	38	LAURIER	9	125	8	260	NEWCOMBE	N/A	8	14	487	NIPAWIN	N/A	1
2	66	GRIFFIN	20	149	8	138A	WEBB	6	74	14	488	TORCH RIVER	2	7
2	67	WEYBURN	66	150	8	257A	MONET	0	46	14	394A	HUDSON BAY	2	19
2	70	KEY WEST	17	80	8	259A	SNIPER LAKE	5	54	14	397A	BARRIER VALLEY	0	8
2	100	ELMSTHORPE	15	129	9	241	CALDER	3	41	14	488A	TORCH RIVER	N/A	0
2	38A	LAURIER	12	95	9	243	WALLACE	0	30	14	488B	TORCH RIVER	0	3
3	11	HART BUTTE	3	52	9	245	GARRY	5	19	15	369	ST. PETER	0	4
3	73	STONEHENGE	0	37	9	273	SLIDING HILLS	2	29	15	370	HUMBOLDT	0	4
3	74	WOOD RIVER	0	28	9	274	GOOD LAKE	10	44	15	371	BAYNE	N/A	15
3	75	PINTO CREEK	11	60	9	301	ST. PHILIPS	0	18	15	372	GRANT	2	12
3	76	AUVERGNE	4	70	9	331	LIVINGSTON	0	37	15	373	ABERDEEN	5	13
3	101	TERRELL	4	22	9	333	CLAYTON	3	20	15	399	LAKE LENORE	0	3
3	102	LAKE JOHNSTON	0	82	9	241A	CALDER	5	68	15	400	THREE LAKES	0	7
3	106	WHISKA CREEK	7	85	9	245A	GARRY	5	20	15	402	FISH CREEK	2	4
3	74A	KEY WEST	0	73	10	246	ITUNA BON ACCORD	0	18	15	429	FLETT'S SPRINGS	2	6
4	51	RENO	0	14	10	247	KELLROSS	0	22	15	430	INVERGORDON	0	2
4	79	ARLINGTON	6	37	10	248	TOUCHWOOD	2	17	15	459	KINISTINO	2	5
4	110	PIAPOT	0	25	10	277	EMERALD	3	20	15	460	BIRCH HILLS	0	0
4	77A	WISE CREEK	N/A	37	10	279	MOUNT HOPE	4	23	15	461	PRINCE ALBERT	0	0
4	78A	GRASSY CREEK	N/A	36	10	307	ELFROS	4	21	15	463	DUCK LAKE	N/A	6
4	79A	ARLINGTON	0	41	10	309	PRAIRIE ROSE	3	24	15	491	BUCKLAND	3	4
5	122	MARTIN	8	100	10	336	SASMAN	N/A	25	15	520	PADDOCKWOOD	0	1
5	124	KINGSLEY	4	133	10	337	LAKEVIEW	0	24	15	521	LAKELAND	0	1
5	151	ROCANVILLE	2	74	10	339	LEROY	3	13	15	371A	BAYNE	0	13
5	155	WOLSELEY	4	41	10	246A	ITUNA BON ACCORD	0	14	15	371B	BAYNE	3	8
5	181	LANGENBURG	9	55	10	248A	TOUCHWOOD	3	32	15	403A	ROSTHERN	4	8
5	183	FERTILE BELT	5	53	10	276A	FOAM LAKE	5	32	15	403B	ROSTHERN	N/A	36
5	211	CHURCHBRIDGE	8	36	10	276B	FOAM LAKE	12	35	15	403C	ROSTHERN	2	12
5	213	SALT COATS	2	28	10	276C	FOAM LAKE	7	28	15	461A	PRINCE ALBERT	0	1
5	214	CANA	3	59	10	277A	EMERALD	3	21	16	406	MAYFIELD	N/A	0
5	215	STANLEY	0	5	10	279A	MOUNT HOPE	N/A	7	16	434	BLAINE LAKE	8	13
5	125A	CHESTERFIELD	11	79	11	251	BIG ARM	5	24	16	435	REDBERRY	6	16
5	154A	ELCAPO	4	52	11	282	McCRANEY	5	15	16	436	DOUGLAS	8	10
5	183A	FERTILE BELT	5	70	11	283	ROSEDALE	0	9	16	437	NORTH BATTLEFORD	6	19
5	211A	CHURCHBRIDGE	5	36	11	284	RUDY	3	15	16	466	MEETING LAKE	6	12
6	127	FRANCIS	11	40	11	310	USBORNE	3	11	16	467	ROUND HILL	6	12
6	128	LAJORD	10	37	11	314	DUNDURN	6	29	16	493	SHELLBROOK	0	2
6	130	REDBURN	9	75	11	344	CORMAN PARK	5	16	16	494	CANWOOD	0	3
6	156	INDIAN HEAD	20	69	11	282A	McCRANEY	0	17	16	497	MEDSTEAD	N/A	4
6	160	PENSE	5	50	12	286	MILDEN	0	38	16	437A	NORTH BATTLEFORD	3	9
6	186	ABERNETHY	7	46	12	287	ST. ANDREWS	0	36	16	467A	ROUND HILL	10	20
6	190	DUFFERIN	N/A	32	12	288	PLEASANT VALLEY	6	38	17	468	MEOTA	8	13
6	216	TULLYMET	N/A	16	12	316	HARRIS	15	44	17	470	PAYNTON	1	2
6	217	LIPTON	6	57	12	317	MARRIOTT	5	25	17	471	ELDON	2	12
6	219	LOGLAKETON	N/A	4	12	345	VANS COY	2	40	17	498	PARKDALE	N/A	8
6	221	SARNIA	7	31	12	346	PERDUE	5	20	17	499	MERVIN	6	20
6	159A	SHERWOOD	9	68	12	347	BIGGAR	10	13	17	501	FRENCHMAN BUTTE	N/A	0
6	159B	SHERWOOD	8	47	12	376	EAGLE CREEK	4	17	17	502	BRITANNIA	5	14
6	190B	DUFFERIN	N/A	20	12	377	GLENSIDE	4	10	17	561	LOON LAKE	12	32
6	190C	DUFFERIN	13	35	12	378	ROSEMOUNT	N/A	7	17	588	MEADOW LAKE	N/A	11
6	216A	TULLYMET	0	18	12	285A	FERTILE VALLEY	4	43	17	501A	FRENCHMAN BUTTE	12	28
6	219A	LOGLAKETON	10	45	13	290	KINDERSLEY	6	41	17	561A	LOON LAKE	0	18
6	219B	LOGLAKETON	5	19	13	292	MILTON	0	69					
6	220A	McKILLOP	8	27	13	321	PRAIRIEDALE	0	25					
6	220B	McKILLOP	10	48	13	350	MARIPOSA	7	17					
7	132	HILLSBOROUGH	2	78	13	351	PROGRESS	N/A	12					
7	136	COULEE	0	90	13	379	REFORD	N/A	22					
7	161	MOOSE JAW	4	58	13	382	EYE HILL	5	61					
7	162	CARON	N/A	51	13	409	BUFFALO	N/A	3					
7	165	MORSE	5	25	13	410	ROUND VALLEY	N/A	18					
7	191	MARQUIS	0	17	13	440	HILLSDALE	8	19					
7	193	EYEBROW	1	22	13	442	MANITOU LAKE	14	28					
7	223	HURON	16	18	13	292A	MILTON	1	100					
7	132A	HILLSBOROUGH	N/A	63	13	320A	OAKDALE	3	28					
7	162A	CARON	N/A	31	13	320B	OAKDALE	N/A	33					
7	222A	CRAIK	11	17	13	409A	BUFFALO	7	23					
7	223A	HURON	3	15										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week


Cumulative Rainfall

from April 1 to May 26, 2025



Cropland Topsoil Moisture Conditions


from May 20 to May 26, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from May 20 to May 26, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions


from May 20 to May 26, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Conditions


from May 20 to May 26, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Minimum Temperature

from May 20 to May 26, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan

1:3,500,000

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83




Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture

May 28, 2025

Maximum Temperature

from May 20 to May 26, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan

1:3,500,000

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83



Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture

May 28, 2025