


WEEKLY WEATHER AND CROP BULLETIN

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Weather Service

U.S. DEPARTMENT OF AGRICULTURE
National Agricultural Statistics Service
and World Agricultural Outlook Board



HIGHLIGHTS

June 22 – 28, 2025



Highlights provided by USDA/WAOB

Active weather prevailed in the **southern Rockies** and many areas from the **Plains to the Atlantic Seaboard**, although highly variable rainfall totals led to flash flooding in a few spots and mostly dry conditions in others. Some of the heaviest rain fell in a partial “ring of fire” configuration from the **southern Rockies into the upper Midwest**, as monsoon-related moisture wrapped around western and northern periphery of a ridge of high pressure parked for several days over the **middle Atlantic States**. Closer to the

(Continued on page 3)

Contents

Highlights & Total Precipitation Map.....	1
Extreme Maximum & Minimum Temperature Maps.....	2
Temperature Departure Map	3
June 24 Drought Monitor & U.S. Monthly Drought Outlook	4
Palmer Drought & Crop Moisture Maps.....	5
Growing Degree Day Maps	6
National Weather Data for Selected Cities	8
National Agricultural Summary	11
Crop Progress and Condition Tables.....	12
International Weather and Crop Summary	18
Bulletin Information & U.S. Acreage Highlights	30




(Continued from front cover)

center of the stubborn ridge, showers were less widespread—and heat was more intense. The record-shattering heat propelled weekly temperatures at least 5 to 10°F above normal from the **southern and eastern Corn Belt into the middle Atlantic States and southern New England**. As the week progressed, an upper-level disturbance near the southern edge of the ridge contributed to locally heavy showers in the **eastern Gulf Coast region** and environs, including parts of **Florida**. Meanwhile, dry but seasonably cool weather covered most areas **west of the Rockies**. Despite the lack of extreme heat, several **Western** wildfires flared amid the dry weather and periods of gusty winds. Near the end of June, three active **Western** wildfires—two in **Utah** and one in **New Mexico**—had each burned between 10,000 and 50,000 acres of vegetation. Farther east, however, cloudiness and drought-easing showers contributed to cooler-than-normal conditions in the **southern Rockies**.



At the height of the **Eastern** hot spell, numerous June temperature records were tied or broken. **Plattsburg, NY**, tied an all-time station record on June 23 with a high of 101°F. On the 24th, June records were achieved in locations such as **Newark, NJ** (103°F); **Boston, MA** (102°F); and **New York's JFK Airport** (102°F). **JFK Airport** had never attained a triple-digit reading during June, with a previous peak of 99°F on June 30, 1964, and several earlier dates. **Augusta, ME**, also collected its first 100-degree reading in June, peaking at 100°F on the 24th. The only other instance of a reading of 100°F in **Augusta** was August 5, 1955. With a high of 101°F on June 24, **Philadelphia, PA**, noted its first triple-digit heat since July 18, 2012, and experienced its first 100-degree reading in June since 1994. **Georgetown, DE** (101°F on June 25), logged its earliest-ever temperature above the 100-degree mark, previously set with a high of 101°F on June 29, 2012. Uncomfortable heat continued through the overnight hours, with **Grand Rapids, MI**, failing to fall below 80°F on a June day for the first time on record. **Grand Rapids'** minimum temperature of 80°F, which occurred on June 22, supplanted the station's June record of 79°F, set on June 20, 1953. In **Wisconsin**, the 22nd featured the highest June minimum temperatures in locations such as **La Crosse** (80°F) and **Green Bay** (79°F). On June 23, lows of 79°F set or tied monthly records in **Alpena, MI**, and **Wallops Island, VA**. In contrast, chilly air briefly settled across the **West**. In **Nevada**, freezes and daily-record lows were observed on June 22 in locations such as **Eureka** (24°F), **Ely** (25°F), and **Winnemucca** (29°F). On June 23, record-setting lows dipped to 32°F in **Casper, WY**, and **Pocatello, ID**. From June 22-26, **Lake Yellowstone, WY**, reported five consecutive freezes, including a low of 26°F on the 24th.



Variable rain fell during the week nearly everywhere from the **Rockies eastward**. During the last 9 days of the month, rainfall totaled 3.06 inches in **Roswell, NM**, with most (3.08 inches)







falling from June 22-25. Similarly, 3.14 inches fell in **Clayton, NM**, from June 23-26, aided by a daily-record sum (2.14 inches) on the first day of the wet spell. Meanwhile, heavy rain also soaked the **upper Midwest**, where **Madison, WI**, collected a record-setting sum of 2.48 inches on June 23. Elsewhere in **Wisconsin**, **La Crosse** received 4.44 inches of rain from June 23-26. Thunderstorms also peppered the **Plains**, where daily-record amounts for June 24 reached 3.80 inches in **Imperial, NE**, and 1.55 inches in **Dalhart, TX**. On the 25th, **Grand Island, NE**, was inundated with 6.41 inches of rain, marking the wettest June day on record in that location (previously, 4.18 inches on June 15, 1990). In fact, the only wetter day in **Grand Island** was May 11, 2005, when 6.50 inches fell. Heavy rain also continued to pound the **upper Midwest** on June 25, when daily-record totals climbed to 2.31 inches in **Wausau, WI**, and 1.62 inches in **Mitchell, SD**. Late in the week, heavier showers shifted eastward, with daily-record totals being set in locations such as **Battle Creek, MI** (1.46 inches on June 27), and **Martinsburg, WV** (1.73 inches on June 28).

Locally significant precipitation fell across **interior and southeastern Alaska**. In **Bettles**, rainfall from June 23-26 totaled 0.81 inch. Meanwhile, **Juneau** received weekly rainfall totaling 1.69 inches, followed by an additional 1.17 inches on June 29. In areas where wildfires have been active, **Alaskan** rainfall aided containment efforts. Still, at least ten active **Alaskan** fires had burned more than 10,000 acres of vegetation apiece by the end of June, according to the National Interagency Fire Center. Farther south, June rainfall at **Hawaii's** major airport observation sites ranged from a trace in **Kahului, Maui**, to 5.38 inches (74 percent of normal) in **Hilo**, on the **Big Island**. However, parts of the state received significant, late-month rainfall. On **Kauai**, **Lihue** netted a weekly sum of 0.99 inch and a June total of 1.55 inches (87 percent of normal).









National Weather Data for Selected Cities

Weather Data for the Week Ending June 28, 2025
Accessible Data Available from the Climate Prediction Center

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
																	TEMP. °F		PRECIP	
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
AK	ANCHORAGE	64	52	70	49	58	0	0.01	-0.26	0.01	1.00	108	7.43	171	85	54	0	0	1	0
	BARROW	44	35	54	32	40	0	0.00	-0.12	0.00	0.33	83	0.50	36	87	72	0	1	0	0
	FAIRBANKS	73	54	79	47	64	0	0.54	0.11	0.24	0.81	59	5.01	133	92	42	0	0	4	0
	JUNEAU	62	51	76	49	57	1	2.22	1.28	0.64	6.07	172	34.70	141	97	70	0	0	5	3
	KODIAK	55	49	59	48	52	-1	2.35	1.30	0.83	6.71	137	47.61	131	98	81	0	0	6	2
	NOME	63	49	75	44	56	5	0.00	-0.28	0.00	2.71	299	8.75	168	89	57	0	0	0	0
AL	BIRMINGHAM	91	71	94	69	81	1	1.37	0.22	0.69	8.01	180	38.84	129	94	51	5	0	2	2
	HUNTSVILLE	94	73	98	70	84	4	0.32	-0.69	0.21	5.60	149	37.11	129	92	18	7	0	3	0
	MOBILE	92	73	94	72	82	1	2.05	0.52	1.28	10.37	170	41.34	126	96	52	6	0	5	1
	MONTGOMERY	92	71	96	70	82	0	0.30	-0.72	0.30	5.21	138	29.27	111	98	52	6	0	1	0
AR	FORT SMITH	94	75	95	74	84	3	0.11	-0.94	0.11	5.50	128	30.50	125	93	49	7	0	1	0
	LITTLE ROCK	95	76	97	74	85	5	0.16	-0.60	0.16	3.74	112	30.89	116	97	48	7	0	1	0
AZ	FLAGSTAFF	79	44	84	37	61	-3	0.00	-0.10	0.00	0.38	141	6.37	79	45	12	0	0	0	0
	PHOENIX	105	81	109	79	93	-1	0.00	-0.01	0.00	0.48	900	1.81	61	21	8	7	0	0	0
	PRESCOTT	86	56	92	52	71	-3	0.00	-0.13	0.00	1.67	565	6.30	134	35	10	2	0	0	0
	TUCSON	101	74	105	71	88	0	0.00	-0.10	0.00	0.35	176	0.93	32	29	9	7	0	0	0
CA	BAKERSFIELD	94	67	101	60	80	-1	0.00	0.00	0.00	0.01	25	2.96	67	42	16	5	0	0	0
	EUREKA	60	51	63	49	56	-1	0.00	-0.09	0.00	0.04	5	22.27	92	96	77	0	0	0	0
	FRESNO	94	65	102	58	80	-1	0.00	-0.01	0.00	0.00	0	6.29	81	58	15	5	0	0	0
	LOS ANGELES	72	62	73	60	67	-1	0.00	-0.01	0.00	0.01	16	5.31	62	87	60	0	0	0	0
	REDDING	97	66	104	61	82	1	0.00	-0.10	0.00	0.00	0	18.20	86	48	14	6	0	0	0
	SACRAMENTO	91	58	98	54	74	0	0.00	-0.03	0.00	0.00	0	7.05	58	55	37	5	0	0	0
	SAN DIEGO	71	62	73	61	67	-2	0.00	-0.01	0.00	0.01	25	4.74	71	83	62	0	0	0	0
	SAN FRANCISCO	67	53	76	52	60	-3	0.00	-0.02	0.00	0.00	0	7.74	61	89	57	0	0	0	0
CO	STOCKTON	93	56	101	53	74	-1	0.00	-0.01	0.00	0.00	0	6.74	76	77	20	5	0	0	0
	ALAMOSA	82	47	86	39	65	2	0.53	0.40	0.48	0.66	169	4.96	185	81	17	0	0	2	0
	CO SPRINGS	82	57	89	52	70	0	1.09	0.57	0.69	5.40	254	13.17	188	78	26	0	0	2	1
	DENVER INTL	86	57	95	52	72	0	0.06	-0.36	0.04	2.42	132	9.70	132	77	25	3	0	2	0
	GRAND JUNCTION	92	60	97	58	76	0	0.00	-0.09	0.00	0.89	232	2.69	65	26	8	5	0	0	0
	PUEBLO	92	60	99	57	76	1	0.62	0.33	0.57	1.37	116	5.56	96	75	20	4	0	2	1
CT	BRIDGEPORT	88	69	97	63	78	6	0.39	-0.35	0.24	1.12	31	16.33	75	89	53	4	0	2	0
	HARTFORD	88	67	99	60	78	6	0.27	-0.66	0.15	2.54	62	23.86	108	93	47	4	0	3	0
DC	WASHINGTON	92	74	99	68	83	4	0.82	-0.20	0.73	6.01	154	26.60	132	90	55	5	0	2	1
	WILMINGTON	91	71	101	64	81	6	0.31	-0.73	0.31	2.07	47	22.48	104	88	54	4	0	1	0
FL	DAYTONA BEACH	89	73	90	71	81	0	1.62	-0.05	1.52	4.50	69	17.07	81	96	59	1	0	2	1
	JACKSONVILLE	93	72	95	70	82	1	0.04	-1.80	0.02	3.61	50	22.08	96	93	47	7	0	2	0
	KEY WEST	88	81	89	75	84	0	1.13	0.21	0.83	4.57	115	15.59	110	86	70	0	0	3	1
	MIAMI	89	77	91	74	83	-1	0.41	-1.98	0.22	10.45	106	22.57	87	87	59	4	0	5	0
	ORLANDO	92	74	93	70	83	1	2.86	1.01	2.10	4.85	64	21.49	99	96	53	7	0	4	2
	PENSACOLA	91	74	95	71	83	0	0.29	-1.48	0.20	4.41	64	30.77	98	92	56	5	0	3	0
	TALLAHASSEE	93	73	98	71	83	1	1.47	-0.37	0.78	10.17	140	31.58	112	93	48	4	0	4	1
	TAMPA	93	77	95	74	85	1	2.00	0.01	1.18	7.26	107	19.49	98	88	53	7	0	3	2
GA	WEST PALM BEACH	89	76	90	72	83	1	2.53	0.68	1.28	4.68	58	16.38	63	87	59	5	0	6	2
	ATHENS	95	72	99	69	83	4	0.28	-0.92	0.28	2.98	65	25.26	103	93	42	7	0	1	0
	ATLANTA	93	74	96	70	83	4	1.30	0.13	1.02	5.21	124	29.28	115	84	43	7	0	2	1
	AUGUSTA	95	70	99	68	82	1	0.17	-0.90	0.17	3.61	80	23.40	106	97	43	7	0	1	0
	COLUMBUS	93	72	98	68	82	1	0.30	-0.64	0.17	3.94	104	31.63	128	91	45	5	0	2	0
	MACON	93	70	98	69	82	1	2.69	1.52	1.42	8.09	197	28.84	124	100	49	6	0	4	2
HI	SAVANNAH	93	74	96	73	83	2	0.00	-1.54	0.00	4.21	67	22.22	97	91	46	7	0	0	0
	HILO	83	70	85	67	76	1	1.98	0.17	0.78	5.85	86	30.88	57	93	60	0	0	7	2
	HONOLULU	87	76	88	75	82	1	0.02	-0.09	0.02	0.23	50	9.51	116	72	46	0	0	1	0
	KAHULUI	87	73	88	71	80	0	0.00	-0.05	0.00	0.00	0	6.24	67	78	44	0	0	0	0
	LIHUE	83	74	84	72	79	0	0.99	0.55	0.54	1.80	108	11.36	63	86	64	0	0	3	1
	BURLINGTON	90	71	91	68	80	6	0.64	-0.47	0.40	2.15	47	11.87	65	96	60	4	0	2	0
	CEDAR RAPIDS	88	70	93	64	79	7	1.19	-0.15	0.57	2.34	45	11.37	66	95	61	4	0	3	1
	DES MOINES	89	71	95	64	80	6	3.77	2.59	1.69	5.29	106	18.78	99	94	54	5	0	4	3
	DUBUQUE	86	69	91	61	78	7	1.53	0.35	0.75	3.39	69	13.22	72	97	64	2	0	5	2
	SIOUX CITY	86	66	94	56	76	3	1.59	0.60	0.67	4.33	106	11.49	79	94	61	2	0	4	2
ID	WATERLOO	87	69	91	63	78	5	1.53	0.21	0.65	7.15	133	18.43	101	97	60	4	0	4	2
	BOISE	84	55	93	46	70	-1	0.00	-0.13	0.00	0.39	54	6.76	94	56	18	1	0	0	0
	LEWISTON	84	60	92	52	72	3	0.09	-0.14	0.09	0.12	9	5.93	76	62	25	2	0	1	0
	POCATELLO	80	43	88	32	61	-4	0.08	-0.07	0.08	0.25	27	6.96	102	80	18	0	1	1	0
IL	CHICAGO/O_HARE	92	74	95	68	83	10	0.56	-0.36	0.46	3.48	90	14.04	75	84	49	5	0	2	0
	MOLINE	90	71	93	62	80	6	0.63	-0.55	0.37	3.61	77	16.79	87	93	57	5	0	3	0
	PEORIA	92	75	94	72	83	8	0.00	-0.83	0.00	4.19	119	16.72	88	93	52	7	0	0	0
	ROCKFORD	90	70	94	61	80	7	0.26	-0.87	0.24	3.48	70	12.39	67	89	52	4	0	2	0
	SPRINGFIELD	93	73	95	69	83	7	0.31	-0.69	0.31	4.13	95	15.29	78	94	55	7	0	1	0
	EVANSVILLE	95	75	98	73	85	7	0.00	-1.05	0.00	6.52	158	32.71	128						

Weather Data for the Week Ending June 28, 2025

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION								RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS				
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	PRECIP			
																			.01 INCH OR MORE	.50 INCH OR MORE		
KY	WICHITA	91	72	92	69	81	2	0.83	-0.29	0.83	10.10	217	24.02	139	91	49	6	0	1	1		
	LEXINGTON	92	71	94	68	82	6	0.39	-0.72	0.32	4.96	106	37.73	144	93	49	6	0	2	0		
	LOUISVILLE	94	77	97	73	86	7	1.41	0.42	1.29	3.80	95	33.84	133	82	49	7	0	2	1		
	PADUCAH	92	73	94	72	82	4	1.27	0.22	0.74	7.98	189	36.15	135	98	58	6	0	3	1		
LA	BATON ROUGE	93	74	95	72	83	1	0.02	-1.44	0.02	5.19	86	34.17	108	96	53	7	0	1	0		
	LAKE CHARLES	91	75	93	74	83	0	1.17	-0.36	0.55	4.07	66	27.95	97	97	58	5	0	4	1		
	NEW ORLEANS	92	78	96	77	85	2	2.63	0.83	1.15	10.54	148	39.20	123	93	56	7	0	4	2		
	SHREVEPORT	94	75	97	73	85	3	***	***	***	***	***	***	***	90	47	7	0	***	***		
MA	BOSTON	85	68	102	58	77	6	0.28	-0.54	0.23	2.18	59	23.58	110	84	46	3	0	2	0		
	WORCESTER	84	65	95	56	75	7	0.12	-0.81	0.08	1.22	30	25.83	114	91	47	3	0	2	0		
MD	BALTIMORE	92	73	99	66	83	6	0.62	-0.26	0.55	3.31	89	20.81	99	89	52	5	0	3	1		
ME	CARIBOU	74	52	90	44	63	-1	1.07	0.06	0.72	2.72	75	21.63	118	95	50	1	0	4	1		
	PORTLAND	81	59	99	50	70	3	0.93	0.04	0.71	1.96	50	23.41	101	96	50	2	0	4	1		
MI	ALPENA	83	61	97	54	72	6	0.29	-0.37	0.26	1.95	76	14.39	109	92	51	2	0	2	0		
	GRAND RAPIDS	89	70	95	63	79	8	0.91	0.00	0.52	2.65	71	16.56	88	89	50	4	0	2	1		
	HOUGHTON LAKE	83	65	92	54	74	8	1.70	0.98	1.55	3.48	115	23.60	166	94	51	2	0	2	1		
	LANSING	88	71	94	64	79	9	0.88	0.01	0.69	3.35	95	15.17	92	90	56	4	0	3	1		
MN	MUSKEGON	85	68	91	64	77	7	1.26	0.56	0.96	2.57	90	15.44	92	91	58	3	0	2	1		
	TRAVERSE CITY	82	65	94	56	74	5	0.39	-0.17	0.17	4.48	184	17.07	138	89	57	2	0	3	0		
	DULUTH	69	53	77	51	61	-3	1.19	0.02	0.43	2.93	72	10.85	81	98	64	0	0	5	0		
	INT_L FALLS	75	52	83	43	63	0	1.52	0.57	1.46	3.91	111	17.89	167	99	53	0	0	2	1		
MO	MINNEAPOLIS	80	66	95	59	73	1	3.05	1.92	1.89	5.36	126	14.54	100	84	55	1	0	3	2		
	ROCHESTER	80	66	90	60	73	3	3.30	2.13	1.77	6.20	123	16.41	97	97	70	1	0	3	3		
	ST. CLOUD	77	61	95	54	69	1	4.10	3.22	2.05	7.64	218	16.31	127	92	57	1	0	4	3		
	COLUMBIA	89	72	91	69	81	4	0.35	-0.64	0.35	7.42	188	19.48	93	93	57	4	0	1	0		
MS	KANSAS CITY	91	71	93	67	81	5	1.61	0.39	0.98	5.46	111	17.54	90	95	54	6	0	3	1		
	SAINT LOUIS	94	77	96	72	86	7	0.95	-0.08	0.95	3.48	82	26.04	117	81	46	6	0	1	1		
	SPRINGFIELD	89	73	91	72	81	4	0.41	-0.61	0.36	6.38	152	30.50	133	90	53	4	0	2	0		
	JACKSON	94	73	96	72	84	3	2.09	1.07	1.58	7.14	173	41.30	135	97	53	7	0	4	1		
MT	MERIDIAN	93	72	96	70	82	1	2.02	0.90	0.98	8.26	191	34.07	111	96	52	6	0	4	2		
	TUPELO	93	74	96	71	83	3	1.02	-0.14	0.81	9.16	196	41.70	135	95	51	7	0	3	1		
	BILLINGS	78	51	89	41	65	-3	0.98	0.53	0.55	2.27	107	13.24	161	81	31	0	0	4	1		
	BUTTE	69	41	78	32	55	-3	0.35	-0.09	0.19	1.24	53	8.03	111	89	29	0	1	3	0		
NC	CUT BANK	66	47	82	39	56	-3	0.04	-0.42	0.04	2.21	87	4.76	80	80	39	0	0	1	0		
	GLASGOW	63	44	68	43	53	-13	0.83	0.48	0.82	2.47	101	5.39	78	95	46	0	0	2	1		
	GREAT FALLS	74	46	84	38	60	-2	0.53	0.03	0.53	1.50	57	9.26	108	81	31	0	0	1	1		
	HAVRE	76	46	86	38	61	-3	0.28	-0.23	0.26	2.25	96	6.96	106	91	33	0	0	2	0		
ND	MISSOULA	76	49	84	40	63	1	0.01	-0.39	0.01	0.96	47	7.19	90	78	28	0	0	1	0		
	ASHEVILLE	91	65	93	64	78	4	0.08	-1.11	0.08	4.47	100	23.73	98	93	46	6	0	1	0		
	CHARLOTTE	96	73	100	70	85	6	0.31	-0.53	0.31	4.02	106	21.61	100	86	42	7	0	1	0		
	GREENSBORO	93	72	96	69	82	5	1.19	0.26	0.70	4.76	124	24.41	116	92	48	6	0	3	1		
NE	HATTERAS	89	77	95	71	83	3	0.00	-0.98	0.00	3.91	95	26.50	101	96	68	3	0	0	0		
	RALEIGH	98	75	100	73	87	8	0.00	-0.92	0.00	3.87	106	21.10	101	86	43	7	0	0	0		
	WILMINGTON	94	74	99	70	84	4	0.09	-1.28	0.09	4.64	88	19.60	81	95	48	7	0	1	0		
	BISMARCK	76	56	88	48	66	-2	0.65	-0.18	0.52	2.10	66	10.78	122	94	51	0	0	3	1		
NH	DICKINSON	74	52	83	45	63	-2	0.36	-0.35	0.19	4.12	143	12.42	157	96	53	0	0	3	0		
	FARGO	77	58	91	50	67	-2	1.65	0.58	1.32	4.73	118	11.39	100	92	57	1	0	4	1		
	GRAND FORKS	77	54	85	45	66	-1	0.42	-0.54	0.35	2.91	83	8.34	88	87	51	0	0	3	0		
	JAMESTOWN	74	55	87	47	65	-3	1.12	0.28	0.93	2.49	79	5.01	55	95	63	0	0	3	1		
NJ	GRAND ISLAND	87	67	93	62	77	2	7.52	6.70	6.24	11.28	297	17.42	126	92	56	3	0	2	2		
	LINCOLN	91	71	97	65	81	5	2.11	1.11	0.98	4.38	103	11.20	74	91	53	5	0	5	2		
	NORFOLK	83	66	95	59	75	2	3.39	2.39	1.36	5.86	142	13.19	96	94	66	2	0	4	3		
	NORTH PLATTE	86	62	99	59	74	1	1.83	1.10	0.80	4.13	123	11.46	107	94	49	3	0	3	2		
NM	OMAHA	89	71	98	62	80	4	1.85	0.88	0.89	3.50	83	12.25	79	92	53	3	0	4	1		
	SCOTTSBLUFF	85	56	99	49	71	-1	0.41	-0.09	0.26	3.25	135	11.30	124	89	35	2	0	2	0		
	VALENTINE	82	60	95	53	71	-1	1.82	0.93	1.67	4.86	130	13.54	122	95	49	2	0	4	1		
	CONCORD	85	62	100	55	74	5	0.40	-0.44	0.15	3.11	87	23.85	123	95	48	4	0	4	0		
NY	ATLANTIC_CITY	92	72	102	65	82	8	0.01	-0.81	0.01	0.62	18	21.38	101	85	52	6	0	1	0		
	NEWARK	92	74	103	64	83	7	0.24	-0.68	0.14	2.86	70	19.52	87	78	42	4	0	3	0		
NV	ALBUQUERQUE	89	66	95	63	77	-1	0.00	-0.19	0.00	1.31	256	3.08	113	62	18	3	0	0	0		
	ELY	80	41	91	26	60	-4	0.00	-0.09	0.00	0.02	3	3.78	72	44	10	1	1	0	0		
OH	LAS VEGAS	97	75	104	69	86	-4	0.00	-0.02	0.00	0.00	0	2.06	98	18	7	6	0	0	0		
	RENO	86	55	96	43	71	-2	0.00	-0.06	0.00	0.60	152	4.76	106	44	12	2	0	0	0		
	WINNEMUCCA	86	43	94	29	65	-4	0.00	-0.07	0.00	0.00	0	2.73	52	48	11	4	1	0	0		
	ALBANY	86	68	96	62	77	6	0.13	-0.80	0.08	5.23	137	24.29	132	88	48	3	0	3	0		
OH	BINGHAMTON	81	64	91	56	73	6	1.80	0.72	1.49	4.39	99	23.84	119	94	62	2	0	3	1		
	BUFFALO	83	68	89	62	75	6	1.11	0.40	0.75	2.73	86	18.15	97	89	63	0	0	4	1		
	ROCHESTER	86	68	93	59	77	7	0.67	-0.13	0.48	6.29	200	24.15	149	90	533						

Weather Data for the Week Ending June 28, 2025

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION								RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS				
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.			
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE		
OK	TOLEDO	94	72	96	66	83	9	0.55	-0.24	0.55	4.30	133	19.64	110	93	44	6	0	1	1		
	YOUNGSTOWN	90	70	94	66	80	10	1.76	0.84	0.70	7.17	197	26.89	135	95	54	4	0	4	1		
	OKLAHOMA CITY	90	72	91	69	81	2	0.52	-0.42	0.51	7.89	185	31.13	168	92	53	5	0	2	1		
OR	TULSA	92	76	94	72	84	3	2.15	1.14	1.71	11.37	260	37.32	179	85	50	7	0	2	1		
	ASTORIA	63	54	67	49	58	0	0.14	-0.27	0.12	1.33	60	27.11	73	95	72	0	0	2	0		
	BURNS	78	42	84	32	60	-2	0.04	-0.09	0.04	0.23	33	6.76	113	80	21	0	1	1	0		
PA	EUGENE	79	52	85	44	65	2	0.01	-0.18	0.01	0.55	46	20.35	91	94	39	0	0	1	0		
	MEDFORD	87	56	91	49	71	2	0.00	-0.11	0.00	0.51	77	11.54	115	73	20	2	0	0	0		
	PENDLETON	84	58	95	50	71	4	0.01	-0.14	0.01	0.01	1	5.83	75	61	21	1	0	1	0		
	PORTLAND	75	57	85	53	66	0	0.03	-0.24	0.03	1.78	113	19.11	97	86	44	0	0	1	0		
	SALEM	77	54	84	50	65	1	0.00	-0.17	0.00	0.85	70	19.61	91	90	41	0	0	0	0		
	ALLENTOWN	88	68	98	59	78	4	0.69	-0.35	0.26	4.08	100	25.28	119	92	54	4	0	4	0		
	ERIE	86	71	90	63	78	8	0.62	-0.26	0.58	4.39	127	21.65	111	90	60	2	0	2	1		
	MIDDLETOWN	91	71	98	65	81	6	0.73	-0.20	0.58	4.21	113	24.96	122	88	53	5	0	2	1		
	PHILADELPHIA	91	72	101	64	82	5	0.45	-0.41	0.26	2.85	75	20.07	98	91	52	4	0	4	0		
	PITTSBURGH	91	72	94	69	81	10	2.20	1.19	1.56	6.24	162	25.04	126	90	50	5	0	3	1		
RI	WILKES-BARRE	87	66	95	59	76	5	1.73	0.85	0.69	6.30	176	23.06	131	98	56	4	0	5	2		
	WILLIAMSPORT	89	67	98	64	78	6	1.50	0.58	0.78	5.24	146	21.79	111	97	55	5	0	4	2		
	PROVIDENCE	87	67	100	61	77	6	0.13	-0.63	0.11	1.61	44	23.39	99	87	47	4	0	3	0		
SC	CHARLESTON	95	73	98	70	84	3	0.00	-1.48	0.00	3.71	64	17.01	76	93	45	7	0	0	0		
	COLUMBIA	96	73	100	70	84	3	0.96	-0.15	0.94	4.89	104	25.35	118	91	42	7	0	2	1		
	FLORENCE	95	72	100	68	84	3	0.90	-0.22	0.90	4.54	106	20.35	101	96	45	7	0	1	1		
SD	GREENVILLE	93	70	99	69	82	4	1.56	0.66	1.56	3.98	109	26.18	108	90	43	6	0	1	1		
	ABERDEEN	80	58	96	49	69	-1	1.17	0.21	0.62	3.93	112	12.72	118	92	50	1	0	4	1		
	HURON	84	61	99	52	73	2	1.81	0.94	0.95	3.85	105	11.01	93	91	49	2	0	5	2		
TN	RAPID CITY	85	54	98	42	69	1	0.84	0.27	0.84	1.73	63	12.68	127	82	32	2	0	1	1		
	SIOUX FALLS	82	64	96	60	73	1	3.09	2.17	1.12	4.31	108	11.61	83	93	58	2	0	6	3		
	BRISTOL	90	67	94	64	79	4	1.56	0.62	1.00	5.17	141	24.22	106	99	49	4	0	2	2		
TX	CHATTANOOGA	93	73	96	70	83	4	1.05	0.01	0.70	6.50	168	38.32	136	93	46	7	0	3	1		
	KNOXVILLE	93	71	96	68	82	5	0.02	-1.06	0.02	2.92	74	30.64	112	90	46	7	0	1	0		
	MEMPHIS	94	76	95	73	85	3	0.29	-0.57	0.19	0.29	7	23.36	79	87	49	7	0	2	0		
	NASHVILLE	94	74	98	71	84	5	1.90	0.85	0.87	5.93	146	34.97	130	87	49	6	0	3	2		
	ABILENE	95	74	97	72	84	2	0.00	-0.69	0.00	3.01	91	13.30	106	81	37	7	0	0	0		
	AMARILLO	88	65	92	62	76	-2	1.92	1.28	0.99	3.78	141	13.98	157	92	44	2	0	5	1		
	AUSTIN	97	76	98	73	86	2	0.03	-0.70	0.03	1.07	30	16.42	89	91	38	7	0	1	0		
	BEAUMONT	90	74	92	73	82	-1	2.11	0.47	1.60	9.49	152	32.13	119	95	59	5	0	2	2		
	BROWNSVILLE	94	77	96	77	86	0	0.00	-0.81	0.00	0.00	0	14.47	146	93	48	7	0	0	0		
	CORPUS CHRISTI	95	75	95	73	85	1	0.01	-0.90	0.01	4.52	136	12.90	94	98	48	7	0	1	0		
UT	DEL RIO	98	77	100	75	87	1	0.08	-0.39	0.08	1.20	54	3.31	36	81	30	7	0	1	0		
	EL PASO	92	71	100	66	82	-3	0.91	0.67	0.91	1.09	166	1.83	79	74	31	5	0	1	1		
	FORT WORTH	93	76	94	74	84	1	0.28	-0.54	0.28	2.43	69	22.29	110	86	46	7	0	1	0		
	GALVESTON	90	80	91	76	85	1	0.68	-0.36	0.61	4.02	102	15.62	84	90	69	6	0	2	1		
	HOUSTON	94	76	96	75	85	1	0.53	-0.83	0.50	5.61	99	25.05	101	92	51	6	0	2	0		
	LUBBOCK	93	71	97	68	82	2	0.46	-0.12	0.40	6.67	275	11.48	129	83	35	7	0	4	0		
	MIDLAND	96	75	97	73	85	1	0.25	-0.16	0.25	0.61	35	1.92	32	75	30	7	0	1	0		
	SAN ANGELO	95	73	97	70	84	1	0.00	-0.42	0.00	2.81	127	12.35	119	80	32	7	0	0	0		
	SAN ANTONIO	94	76	94	74	85	1	0.00	-0.80	0.00	7.69	250	20.70	130	91	43	7	0	0	0		
	VICTORIA	90	74	94	72	82	-2	3.30	2.26	2.17	11.61	296	26.00	131	98	62	3	0	3	3		
VA	WACO	94	75	98	73	84	1	0.16	-0.51	0.16	5.84	183	22.11	113	96	47	7	0	1	0		
	WICHITA FALLS	93	74	95	72	83	1	0.25	-0.39	0.25	5.58	174	25.06	177	90	47	7	0	1	0		
	SALT LAKE CITY	84	59	94	45	72	-3	0.16	0.02	0.16	0.16	17	5.46	58	50	14	3	0	1	0		
WV	LYNCHBURG	93	69	96	65	81	7	0.39	-0.50	0.37	2.00	56	22.64	107	97	49	5	0	2	0		
	NORFOLK	93	77	99	71	85	5	0.04	-0.98	0.04	4.58	111	22.53	105	90	55	6	0	1	0		
	RICHMOND	94	75	99	71	84	7	0.20	-0.91	0.19	2.29	53	26.07	122	92	50	6	0	2	0		
	ROANOKE	94	71	97	68	83	6	1.19	0.14	0.92	1.67	38	21.42	98	90	44	7	0	3	1		
	WASH/DULLES	92	71	97	67	81	6	1.17	0.19	0.99	6.88	171	21.67	102	96	53	6	0	4	1		
	BURLINGTON	87	64	99	54	75	5	0.83	-0.21	0.55	2.02	50	19.72	116	90	41	2	0	4	1		
	OLYMPIA	72	51	82	45	61	1	0.05	-0.21	0.05	0.46	33	17.96	69	93	51	0	0	1	0		
	QUILLAYUTE	62	51	65	47	56	0	0.27	-0.36	0.17	1.08	34	34.72	66	99	73	0	0	2	0		
	SEATTLE-TACOMA	72	54	79	53	63	-1	0.11	-0.17	0.08	0.58	41	15.20	75	89	46	0	0	2	0		
	SPOKANE	76	55	83	49	66	1	0.16	-0.05	0.16	0.16	14	8.30	90	76	28	0	0	1	0		
WI	YAKIMA	83	52	89	48	67	0	0.01	-0.07	0.01	0.02	4	4.90	111	75	26	0	0	1	0		
	EAU CLAIRE	81	65	95	58	73	3	1.74	0.65	1.16	4.64	102	15.75	101	88	60	1	0	3	2		
	GREEN BAY	81	65	94	60	73	4	0.93	0.00	0.57	3.37	87	13.33	90	91	63	2	0	5	1		
WY	LA CROSSE	84	69	96	64	77	3	2.82	1.67	1.46	5.89	123	18.17	104	93	64	2	0	3	2		
	MADISON	86	68	93	59	77	6	2.74	1.50	2.28	5.90	119	17.84	98	95	60	3	0	4	1		
	MILWAUKEE	82	67	94	60	74	4	0.47	-0.54	0.25	3.08	75	16.16	94	91	63	2	0	4	0		
WY	BECKLEY	88	65	92	63	77	7	0.08	-0.93	0.08	2.72	67	27.91	123	92	49						

National Agricultural Summary

June 23 – 29, 2025

Weekly National Agricultural Summary provided by USDA/NASS

HIGHLIGHTS

During the last full week of June, much of the central and eastern U.S. experienced above-normal temperatures, with some areas reaching 8°F or more above average. Parts of the Great Plains and the middle and upper

Mississippi Valley received rainfall, improving soil moisture. In contrast, most of the Delta region recorded dry weather. The Pacific Northwest remained mostly dry throughout the week.

Corn: Eight percent of the nation's corn crop had reached the silking stage by June 29, two percentage points behind last year but 2 points ahead of the 5-year average. On June 29, seventy-three percent of the nation's corn was rated in good to excellent condition, 3 percentage points above last week. In Iowa, the largest corn-producing state, 85 percent of the corn crop was rated in good to excellent condition.

Soybeans: Nationally, 94 percent of the soybeans had emerged by June 29, equal to last year but 1 percentage point behind the 5-year average. Seventeen percent of the nation's soybean crop was blooming by the week's end, 1 percentage point behind last year but 1 point ahead of average. Nationally, 3 percent of the soybean crop had begun setting pods, equal to last year but 1 percentage point ahead of average. On June 29, sixty-six percent of the nation's soybean crop was rated in good to excellent condition, equal to last week.

Winter Wheat: Thirty-seven percent of the nation's winter wheat acreage had been harvested by June 29, fifteen percentage points behind last year and 5 points behind the 5-year average. Winter wheat harvest progress was behind the average pace in nine of the 18 estimating States. On June 29, forty-eight percent of the 2025 winter wheat crop was reported in good to excellent condition, 1 percentage point below the previous week. In Kansas, the largest winter wheat-producing state, 48 percent of the crop was rated in good to excellent condition.

Cotton: By June 29, producers had planted 95 percent of the nation's cotton crop, 2 percentage points behind last year and 3 points behind the 5-year average. Forty percent of the nation's cotton had reached the squaring stage by June 29, one percentage point behind last year but 3 points ahead of average. By June 29, nine percent of the cotton was setting bolls, 2 percentage points behind last year but equal to the average. On June 29, fifty-one percent of the 2025 cotton acreage was rated in good to excellent condition, 4 percentage points above last week.

Sorghum: Nationally, 92 percent of the sorghum was planted by June 29, three percent points behind last year and 2 points behind the 5-year average. By week's end, 18 percent of the nation's sorghum had reached the headed stage,

1 percentage point behind last year and 2 points behind average. On June 29, sixty-four percent of the nation's sorghum was rated in good to excellent condition, 3 percentage points above last week.

Rice: By June 29, nineteen percent of the nation's rice had reached the headed stage, 2 percentage points ahead of last year and 5 points ahead of the 5-year average. On June 29, eighty percent of the rice acreage was rated in good to excellent condition, 2 percentage points above the previous week.

Other Small Grains: Nationally, 74 percent of the nation's oat crop had headed by June 29, two percentage points ahead of both last year and the 5-year average. On June 29, sixty-one percent of the oat crop was rated in good to excellent condition, 4 percentage points above the previous week.

By June 29, ninety-six percent of the nation's barley crop had emerged, 3 percentage points behind both last year and the 5-year average. Thirty-five percent of the barley had reached the heading stage by week's end, 1 percentage point ahead of last year but 2 points behind average. On June 29, forty-three percent of the barley acreage was rated in good to excellent condition, 1 percentage point above last week.

Ninety-six percent of the nation's spring wheat crop had emerged by June 29, four percentage points behind both last year and the 5-year average. Thirty-eight percent of the spring wheat had reached the headed stage by week's end, 3 percentage points ahead of last year and 1 point ahead of average. On June 29, fifty-three percent of the spring wheat acreage was rated in good to excellent condition, 1 percentage point below last week.

Other Crops: Forty-one percent of the nation's peanut crop had reached the pegging stage by June 29, one percentage point behind last year but 2 points ahead of the 5-year average. On June 29, seventy-two percent of the peanut acreage was rated in good to excellent condition, equal to last week.

By June 29, producers had planted 97 percent of this year's sunflower crop, 1 percentage point ahead of both last year and the 5-year average. Producers in North and South Dakota had planted 98 percent of their respective crops.

Crop Progress and Condition

Week Ending June 29, 2025

Accessible Data Available from USDA/NASS

Corn Percent Silking				
	Prev Year	Prev Week	Jun 29 2025	5-Yr Avg
CO	0	0	0	0
IL	15	1	9	5
IN	6	0	2	4
IA	3	2	3	2
KS	27	5	22	15
KY	29	9	25	18
MI	0	0	0	0
MN	3	0	1	1
MO	32	5	19	13
NE	3	1	2	1
NC	60	48	67	51
ND	1	0	1	1
OH	3	0	2	1
PA	0	0	0	0
SD	0	0	1	0
TN	50	29	45	34
TX	70	67	72	68
WI	0	0	0	0
18 Sts	10	4	8	6
These 18 States planted 92% of last year's corn acreage.				

Corn Condition by Percent					
	VP	P	F	G	EX
CO	6	8	10	68	8
IL	3	5	21	55	16
IN	3	7	28	53	9
IA	0	2	13	63	22
KS	2	6	26	55	11
KY	1	3	28	57	11
MI	0	8	35	48	9
MN	1	4	21	55	19
MO	1	5	20	63	11
NE	1	2	20	58	19
NC	2	3	13	58	24
ND	1	10	30	57	2
OH	2	5	32	53	8
PA	0	2	12	56	30
SD	1	4	25	56	14
TN	5	7	24	45	19
TX	2	6	25	49	18
WI	1	3	21	58	17
18 Sts	1	4	22	58	15
Prev Wk	2	4	24	56	14
Prev Yr	3	6	24	52	15

Soybeans Percent Emerged				
	Prev Year	Prev Week	Jun 29 2025	5-Yr Avg
AR	97	91	95	95
IL	94	90	94	96
IN	98	90	94	98
IA	97	96	98	98
KS	89	76	82	89
KY	83	69	76	84
LA	96	99	100	98
MI	95	91	95	97
MN	96	97	99	98
MS	99	92	95	97
MO	90	82	87	89
NE	98	96	100	99
NC	84	83	87	85
ND	94	86	93	93
OH	97	87	93	96
SD	96	97	99	98
TN	86	74	79	86
WI	95	94	97	97
18 Sts	94	90	94	95
These 18 States planted 96% of last year's soybean acreage.				

Soybeans Percent Blooming				
	Prev Year	Prev Week	Jun 29 2025	5-Yr Avg
AR	71	58	70	60
IL	22	2	21	13
IN	13	2	8	11
IA	17	13	22	17
KS	6	1	13	10
KY	15	1	11	12
LA	58	75	87	71
MI	11	2	13	7
MN	17	5	12	15
MS	65	55	67	61
MO	12	3	14	10
NE	20	1	4	22
NC	21	6	18	13
ND	2	0	5	4
OH	10	1	5	8
SD	3	0	5	11
TN	39	16	24	22
WI	10	3	10	10
18 Sts	18	8	17	16
These 18 States planted 96% of last year's soybean acreage.				

Soybeans Percent Setting Pods				
	Prev Year	Prev Week	Jun 29 2025	5-Yr Avg
AR	40	33	41	24
IL	1	NA	0	0
IN	1	NA	0	0
IA	1	1	4	1
KS	0	NA	0	0
KY	0	NA	3	0
LA	26	35	40	36
MI	0	NA	0	0
MN	0	NA	0	0
MS	30	11	20	21
MO	0	NA	1	0
NE	0	NA	0	0
NC	0	NA	1	0
ND	0	NA	0	0
OH	0	NA	0	0
SD	0	NA	0	0
TN	4	NA	3	2
WI	0	0	0	0
18 Sts	3	NA	3	2
These 18 States planted 96% of last year's soybean acreage.				

Soybean Condition by Percent					
	VP	P	F	G	EX
AR	1	3	28	50	18
IL	5	8	33	43	11
IN	3	8	28	54	7
IA	1	3	19	61	16
KS	1	4	28	58	9
KY	0	2	28	63	7
LA	0	0	13	76	11
MI	2	10	45	38	5
MN	1	4	22	60	13
MS	0	2	25	50	23
MO	1	3	24	66	6
NE	1	3	28	56	12
NC	2	2	19	67	10
ND	2	9	32	54	3
OH	2	4	35	52	7
SD	2	7	26	52	13
TN	6	9	30	40	15
WI	1	4	22	57	16
18 Sts	2	5	27	55	11
Prev Wk	2	5	27	56	10
Prev Yr	2	6	25	55	12

Crop Progress and Condition

Week Ending June 29, 2025

Cotton Percent Planted				
	Prev Year	Prev Week	Jun 29 2025	5-Yr Avg
AL	99	95	98	99
AZ	100	100	100	100
AR	100	100	100	100
CA	100	100	100	100
GA	99	95	98	99
KS	99	95	97	99
LA	100	100	100	100
MS	100	78	91	100
MO	100	100	100	99
NC	98	95	98	98
OK	96	82	95	95
SC	98	100	100	99
TN	100	91	92	100
TX	95	91	94	98
VA	100	97	100	99
15 Sts	97	92	95	98
These 15 States planted 99% of last year's cotton acreage.				

Cotton Percent Squaring				
	Prev Year	Prev Week	Jun 29 2025	5-Yr Avg
AL	61	29	48	51
AZ	78	66	81	77
AR	68	21	48	60
CA	42	35	55	45
GA	51	37	54	52
KS	45	5	12	36
LA	67	51	65	67
MS	39	12	36	33
MO	39	26	52	48
NC	45	33	49	35
OK	18	5	15	15
SC	39	21	35	34
TN	53	19	37	41
TX	36	26	37	32
VA	48	28	41	43
15 Sts	41	26	40	37
These 15 States planted 99% of last year's cotton acreage.				

Cotton Percent Setting Bolls				
	Prev Year	Prev Week	Jun 29 2025	5-Yr Avg
AL	12	3	13	6
AZ	49	12	31	30
AR	14	0	4	8
CA	4	10	15	5
GA	11	4	11	9
KS	1	0	1	1
LA	5	0	3	12
MS	3	1	3	4
MO	0	0	0	3
NC	1	0	1	1
OK	0	0	0	0
SC	4	0	2	3
TN	8	1	1	6
TX	13	8	12	12
VA	9	0	3	7
15 Sts	11	5	9	9
These 15 States planted 99% of last year's cotton acreage.				

Cotton Condition by Percent					
	VP	P	F	G	EX
AL	1	9	17	68	5
AZ	0	0	1	83	16
AR	0	3	30	48	19
CA	0	0	0	5	95
GA	0	4	30	59	7
KS	0	26	43	29	2
LA	0	0	6	94	0
MS	2	7	31	49	11
MO	0	14	31	55	0
NC	0	10	30	53	7
OK	1	2	30	66	1
SC	1	3	18	64	14
TN	4	12	40	41	3
TX	9	16	35	33	7
VA	0	0	10	82	8
15 Sts	5	12	32	44	7
Prev Wk	6	14	33	41	6
Prev Yr	8	9	33	44	6

Peanuts Percent Pegging				
	Prev Year	Prev Week	Jun 29 2025	5-Yr Avg
AL	45	11	28	31
FL	47	32	49	45
GA	49	38	54	51
NC	33	11	30	25
OK	0	0	0	8
SC	52	22	34	46
TX	11	7	11	7
VA	35	5	14	24
8 Sts	42	26	41	39
These 8 States planted 95% of last year's peanut acreage.				

Peanut Condition by Percent					
	VP	P	F	G	EX
AL	0	2	7	81	10
FL	0	0	28	72	0
GA	0	4	28	56	12
NC	2	2	11	61	24
OK	1	8	20	70	1
SC	1	3	14	73	9
TX	1	2	47	48	2
VA	0	1	10	85	4
8 Sts	0	3	25	62	10
Prev Wk	1	4	23	64	8
Prev Yr	3	9	35	49	4

Rice Percent Headed				
	Prev Year	Prev Week	Jun 29 2025	5-Yr Avg
AR	5	2	4	3
CA	9	5	10	11
LA	48	50	66	43
MS	10	5	12	15
MO	1	0	4	2
TX	63	35	54	47
6 Sts	17	13	19	14
These 6 States planted 100% of last year's rice acreage.				

Rice Condition by Percent					
	VP	P	F	G	EX
AR	0	3	22	51	24
CA	0	0	5	40	55
LA	1	2	12	74	11
MS	0	0	33	49	18
MO	0	4	19	71	6
TX	1	1	18	64	16
6 Sts	0	2	18	56	24
Prev Wk	0	2	20	57	21
Prev Yr	1	2	15	67	15

Crop Progress and Condition

Week Ending June 29, 2025

Winter Wheat Percent Harvested				
	Prev Year	Prev Week	Jun 29 2025	5-Yr Avg
AR	92	70	90	90
CA	42	35	55	54
CO	20	0	3	9
ID	0	0	0	0
IL	87	17	69	73
IN	60	2	23	38
KS	76	20	53	56
MI	3	1	4	1
MO	90	29	65	74
MT	0	0	0	0
NE	11	0	4	6
NC	84	60	80	78
OH	44	2	14	18
OK	99	35	71	88
OR	0	0	1	0
SD	0	0	0	0
TX	85	70	80	85
WA	0	0	0	0
18 Sts	52	19	37	42
These 18 States harvested 91% of last year's winter wheat acreage.				

Winter Wheat Condition by Percent					
	VP	P	F	G	EX
AR	2	4	58	33	3
CA	0	0	5	25	70
CO	3	13	15	60	9
ID	0	9	29	61	1
IL	10	6	17	53	14
IN	2	4	26	57	11
KS	9	15	28	42	6
MI	0	2	26	55	17
MO	0	4	28	53	15
MT	3	20	44	33	0
NE	17	22	30	30	1
NC	3	8	42	43	4
OH	1	3	32	48	16
OK	3	10	35	49	3
OR	7	15	32	39	7
SD	4	19	41	33	3
TX	9	18	42	26	5
WA	3	11	23	54	9
18 Sts	6	14	32	41	7
Prev Wk	6	13	32	43	6
Prev Yr	5	10	34	41	10

Spring Wheat Percent Emerged				
	Prev Year	Prev Week	Jun 29 2025	5-Yr Avg
ID	99	100	100	99
MN	100	100	100	100
MT	96	79	83	99
ND	100	97	100	100
SD	100	100	100	100
WA	100	100	100	100
6 Sts	100	93	96	100
These 6 States planted 100% of last year's spring wheat acreage.				

Spring Wheat Percent Headed				
	Prev Year	Prev Week	Jun 29 2025	5-Yr Avg
ID	36	35	58	43
MN	56	7	38	50
MT	31	14	26	27
ND	26	10	32	31
SD	63	53	87	71
WA	67	65	83	71
6 Sts	35	17	38	37
These 6 States planted 100% of last year's spring wheat acreage.				

Oats Percent Headed				
	Prev Year	Prev Week	Jun 29 2025	5-Yr Avg
IA	92	81	90	90
MN	62	20	41	61
NE	89	77	88	90
ND	29	11	38	26
OH	67	83	88	81
PA	53	50	70	62
SD	72	70	85	81
TX	100	100	100	100
WI	72	47	63	69
9 Sts	72	60	74	72
These 9 States planted 75% of last year's oat acreage.				

Oat Condition by Percent					
	VP	P	F	G	EX
IA	0	2	15	68	15
MN	1	3	18	69	9
NE	2	3	47	46	2
ND	1	6	24	65	4
OH	0	1	21	76	2
PA	0	0	5	87	8
SD	0	7	22	64	7
TX	23	26	31	15	5
WI	0	2	13	67	18
9 Sts	6	9	24	54	7
Prev Wk	7	9	27	49	8
Prev Yr	6	5	22	57	10

Spring Wheat Condition by Percent					
	VP	P	F	G	EX
ID	1	9	30	58	2
MN	1	2	10	83	4
MT	1	40	57	2	0
ND	1	4	26	62	7
SD	0	3	38	54	5
WA	3	11	30	49	7
6 Sts	1	13	33	48	5
Prev Wk	3	12	31	49	5
Prev Yr	1	3	24	61	11

Barley Percent Emerged				
	Prev Year	Prev Week	Jun 29 2025	5-Yr Avg
ID	100	100	100	100
MN	100	97	99	99
MT	95	89	90	97
ND	99	96	100	99
WA	100	100	100	100
5 Sts	99	94	96	99
These 5 States planted 81% of last year's barley acreage.				

Barley Percent Headed				
	Prev Year	Prev Week	Jun 29 2025	5-Yr Avg
ID	48	45	62	52
MN	50	6	32	51
MT	28	5	18	27
ND	27	8	33	30
WA	68	63	88	75
5 Sts	34	17	35	37
These 5 States planted 81% of last year's barley acreage.				

Barley Condition by Percent					
	VP	P	F	G	EX
ID	1	4	22	72	1
MN	1	1	8	86	4
MT	0	21	70	9	0
ND	1	3	29	62	5
WA	1	9	34	52	4
5 Sts	1	11	45	41	2
Prev Wk	1	14	43	40	2
Prev Yr	1	4	31	60	4

Crop Progress and Condition**Week Ending June 29, 2025**

Pasture and Range Condition by Percent Week Ending Jun 29, 2025												
	VP	P	F	G	EX			VP	P	F	G	EX
AL	1	2	16	61	20		NH	0	0	0	100	0
AZ	56	30	11	2	1		NJ	0	3	7	90	0
AR	1	5	26	50	18		NM	8	27	26	1	38
CA	0	0	60	30	10		NY	0	4	10	58	28
CO	3	16	30	40	11		NC	0	1	13	71	15
CT	0	0	50	45	5		ND	1	8	30	56	5
DE	2	7	28	55	8		OH	0	0	16	76	8
FL	0	6	33	40	21		OK	2	5	22	56	15
GA	1	6	31	51	11		OR	14	22	26	26	12
ID	2	4	26	48	20		PA	2	5	15	63	15
IL	2	4	31	42	21		RI	0	0	0	93	7
IN	2	4	27	56	11		SC	0	5	36	51	8
IA	1	3	23	60	13		SD	3	13	42	34	8
KS	3	8	23	53	13		TN	1	4	20	59	16
KY	1	5	14	69	11		TX	18	14	18	33	17
LA	1	3	32	58	6		UT	6	24	30	37	3
ME	0	2	7	63	28		VT	0	0	7	70	23
MD	1	7	30	38	24		VA	0	12	30	50	8
MA	0	0	50	50	0		WA	7	9	44	38	2
MI	1	6	29	54	10		WV	4	9	46	41	0
MN	2	7	28	52	11		WI	1	5	20	57	17
MS	2	6	29	49	14		WY	9	24	37	28	2
MO	0	1	11	75	13		48 Sts	12	17	28	31	12
MT	14	33	41	12	0							
NE	7	20	36	35	2		Prev W	12	17	28	31	12
NV	45	50	5	0	0		Prev Yr	9	14	29	39	9

VP - Very Poor;

P - Poor;

F - Fair;

G - Good;



EX - Excellent

NA - Not Available;

*Revised



Crop Progress and Condition

Week Ending June 29, 2025



Crop Progress and Condition

Week Ending June 29, 2025



International Weather and Crop Summary

June 22 – 28, 2025

International Weather and Crop Highlights and Summaries provided by USDA/WAOB

HIGHLIGHTS

EUROPE: Hot and dry weather expanded eastward across southern portions of the continent, while showers and thunderstorms continued in central and northern Europe.

WESTERN FSU: Below-normal temperatures prevailed across the region, with widespread rain from northern and eastern Ukraine into Russia contrasting with dry conditions over southwestern croplands.

EASTERN FSU: Widespread showers and cooler temperatures across northern Kazakhstan and central Russia favored vegetative spring grains, while seasonably sunny and hot conditions favored cotton development in central Uzbekistan and environs.

MIDDLE EAST: Mostly dry and hot weather in Turkey promoted winter grain harvesting but hastened summer crops toward or through reproduction.

SOUTH ASIA: Monsoon rainfall covered much of the region, supporting kharif crop planting in India.

EAST ASIA: Beneficial rain aided summer crops in southern China, while the North China Plain continued to suffer from above-normal temperatures.

SOUTHEAST ASIA: Thailand and surrounding regions received beneficial seasonal rain, while parts of Cambodia, Malaysia, and Indonesia experienced drier conditions.

AUSTRALIA: Early-week showers in eastern Australia eased dryness and improved soil moisture for emerging to vegetative winter crops, though long-term drought persisted.


MEXICO: Tropical showers and an active monsoon circulation fueled widespread rain from the southern plateau corn belt into southeastern Mexico.

CANADIAN PRARIES: Mostly light showers and near- or slightly below-normal temperatures generally favored summer crop growth, although pesky dry pockets persisted.

SOUTHEASTERN CANADA: Very warm weather, occasional showers, and ample soil moisture reserves promoted a rapid pace of crop development.



EUROPE
Total Precipitation(mm)
June 22 - 28, 2025



Station precipitation reports from France and Hungary are either missing or suspect.

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EUROPE

Increasingly dry and hot weather expanded eastward across southern portions of the continent, while showers continued in central and northern Europe. A strengthening area of high pressure maintained hot conditions in Spain (35-38°C in the north, 38-43°C in the south), though showers (1-15 mm) associated with a weak disturbance during the middle of the week provided temporary heat relief. Flowering cotton in southern Spain (Andalucia) was subjected to temperatures as high as 43.5°C, while late-vegetative corn in northern Spain experienced daytime maxima topping 38°C. Very high daytime temperatures (35-38°C) in France and northern Italy accelerated summer crops toward reproduction in the former and stressed tasseling corn in the latter's Po River Valley. Nevertheless, mid-week showers also provided temporary heat relief in western and northern France*, though temperatures quickly rebounded to above-normal levels at the end of the monitoring period. Abnormal warmth (3-6°C above normal, highs in the lower to middle 30s degrees C) prevailed in England, the Low

Countries, and Germany, accelerating winter crop drydown and harvesting as well as spring grain and summer crop development. However, showers and thunderstorms (5-35 mm) across central and northern Europe helped mitigate the impacts of the unusual heat. Extreme heat expanded eastward into the Balkans, where daytime highs ranging from 35 to 39°C hastened corn, soybeans, and sunflowers toward reproduction. Showers in southeastern Europe were spotty, with the heaviest (5-35 mm) falling in south-central and northeastern Romania. Daytime highs likewise approached or topped 40°C in Greece under mostly sunny skies, hastening the development of irrigated cotton. Despite the overall hot weather pattern, somewhat cooler and showery conditions (10-50 mm) favored filling winter crops in Poland and the Baltic States.

**Surface-based weather station data from France and Hungary were either missing or suspect; radar and satellite data were used to augment the analysis.*

WESTERN FSU
Total Precipitation(mm)
June 22 - 28, 2025



Data availability may be affected by the current geopolitical situation in Ukraine

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




WESTERN FSU

Chilly and showery conditions prevailed across much of the region save for drier and warmer southwestern crop areas. Following the passage of strong cold front during the preceding week, temperatures during the monitoring period averaged 2 to 4°C below normal from northern and eastern Ukraine into Russia. The chilly air slowed winter crop maturation and drydown as well as the development of vegetative summer crops. Widespread moderate to heavy showers (10-65 mm) over these same croplands maintained adequate to

abundant soil moisture for crop development, especially in west-central Russia where rain was heaviest. However, dry and warm weather (30-34°C) in Moldova and southwestern Ukraine promoted winter crop maturation and drydown as well as vegetative summer crop growth. Localized dryness (5 mm or less) also prevailed adjacent to the central and eastern of the Black Sea Coast, though moisture supplies remained good to excellent in southeastern Ukraine and southern Russia following a wet latter half of June.

EASTERN FSU
Total Precipitation(mm)
June 22 - 28, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EASTERN FSU

Continued wet but cooler weather in the north contrasted with seasonably hot and mostly dry conditions in the south. A strong cold front brought below-normal temperatures (1-3°C below normal) to much of the spring grain belt of central Russia and northern Kazakhstan, with anomalous warmth (up to 3°C above normal) confined to East Kazakhstan and southern portions of Russia's Siberia District. The front's slow movement netted much of northern Kazakhstan and central Russia 10 to 70 mm of rainfall (locally more), although pockets of lighter rain (5 mm or less) were noted from Qostanay, Kazakhstan eastward into Novosibirsk, Russia. Spring grains were

mostly still vegetative, but barley was approaching the heading stage of development in western growing areas. Farther south across the Commonwealth of Independent States (CIS), seasonably sunny skies and near- to above-normal temperatures (locally up to 3°C above normal) accelerated the development of flowering cotton, though cooler temperatures during the latter half of the week eased potential heat stress. However, another round of unusual showers (5-40 mm) in Kyrgyzstan further eased irrigation requirements in eastern croplands. Cotton was developing on par with normal across most of the CIS but up to 5 days ahead of normal in southern Kazakhstan.

MIDDLE EAST
Total Precipitation(mm)
June 22 - 28, 2025



Weather station data for Syria, Iraq, and Iran were not available for this week's analysis.

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




MIDDLE EAST

Dry and hot weather prevailed across the region. Sunny skies and above-normal temperatures in Turkey (2-5°C above normal) favored winter grain harvesting and accelerated the development of corn, sunflowers, and cotton. Extreme heat (36-43°C) in western Turkey's Aegean Region accelerated cotton through the squaring stage of development, while daytime maxima in the upper 30s and lower 40s (degrees C) in southeastern

Turkey (Adana and GAP Regions) maintained high irrigation demands for flowering cotton as well as tasseling corn. Dry and hot weather continued across the remainder of the region*, facilitating wheat harvesting and other seasonal fieldwork.

**Surface-based weather station data from Syria, Iraq, and Iran were not available; satellite data were used to augment the analysis.*

SOUTH ASIA
Total Precipitation(mm)
June 22 - 28, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




SOUTH ASIA

The Southwest Monsoon spread across nearly the entire region, bringing extensive rainfall. Most areas experienced heavy to extremely heavy precipitation (up to 400 mm). This was beneficial for key rice production areas which received between 25 and 200 mm of rain, with some locations receiving higher amounts. In contrast, southeastern India received little to no rain,

causing drier conditions. Temperatures throughout the region continued to be slightly lower than in previous weeks, averaging in the lower to upper 30s (degrees C) due to the widespread showers. In Pakistan, moderate to heavy monsoon showers (10-100 mm) were recorded, resulting in normal to above-normal temperatures (1-3°C above normal) for that area.

EASTERN ASIA
Total Precipitation(mm)
June 22 - 28, 2025




CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



EASTERN ASIA

Monsoon rainfall persisted across southern China, extending eastward across the East China Sea and into Japan. While rainfall amounts generally ranged from 25 to 200 mm, aiding summer crops south of the Yangtze River, some locations saw intense downpours that produced up to 300 mm, potentially causing flooding in affected areas. In contrast, the North China Plain saw only scattered showers (10-50 mm) that provided limited relief

from persistent above-normal temperatures, which averaged in the middle to upper 30s (degrees C) and could negatively impact crop growth. The northeast region received little to no rainfall and persistently warm temperatures, averaging 1 to 6°C above normal. Elsewhere in the region, the Korean Peninsula received moderate to heavy rainfall (10-80 mm), with daytime highs around the lower to middle 30s.




SOUTHEAST ASIA

Monsoon showers were widespread in the northern regions, averaging 25 to 100 mm with some locales reporting up to 300 mm. These included rain-fed rice areas in northeastern Thailand and key rice areas in the northern Philippines, where the substantial rainfall benefited crop growth. In contrast, other

parts of the region experienced insufficient seasonal rains (less than 25 mm), limiting moisture needed for rice and other crops. Near-normal temperatures prevailed across the region, with daytime highs in the middle to upper 30s (degrees C) and nighttime lows in the lower to middle 20s.

AUSTRALIA
Total Precipitation(mm)
June 22 - 28, 2025



Gridded data from the Australian Bureau of Meteorology: www.bom.gov.au/
Creative Commons License found at:
<https://creativecommons.org/licenses/by/3.0/au/legalcode>

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




AUSTRALIA

Early-week showers in southern and eastern Australia contrasted with mostly dry weather in western portions of the country. A strong cold front triggered light to moderate showers (2-25 mm) from South Australia eastward into Victoria and southern New South Wales, while heavier rain (25-90 mm) fell south and east of primary winter crop areas. The rainfall eased drought and improved soil moisture for winter crop emergence and establishment, though significant long-term deficits lingered. In fact, the

latest satellite-derived Vegetation Health Index (VHI) was the lowest on record for this time of year in both South Australia and Victoria, while the VHI in New South Wales transitioned from very poor in the south to excellent near the Queensland border. Behind the front, chilly temperatures (nighttime lows at or below freezing) settled over much of eastern Australia. A broad area of high pressure provided dry weather to Western Australia, facilitating seasonal fieldwork and vegetative winter crop development.

MEXICO
Total Precipitation(mm)
June 22 - 28, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



MEXICO


Showery weather from the southern plateau corn belt into southeastern Mexico supported summer crop development. Weekly rainfall totals from 25 to 100 mm were common across those regions, while temperatures averaged as much as 2°C below normal. Meanwhile, locally heavy showers continued in the Gulf Coast States, including Veracruz, following the previous week's torrential rainfall. As the week ended, the approach of Tropical Storm Barry further enhanced

rainfall in portions of the Gulf Coast region. Meanwhile, the North American monsoon circulation became more fully established, helping to draw moisture northward into some of northern Mexico's hardest-hit drought areas. However, given the long-term nature of the drought and the region's reliance on already-depleted irrigation reserves for agricultural production, any meaningful rangeland and crop recovery will require a protracted period of wet weather.

CANADIAN PRAIRIES

Total Precipitation(mm)

June 22 - 28, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



CANADIAN PRAIRIES


Rainfall across the Prairies generally totaled 25 mm or less, with higher amounts mostly limited to scattered locations in Saskatchewan. However, some of Saskatchewan's higher rainfall totals occurred in northern crop production areas that have been experiencing Moderate to Extreme Drought (D1 to D3), according to the latest Canadian Drought Monitor. As the week began, cropland topsoil moisture in Saskatchewan was rated 20 percent very short to short,

according to a provincial report, despite recent severe thunderstorms that resulted in localized wind and hail damage. Meanwhile, parts of the southern Prairies received minimal rainfall, particularly across southern Alberta, southwestern Saskatchewan, and southern Manitoba. Prairie temperatures as much as 2°F below had a nominal impact on crop development, although widespread minimum readings below 5°F were reported across the western half of the region.

SOUTHEASTERN CANADA

Total Precipitation(mm)

June 22 - 28, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



SOUTHEASTERN CANADA

Unusually warm weather, with temperatures averaging as much as 5°C above normal and peaking near 35°C in areas away from the Great Lakes, promoted winter wheat maturation and a torrid pace of summer crop development. Provincial reports indicated that warmth has greatly helped to reduce heat-unit deficits and has accelerated the

development of later-planted crops. Despite the warmth, frequent showers maintained mostly favorable soil moisture reserves and even resulted in some fieldwork delays. Rainfall amounts were highly variable, broadly ranging from 10 to 50 mm, except for totals less than 10 mm north of Lake Ontario and in parts of southern Quebec.

U.S. Acreage Highlights

The following information was released by USDA's Agricultural Statistics Board on June 30, 2025.

Corn planted area for all purposes in 2025 is estimated at 95.2 million acres, up 5 percent or 4.61 million acres from last year. This represents the third-highest U.S. planted acreage since 1944. Compared with last year, planted acreage is expected to be up or unchanged in 41 of the 48 estimating states. Area harvested for grain, at 86.8 million acres, is up 5 percent from last year.

Soybean planted area for 2025 is estimated at 83.4 million acres, down 4 percent from last year. Compared with last year, planted acreage is down or unchanged in 25 of the 29 estimating states.

All wheat planted area for 2025 is estimated at 45.5 million acres, down 1 percent from 2024.

The 2025 winter wheat planted area, at 33.3 million acres, is down less than 1 percent from last year but up

slightly from the previous estimate. Of this total, about 23.6 million acres are Hard Red Winter, 6.10 million acres are Soft Red Winter, and 3.67 million acres are White Winter.

Area planted to other spring wheat for 2025 is estimated at 10.0 million acres, down 5 percent from the 2024 estimate. Of this total, about 9.44 million acres are Hard Red Spring wheat.

Durum planted area for 2025 is estimated at 2.11 million acres, up 2 percent from the previous year.

All cotton planted area for 2025 is estimated at 10.1 million acres, down 10 percent from last year. Upland area is estimated at 9.95 million acres, down 9 percent from 2024. American Pima area is estimated at 171,000 acres, down 17 percent from 2024.

The *Weekly Weather and Crop Bulletin* (ISSN 0043-1974) is jointly prepared by the U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA) and the U.S. Department of Agriculture (USDA). Publication began in 1872 as the *Weekly Weather Chronicle*. It is issued under general authority of the Act of January 12, 1895 (44-USC 213), 53rd Congress, 3rd Session. The contents may be redistributed freely with proper credit.

Correspondence to the meteorologists should be directed to:
***Weekly Weather and Crop Bulletin*, NOAA/USDA, Joint Agricultural Weather Facility, USDA South Building, Room 4443B, Washington, DC 20250.**

Internet URL: www.usda.gov/oce/weather-drought-monitor

E-mail address: brad.rippey@usda.gov

An archive of past *Weekly Weather and Crop Bulletins* can be found at <https://usda.library.cornell.edu/>, keyword search "*Weekly Weather and Crop Bulletin*".

U.S. DEPARTMENT OF AGRICULTURE

World Agricultural Outlook Board

Managing Editor..... **Brad Rippey**

Agricultural Weather Analysts.... **Eric Luebehusen and Maureen Sartini**

National Agricultural Statistics Service

Agricultural Statistician and State Summaries Editor..... **Noemi Guindin**

U.S. DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

National Weather Service/Climate Prediction Center

Meteorologists..... **Brad Pugh, Adam Allgood, Ryan Bolt, and Rich Tinker**

USDA is an equal opportunity provider and employer. To file a complaint of discrimination, write: USDA, Office of the Assistant Secretary for Civil Rights, Office of Adjudication, 1400 Independence Ave., SW, Washington, DC 20250-9410 or call (866) 632-9992 (Toll-Free Customer Service), (800) 877-8339 (Local or Federal relay), (866) 377-8642 (Relay voice users).