


# WEEKLY WEATHER AND CROP BULLETIN

U.S. DEPARTMENT OF COMMERCE  
National Oceanic and Atmospheric Administration  
National Weather Service

U.S. DEPARTMENT OF AGRICULTURE  
National Agricultural Statistics Service  
and World Agricultural Outlook Board



## HIGHLIGHTS

**May 25 – 31, 2025**



*Highlights provided by USDA/WAOB*

Late-month storminess gradually shifted southward and eastward, but weekly rainfall still totaled 2 to 4 inches or more in many locations from the **central and southern Plains to the Atlantic Coast States**. Not all areas received heavy rain, but showers locally slowed or halted fieldwork in the **South, East, and central and southern Plains**. As winds turned to the north and northwest in the wake of departing storminess, dense smoke from boreal wildfires in **Canada** settled across the **north-central U.S.** Significant

*(Continued on page 3)*

## Contents

Highlights & Total Precipitation Map .....	1
Extreme Maximum & Minimum Temperature Maps.....	2
Temperature Departure Map .....	3
Palmer Drought & Crop Moisture Maps .....	4
May 27 Drought Monitor & <b>U.S. Monthly Drought Outlook</b> .....	5
Growing Degree Day Maps.....	6
National Weather Data for Selected Cities .....	8
National Agricultural Summary .....	11
Crop Progress and Condition Tables.....	12
International Weather and Crop Summary .....	18
Bulletin Information & Days Suitable for Fieldwork.....	30




(Continued from front cover)

degradations in air quality and reductions in visibility were noted in **Minnesota** and the **Dakotas**, extending into neighboring states, with hazy skies (from smoke aloft) observed across a much broader area of the **central and eastern U.S.** Meanwhile, an early-season heat wave enveloped the **West**. Dry weather accompanied the heat, which abruptly ended as the calendar turned to June due to the combination of a cold front crossing the **Northwest** and an upper-level disturbance arriving in the **Southwest**. **Western** heat propelled weekly temperatures 5 to 10°F above normal from **northern California** and the **Great Basin** into northern sections of the **Rockies** and **High Plains**. In contrast, readings averaged at least 5 to 10°F below normal from the **central Plains** into the **eastern Corn Belt** and the **middle Atlantic States**, extending as far south as the **Carolinas** and **northern Georgia**.

Western heat, especially late in the week, catapulted temperatures to 100°F or higher throughout **California's Central Valley** and the **Desert Southwest**. Additionally, late-week readings topped 90°F as far north as parts of **eastern Washington** and **western Montana**. Conversely, lingering cool weather led to some additional late-season frost across the **nation's northern tier**, mainly in the **upper Great Lakes region**. From May 21-26, **Hibbing, MN**, noted six consecutive freezes, including a daily-record low of 28°F on the 25th. For the first time on record, **La Crosse, WI**, reported two sub-40°F readings during a Memorial Day weekend—38 and 39°F, respectively, on May 24 and 25. However, the focus soon turned to record-setting **Western** warmth. In **Montana**, **Cut Bank** notched its first 90-degree reading of the year on May 29, posting a daily-record high of 90°F. Another daily record in **Cut Bank** followed on May 31, with a high of 92°F. On May 30-31, the week (and month) ended with consecutive daily-record highs in locations such as **Reno, NV** (96 and 99°F); and **Bishop, CA** (100 and 101°F). With the latter reading, **Reno** also set a monthly record, supplanting 98°F on May 31, 1910. Similarly, **Boise, ID**, tied a monthly record with a high of 100°F on May 31. Previously, **Boise** had attained 100°F on May 29, 1897. **Winnemucca, NV** (100°F on May 31), also tied a monthly mark, previously set on May 29, 2020. Elsewhere on the 31st, triple-digit, daily-record highs included 106°F in **Barstow-Daggett, CA**, and 105°F in **Las Vegas, NV**. Meanwhile in **Montana**, daily-record highs for May 31 topped the 90-degree mark in locations such as **Missoula** (94°F) and **Helena** (91°F).



As the last week of May began, thunderstorms pounded the **central and southern Plains** and the **mid-South**. On May 25, daily-record rainfall totals in **Oklahoma** reached 4.14 inches in **Tulsa** and 2.15 inches in **Oklahoma City**. Elsewhere on the 25th, daily-record amounts included 2.06 inches in **Jonesboro, AR**;





1.93 inches in **Springfield, MO**; and 1.39 inches in **Denver, CO**. On May 26, Memorial Day, storms across the **South** led to daily-record totals in **Shreveport, LA** (3.28 inches), and **Tyler, TX** (3.02 inches). Meanwhile, lingering precipitation in **Laramie, WY**, led to a daily-record total of 0.62 inch on May 27. By mid-week, showers and thunderstorms spanned the **South** and **East**, leading to daily-record totals for May 28 in **San Antonio, TX** (2.05 inches); **Richmond, VA** (2.00 inches); and **Atlantic City, NJ** (1.79 inches). On May 30, another batch of **Eastern** downpours contributed to daily-record amounts in **Morgantown, WV** (2.90 inches); **Ruskin, FL** (2.10 inches); and **Harrisburg, PA** (1.75 inches). On the last day of the month, record-setting totals for May 31 included 1.19 inches in **Houlton, ME**, and 1.15 inches in **Montpelier, VT**. Farther west, a few showers approached **southern California** and the **Southwest**. By June 1, uncharacteristically early showers in **Arizona** resulted in daily-record totals in **Phoenix** (0.24 inch) and **Yuma** (0.10 inch).



Stormy weather capped a wet May in **southeastern Alaska**, where **Ketchikan** received monthly rainfall totaling 25.58 inches (295 percent of normal). Previously, **Ketchikan's** wettest May on record had occurred in 2001, when 22.44 inches fell. Further, **Ketchikan** measured more than an inch of rain on 8 days during the month (May 1, 5, 23, 24, 26, 27, 28, and 30), with more than 4 inches falling on May 1 and 27. Meanwhile, near- or below-normal temperatures dominated **Alaska**, with little or no precipitation falling in **northern and western sections of the state**. In **Nome**, the month's lowest temperatures—a pair of 27°F readings—occurred on May 28 and 29. Farther south, stubborn dryness in much of **Hawaii** led to a gradual expansion of drought coverage. At the state's major airport observation sites, May rainfall ranged from 0.05 inch (7 percent of normal) in **Kahului, Maui**, to 4.51 inches (65 percent) in **Hilo**, on the **Big Island**.

















National Weather Data for Selected Cities

Weather Data for the Week Ending May 31, 2025  
Accessible Data Available from the Climate Prediction Center

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION								RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE MAR 1	PCT. NORMAL SINCE MAR 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP		
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE	
AK	ANCHORAGE	55	43	60	39	49	-2	0.39	0.21	0.31	4.17	234	6.42	189	85	50	0	0	2	0	
	BARROW	29	23	32	20	26	0	0.15	0.06	0.13	0.17	27	0.17	17	85	71	0	7	2	0	
	FAIRBANKS	61	42	67	36	51	-3	0.43	0.27	0.24	2.26	176	4.20	174	94	41	0	0	4	0	
	JUNEAU	52	45	55	43	48	-3	2.52	1.77	0.80	17.97	168	28.62	136	95	70	0	0	7	1	
	KODIAK	52	41	56	35	46	-1	0.76	-0.62	0.31	18.75	111	40.90	130	91	64	0	0	4	0	
AL	NOME	51	34	65	27	43	1	0.12	-0.09	0.10	2.12	89	6.04	140	82	46	0	3	2	0	
	BIRMINGHAM	80	65	85	56	73	-2	3.86	2.76	1.16	24.70	157	30.83	120	95	59	0	0	4	4	
	HUNTSVILLE	80	64	83	58	72	-3	2.70	1.74	1.42	21.61	144	31.51	125	98	44	0	0	5	2	
	MOBILE	87	69	91	64	78	0	3.17	1.81	2.05	24.17	146	30.98	116	97	57	2	0	4	1	
	MONTGOMERY	83	68	88	63	75	-2	1.55	0.64	1.06	17.67	135	24.06	106	96	57	0	0	2	1	
AR	FORT SMITH	78	62	86	57	70	-4	2.57	1.41	1.70	20.63	143	25.00	125	96	61	0	0	3	2	
	LITTLE ROCK	78	63	84	59	70	-3	1.65	0.65	1.00	19.35	123	27.15	117	98	64	0	0	3	2	
AZ	FLAGSTAFF	79	41	84	34	60	5	0.00	-0.15	0.00	4.35	122	6.00	77	39	11	0	0	0	0	
	PHOENIX	101	76	104	73	89	3	0.00	-0.03	0.00	1.23	104	1.33	45	22	7	7	0	0	0	
CA	PRESCOTT	86	54	91	49	70	4	0.00	-0.08	0.00	3.99	210	4.63	105	30	8	2	0	0	0	
	TUCSON	97	67	101	64	82	1	0.00	-0.05	0.00	0.31	31	0.59	21	20	6	7	0	0	0	
	BAKERSFIELD	91	63	104	57	77	3	0.00	-0.04	0.00	1.93	96	2.95	67	54	21	3	0	0	0	
	EUREKA	60	49	62	45	54	-1	0.00	-0.30	0.00	11.51	104	22.24	95	94	74	0	0	0	0	
	FRESNO	92	63	102	58	77	4	0.00	-0.09	0.00	4.49	133	6.29	84	63	22	3	0	0	0	
CO	LOS ANGELES	70	61	76	61	65	1	0.00	-0.04	0.00	1.59	60	5.30	62	88	62	0	0	0	0	
	REDDING	95	63	106	58	79	7	0.00	-0.39	0.00	6.40	72	18.20	89	68	18	5	0	0	0	
	SACRAMENTO	89	57	101	53	73	5	0.00	-0.14	0.00	2.00	43	7.05	59	77	27	3	0	0	0	
	SAN DIEGO	69	62	75	61	65	0	0.00	-0.03	0.00	3.37	141	4.73	72	82	63	0	0	0	0	
	SAN FRANCISCO	68	53	79	51	61	-1	0.00	-0.08	0.00	2.44	53	7.74	62	90	55	0	0	0	0	
CT	STOCKTON	92	56	105	50	74	4	0.00	-0.10	0.00	3.28	91	6.74	77	90	27	4	0	0	0	
	ALAMOSA	76	38	82	30	57	1	0.85	0.74	0.57	3.83	228	4.30	188	88	17	0	1	3	1	
	CO SPRINGS	67	47	81	43	57	-5	1.46	0.96	0.50	6.22	146	7.77	160	95	52	0	0	6	1	
	DENVER INTL	70	47	81	41	59	-3	1.92	1.42	1.22	6.10	129	7.28	132	95	49	0	0	4	1	
	GRAND JUNCTION	88	54	95	48	71	5	0.00	-0.14	0.00	1.49	57	1.80	48	44	11	2	0	0	0	
DC	PUEBLO	74	49	86	47	62	-4	0.61	0.28	0.35	3.16	79	4.19	91	95	43	0	0	6	0	
	BRIDGEPORT	69	53	72	51	61	-3	0.88	0.02	0.55	11.35	96	15.20	83	92	54	0	0	4	1	
	HARTFORD	71	50	77	45	61	-3	1.56	0.65	1.45	16.80	146	21.33	119	94	50	0	0	3	1	
DE	WASHINGTON	71	55	79	51	63	-8	2.61	1.72	1.12	15.46	145	20.59	127	87	54	0	0	4	2	
	WILMINGTON	72	53	78	48	62	-5	3.16	2.29	1.70	16.62	151	20.41	119	90	51	0	0	4	2	
FL	DAYTONA BEACH	89	70	91	67	80	2	3.27	2.06	1.20	9.16	95	12.57	86	97	58	4	0	7	3	
	JACKSONVILLE	92	70	95	61	81	3	1.44	0.36	0.80	10.02	104	18.48	117	95	46	6	0	5	1	
	KEY WEST	88	82	90	81	85	3	0.00	-0.91	0.00	5.43	80	11.02	109	83	70	1	0	0	0	
	MIAMI	91	80	92	76	85	4	0.55	-1.44	0.35	10.44	85	12.12	75	83	55	7	0	2	0	
	ORLANDO	92	72	94	70	82	2	5.54	4.21	1.92	15.03	156	16.64	117	100	54	6	0	6	4	
GA	PENSACOLA	87	71	91	66	79	0	1.43	0.36	0.99	18.14	123	26.36	107	93	55	2	0	4	1	
	TALLAHASSEE	91	69	95	63	80	2	0.37	-0.74	0.24	13.54	111	21.41	102	90	46	5	0	3	0	
	TAMPA	92	78	95	72	85	4	1.72	0.89	1.72	5.73	74	12.24	94	86	54	6	0	1	1	
	WEST PALM BEACH	91	78	94	77	85	5	1.74	0.14	0.97	8.65	72	11.70	65	84	55	6	0	3	1	
	ATHENS	76	60	80	57	68	-6	2.62	1.78	1.38	15.07	135	22.28	112	98	68	0	0	6	1	
HI	ATLANTA	79	62	83	57	71	-4	3.35	2.50	1.32	15.31	127	24.07	113	92	61	0	0	6	3	
	AUGUSTA	79	63	85	54	71	-5	4.00	3.10	1.30	14.27	142	19.79	112	98	68	0	0	5	4	
	COLUMBUS	85	66	90	60	76	-2	6.38	5.57	3.39	20.27	166	27.69	132	95	55	2	0	5	3	
	MACON	82	64	87	58	73	-3	1.52	0.79	0.64	15.92	150	20.75	108	100	68	0	0	5	1	
	SAVANNAH	87	68	88	63	77	0	2.77	1.68	1.26	15.06	143	18.01	108	94	57	0	0	5	2	
IA	HILO	83	67	85	66	75	1	0.59	-0.83	0.24	15.56	53	25.03	53	87	57	0	0	5	0	
	HONOLULU	87	72	87	71	79	0	0.00	-0.16	0.00	3.08	78	9.28	120	78	41	0	0	0	0	
	KAHULUI	86	69	87	64	77	-1	0.00	-0.08	0.00	1.83	39	6.24	68	78	50	0	0	0	0	
	LIHUE	83	72	84	67	77	0	0.25	-0.13	0.17	6.00	61	9.56	58	83	58	0	0	2	0	
	BURLINGTON	82	56	83	53	69	1	0.00	-0.32	0.00	8.95	86	9.72	72	66	34	0	0	0	0	
ID	CEDAR RAPIDS	75	52	85	47	64	-1	0.01	-1.06	0.01	8.52	87	9.03	75	85	39	0	0	1	0	
	DES MOINES	72	53	84	51	63	-4	0.16	-0.99	0.08	12.71	111	13.49	97	86	43	0	0	3	0	
	DUBUQUE	71	51	77	48	61	-3	0.11	-0.93	0.11	9.48	89	9.83	72	85	46	0	0	1	0	
	SIOUX CITY	72	48	85	42	60	-6	0.48	-0.47	0.33	6.74	76	7.16	69	91	44	0	0	4	0	
	WATERLOO	73	50	85	44	62	-5	0.23	-0.92	0.11	10.65	100	11.28	87	90	38	0	0	3	0	
IL	BOISE	89	57	100	53	73	10	0.00	-0.31	0.00	2.25	56	6.37	99	54	15	2	0	0	0	
	LEWISTON	87	56	94	51	72	9	0.00	-0.40	0.00	2.94	66	5.81	88	63	22	3	0	0	0	
	POCATELLO	85	48	91	39	66	9	0.00	-0.33	0.00	4.01	105	6.71	114	74	16	1	0	0	0	
	CHICAGO/O_HARE	67	51	73	46	59	-5	0.42	-0.54	0.41	7.65	71	10.57	72	82	45	0	0	2	0	
	MOLINE	74	51	83	42	62	-5	0.32	-0.74	0.31	11.00	99	13.18	90	89	39	0	0	2	0	
IN	PEORIA	74	54	83	48	64	-3	0.47	-0.54	0.47	11.00	96	12.54	81	80	41	0	0	1	0	
	ROCKFORD	73	48	80	43	60	-5	0.12	-0.93	0.12	7.61	73	8.92	65	81	35	0	0	1	0	
	SPRINGFIELD	74	54	83	49	64	-5	0.91	-0.11	0.60	10.40	92	11.16	73	91	48	0	0	3	1	
	EVANSVILLE	75	59	83	54	67	-4	1.67	0.65	1.34	20.48	137	26.19	122	88	49	0	0	4	1	
	FORT WAYNE	70																			

## Weather Data for the Week Ending May 31, 2025

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION								RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE MAR 1	PCT. NORMAL SINCE MAR 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.		
																	90 AND ABOVE	32 AND BELOW	01 INCH OR MORE	.50 INCH OR MORE	
KY	WICHITA	73	55	88	51	64	-7	4.69	3.46	2.37	12.42	117	13.92	110	97	61	0	0	5	2	
	LEXINGTON	71	55	76	50	63	-6	2.48	1.27	1.87	23.10	161	32.78	153	94	59	0	0	4	2	
	LOUISVILLE	74	60	80	55	67	-4	1.85	0.83	1.52	19.37	132	30.04	140	81	48	0	0	4	1	
LA	PADUCAH	74	60	81	55	67	-5	1.51	0.49	0.59	17.52	119	28.16	125	96	56	0	0	5	1	
	BATON ROUGE	89	70	93	66	80	1	3.08	1.82	1.82	21.28	144	28.99	113	96	54	3	0	4	2	
	LAKE CHARLES	87	71	91	67	79	-1	3.93	2.64	2.58	14.09	104	23.88	105	97	60	1	0	3	3	
MA	NEW ORLEANS	90	75	92	72	82	3	1.74	0.37	1.43	18.44	121	28.66	116	95	58	5	0	3	1	
	SHREVEPORT	86	69	93	64	78	0	***	***	***	***	***	***	***	89	50	1	0	***	***	
	BOSTON	69	54	77	51	62	0	0.42	-0.37	0.39	15.74	142	21.40	121	90	51	0	0	2	0	
MD	WORCESTER	67	51	74	45	59	-1	0.81	-0.05	0.80	18.35	155	24.60	132	91	54	0	0	2	1	
	BALTIMORE	73	54	82	48	64	-4	2.31	1.41	1.47	13.40	119	17.49	101	86	49	0	0	4	2	
	CARIBOU	71	45	81	39	58	2	1.14	0.32	1.03	13.54	146	18.92	129	92	41	0	0	3	1	
MI	PORTLAND	70	50	78	44	60	1	0.64	-0.20	0.64	16.24	133	21.45	111	94	50	0	0	1	1	
	ALPENA	70	43	75	38	57	-1	0.14	-0.50	0.08	8.96	123	12.44	117	92	37	0	0	3	0	
	GRAND RAPIDS	69	47	75	40	58	-5	0.25	-0.62	0.22	10.87	104	13.91	92	91	43	0	0	2	0	
MN	HOUGHTON LAKE	69	42	74	34	55	-4	0.39	-0.33	0.31	13.25	165	20.12	180	93	38	0	0	3	0	
	LANSING	69	46	74	38	58	-5	0.10	-0.71	0.10	9.83	108	11.82	92	93	42	0	0	1	0	
	MUSKEGON	67	44	77	36	56	-6	0.31	-0.38	0.30	8.96	96	12.87	93	94	47	0	0	2	0	
MO	TRAVERSE CITY	68	44	73	36	56	-4	0.34	-0.34	0.15	10.26	142	12.59	127	89	41	0	0	3	0	
	DULUTH	70	45	80	34	58	2	0.00	-0.81	0.00	5.70	77	7.92	85	81	33	0	0	0	0	
	INT_L FALLS	75	42	80	34	58	3	0.00	-0.83	0.00	11.89	207	13.97	194	91	28	0	0	0	0	
MS	MINNEAPOLIS	72	53	81	46	63	-1	0.26	-0.68	0.10	8.57	100	9.18	89	83	39	0	0	3	0	
	ROCHESTER	70	51	81	47	60	-2	0.31	-0.80	0.19	9.56	96	10.21	85	80	44	0	0	2	0	
	ST. CLOUD	74	50	79	39	62	1	0.17	-0.70	0.11	7.50	95	8.67	93	89	33	0	0	3	0	
MT	COLUMBIA	69	56	80	53	63	-7	0.46	-0.56	0.23	10.04	79	12.06	71	94	59	0	0	4	0	
	KANSAS CITY	71	54	86	52	63	-6	1.02	-0.15	0.31	9.57	81	12.08	84	95	56	0	0	4	0	
	SAINT LOUIS	75	58	85	56	67	-5	0.56	-0.49	0.43	18.43	141	22.56	126	81	46	0	0	2	0	
NC	SPRINGFIELD	69	55	78	52	62	-8	2.92	1.80	1.43	21.75	157	24.13	128	98	67	0	0	5	3	
	JACKSON	85	66	90	60	76	-1	2.47	1.44	0.93	22.09	139	34.17	129	98	61	1	0	5	2	
	MERIDIAN	85	65	90	59	75	-1	4.71	3.78	1.85	17.69	114	25.80	97	97	58	1	0	5	3	
ND	TUPELO	80	65	85	59	73	-2	1.19	0.06	0.57	22.50	139	32.54	124	96	59	0	0	5	1	
	BILLINGS	76	51	85	43	64	4	0.13	-0.50	0.13	8.00	160	10.97	180	88	32	0	0	1	0	
	BUTTE	77	42	87	35	60	8	0.04	-0.58	0.04	5.34	133	6.79	140	81	21	0	0	1	0	
NE	CUT BANK	83	46	92	40	64	10	0.00	-0.54	0.00	2.24	75	2.55	74	77	20	2	0	0	0	
	GLASGOW	78	49	86	46	64	4	0.00	-0.66	0.00	1.59	42	2.92	65	80	26	0	0	0	0	
	GREAT FALLS	81	49	90	43	65	10	0.14	-0.59	0.14	4.81	99	7.76	129	83	27	1	0	1	0	
NV	HAVRE	83	48	92	42	66	8	0.00	-0.57	0.00	3.02	89	4.71	112	92	24	1	0	0	0	
	MISSOULA	85	46	94	40	66	10	0.00	-0.52	0.00	3.58	88	6.22	105	78	20	1	0	0	0	
	ASHEVILLE	72	55	78	51	63	-5	1.08	0.13	0.44	14.07	116	19.26	97	94	62	0	0	5	0	
OH	CHARLOTTE	74	60	83	56	67	-5	1.28	0.45	0.91	12.78	114	17.59	99	88	60	0	0	5	1	
	GREENSBORO	72	55	80	53	63	-7	3.26	2.41	1.62	13.48	122	19.65	114	96	66	0	0	6	2	
	HATTERAS	75	65	79	59	70	-3	4.60	3.58	3.01	14.93	117	22.59	102	93	65	0	0	7	2	
OR	RALEIGH	77	59	84	53	68	-4	2.05	1.23	0.78	12.50	113	17.23	100	86	57	0	0	6	1	
	WILMINGTON	79	64	85	60	71	-2	1.22	0.02	0.80	11.04	95	14.96	79	94	62	0	0	4	1	
	BISMARCK	75	44	83	39	60	-1	0.31	-0.35	0.29	7.72	165	8.68	152	96	34	0	0	3	0	
PA	DICKINSON	72	41	84	35	56	-1	0.00	-0.69	0.00	8.04	179	8.30	164	94	38	0	0	0	0	
	FARGO	77	48	86	41	63	1	0.00	-0.77	0.00	5.76	97	6.66	91	85	28	0	0	0	0	
	GRAND FORKS	80	48	88	40	64	5	0.03	-0.71	0.03	4.74	96	5.43	91	76	25	0	0	1	0	
RI	JAMESTOWN	74	46	80	40	60	0	0.00	-0.78	0.00	2.33	44	2.52	42	91	33	0	0	0	0	
	GRAND ISLAND	67	50	82	45	58	-8	0.68	-0.52	0.31	4.91	57	6.14	61	96	59	0	0	5	0	
	LINCOLN	72	51	87	46	62	-6	0.63	-0.50	0.28	6.34	69	6.82	63	92	48	0	0	4	0	
SC	NORFOLK	69	47	81	45	58	-7	0.39	-0.62	0.18	5.66	69	7.33	76	96	47	0	0	4	0	
	NORTH PLATTE	70	43	81	39	56	-8	0.45	-0.21	0.45	5.28	82	7.33	99	99	52	0	0	1	0	
	OMAHA	73	53	87	49	63	-6	0.59	-0.50	0.33	8.09	84	8.75	77	91	43	0	0	3	0	
SD	SCOTTSBLUFF	68	49	83	45	59	-4	0.91	0.20	0.37	6.73	118	8.05	120	91	51	0	0	3	0	
	VALENTINE	68	47	82	41	58	-5	1.04	0.14	0.74	7.92	123	8.68	117	99	49	0	0	4	1	
	CONCORD	73	47	82	38	60	0	1.22	0.39	1.17	16.05	157	20.74	131	96	45	0	0	2	1	
TN	ATLANTIC_CITY	71	52	78	46	62	-4	2.57	1.78	1.80	16.99	152	20.76	116	90	53	0	0	5	2	
	NEWARK	73	55	78	50	64	-3	1.30	0.33	0.47	13.33	111	16.66	90	83	44	0	0	4	0	
	ALBUQUERQUE	86	60	91	53	73	2	0.00	-0.11	0.00	1.59	112	1.77	80	57	9	1	0	0	0	
UT	ELY	82	41	88	34	61	6	0.00	-0.23	0.00	3.33	107	3.76	80	67	11	0	0	0	0	
	LAS VEGAS	99	76	105	70	87	6	0.00	-0.01	0.00	1.51	218	2.06	100	18	6	7	0	0	0	
	RENO	89	57	97	53	73	9	0.00	-0.13	0.00	2.09	116	4.16	101	44	10	4	0	0	0	
VT	WINNEMUCCA	90	46	100	36	68	8	0.00	-0.22	0.00	1.35	45	2.73	58	56	10	4	0	0	0	
	ALBANY	71	50	78	44	60	-3	1.81	0.96	1.66	15.41	160	19.06	131	95	51	0	0	4	1	
	BINGHAMTON	64	46	69	42	55	-5	0.92	0.03	0.68	13.82	132	19.45	125	97	57	0	0	5	1	
WA	BUFFALO	64	49	73	43	56	-5	0.32	-0.49	0.20	9.93	103	15.41	99	95	57	0	0	3	0	
	ROCHESTER	68	47	74	43																

## Weather Data for the Week Ending May 31, 2025

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION								RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE MAR 1	PCT. NORMAL SINCE MAR 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.		
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE	
OK	TOLEDO	68	49	77	42	58	-8	0.03	-0.82	0.03	12.07	122	15.33	105	95	46	0	0	1	0	
	YOUNGSTOWN	65	44	72	37	55	-8	0.45	-0.40	0.21	14.09	131	19.71	121	99	57	0	0	3	0	
	OKLAHOMA CITY	77	59	84	55	68	-4	3.79	2.59	2.17	22.17	193	23.24	163	94	58	0	0	4	3	
OR	TULSA	76	59	88	54	67	-6	5.13	3.89	4.13	23.74	179	25.95	157	96	62	0	0	4	2	
	ASTORIA	64	48	71	44	56	1	0.68	0.00	0.35	12.52	73	25.78	73	95	56	0	0	4	0	
	BURNS	82	43	90	34	62	6	0.01	-0.29	0.01	2.27	71	6.52	123	82	18	1	0	1	0	
	EUGENE	74	47	83	40	61	3	0.01	-0.52	0.01	10.48	100	19.80	93	94	39	0	0	1	0	
	MEDFORD	86	54	96	50	70	7	0.00	-0.31	0.00	4.46	95	11.04	118	72	23	2	0	0	0	
	PENDLETON	84	51	92	45	68	7	0.03	-0.33	0.03	2.70	67	5.82	86	71	25	1	0	1	0	
PA	PORTLAND	76	54	85	50	65	3	0.22	-0.36	0.22	9.36	99	17.33	95	77	36	0	0	1	0	
	SALEM	75	50	85	46	62	3	0.06	-0.44	0.06	8.89	91	18.76	92	83	35	0	0	1	0	
	ALLENTOWN	69	50	79	44	60	-6	2.20	1.32	0.99	17.69	161	21.19	124	96	55	0	0	4	2	
	ERIE	63	48	71	39	56	-7	0.14	-0.66	0.13	10.72	106	17.26	108	94	56	0	0	2	0	
	MIDDLETOWN	70	52	77	46	61	-6	3.57	2.71	1.91	17.36	156	20.75	124	90	53	0	0	5	2	
	PHILADELPHIA	73	55	79	52	64	-4	1.79	0.98	0.91	14.00	130	17.22	103	88	45	0	0	4	2	
	PITTSBURGH	65	48	72	41	57	-8	0.96	0.05	0.59	12.72	123	18.79	118	94	54	0	0	4	1	
	WILKES-BARRE	67	48	75	42	58	-6	1.76	1.00	1.31	14.17	152	16.76	120	96	50	0	0	3	1	
	WILLIAMSPORT	71	50	77	43	60	-4	0.79	-0.07	0.37	13.52	127	16.55	104	93	46	0	0	4	0	
RI	PROVIDENCE	70	51	76	45	61	-2	0.61	-0.20	0.43	16.41	130	21.78	109	97	50	0	0	3	0	
	CHARLESTON	84	67	89	63	75	-1	2.60	1.61	1.37	10.76	108	13.30	81	95	60	0	0	4	2	
	COLUMBIA	78	61	85	56	69	-6	2.05	1.11	1.31	16.74	169	20.46	122	94	65	0	0	5	1	
SD	FLORENCE	81	62	89	57	72	-3	2.27	1.29	1.49	12.13	122	15.82	99	93	60	0	0	6	1	
	GREENVILLE	76	57	81	52	66	-6	1.79	0.82	0.82	15.89	126	22.20	108	88	57	0	0	6	2	
	ABERDEEN	73	42	81	36	57	-5	0.26	-0.42	0.26	7.74	127	8.79	121	98	37	0	0	1	0	
	HURON	73	47	82	43	60	-3	0.16	-0.57	0.16	6.68	98	7.16	87	93	41	0	0	1	0	
	RAPID CITY	69	47	81	41	58	-1	0.61	-0.23	0.32	8.76	135	10.95	150	87	49	0	0	3	0	
	SIOUX FALLS	71	47	81	42	59	-5	0.59	-0.38	0.45	6.75	79	7.30	73	97	44	0	0	2	0	
TN	BRISTOL	73	54	78	45	64	-4	1.76	0.87	0.45	11.98	103	19.04	100	98	60	0	0	6	0	
	CHATTANOOGA	77	62	81	56	69	-4	2.53	1.71	0.61	23.76	167	31.81	131	98	63	0	0	6	2	
	KNOXVILLE	74	59	80	54	67	-4	1.87	0.98	0.66	19.72	143	27.72	118	95	64	0	0	5	1	
	MEMPHIS	77	64	81	60	71	-5	0.00	-1.06	0.00	15.96	94	23.07	90	95	64	0	0	0	0	
	NASHVILLE	78	63	83	59	70	-2	2.30	1.28	1.26	19.57	137	29.04	127	85	55	0	0	5	2	
	ABILENE	86	65	95	62	75	-2	1.48	0.66	0.87	9.39	138	10.29	112	92	51	1	0	2	2	
TX	AMARILLO	77	54	87	48	66	-5	1.07	0.46	0.61	9.52	190	10.20	163	97	48	0	0	2	1	
	AUSTIN	90	69	99	65	80	0	4.93	3.78	2.30	11.63	112	15.35	103	95	49	4	0	3	3	
	BEAUMONT	86	71	89	67	79	-1	4.35	3.24	1.48	13.30	108	22.63	109	96	63	0	0	4	3	
	BROWNSVILLE	92	78	95	71	85	1	1.85	1.30	1.73	12.94	252	14.47	199	88	58	7	0	2	1	
	CORPUS CHRISTI	92	74	95	69	83	2	0.58	-0.20	0.28	6.40	83	8.38	80	95	54	6	0	3	0	
	DEL RIO	93	73	102	68	83	0	0.30	-0.47	0.26	1.78	31	2.11	30	85	39	5	0	2	0	
	EL PASO	94	68	100	63	81	1	0.00	-0.11	0.00	0.65	76	0.74	45	38	11	6	0	0	0	
	FORT WORTH	85	67	95	64	76	-2	2.57	1.53	2.49	12.56	111	19.86	119	89	51	1	0	3	1	
	GALVESTON	85	76	89	69	81	-1	1.48	0.66	0.93	5.71	70	11.60	79	96	77	0	0	3	1	
	HOUSTON	90	73	95	68	82	1	2.83	1.56	1.39	10.61	85	19.44	101	90	51	4	0	4	3	
	LUBBOCK	88	60	98	55	74	-1	0.14	-0.56	0.13	4.60	89	4.81	74	87	36	2	0	2	0	
	MIDLAND	90	66	98	62	78	-2	0.08	-0.36	0.08	1.20	40	1.31	31	85	34	3	0	1	0	
	SAN ANGELO	87	65	98	62	76	-3	2.31	1.54	1.09	8.55	142	9.54	117	93	47	2	0	4	2	
	SAN ANTONIO	90	70	98	66	80	0	5.73	4.74	2.05	11.07	121	13.01	101	93	51	2	0	4	3	
	VICTORIA	89	71	93	67	80	0	3.67	2.52	1.65	10.93	97	14.39	90	97	56	4	0	3	3	
	WACO	86	66	96	61	76	-2	2.25	1.28	1.68	12.48	113	16.28	99	96	57	1	0	3	2	
	WICHITA FALLS	83	63	93	60	73	-3	2.28	1.35	1.24	18.59	223	19.48	178	97	57	1	0	4	1	
	SALT LAKE CITY	87	61	91	56	74	8	0.00	-0.37	0.00	4.21	73	5.30	62	48	13	2	0	0	0	
UT	LYNCHBURG	71	53	79	44	62	-5	2.00	1.08	0.78	11.60	103	20.64	117	92	57	0	0	4	3	
	NORFOLK	73	60	79	53	66	-5	1.28	0.35	0.78	10.61	97	17.95	104	94	57	0	0	5	1	
	RICHMOND	72	55	80	50	63	-6	2.63	1.69	1.99	15.36	137	23.78	139	93	57	0	0	5	1	
	ROANOKE	69	54	75	50	61	-8	2.38	1.31	0.92	10.93	96	19.75	113	93	61	0	0	6	1	
	WASH/DULLES	70	51	79	43	60	-7	2.22	1.14	1.14	10.08	86	14.79	85	94	54	0	0	4	2	
	BURLINGTON	73	51	83	45	62	-1	1.37	0.43	1.13	13.83	152	17.70	136	89	42	0	0	3	1	
WA	OLYMPIA	72	44	79	40	58	1	0.27	-0.19	0.17	9.64	83	17.49	71	94	36	0	0	3	0	
	QUILLAYUTE	62	46	69	41	54	0	0.93	0.05	0.38	23.67	98	33.64	68	97	53	0	0	4	0	
	SEATTLE-TACOMA	71	52	80	48	62	2	0.12	-0.28	0.10	8.82	95	14.63	77	87	35	0	0	2	0	
	SPOKANE	80	53	88	46	66	7	0.01	-0.39	0.01	4.30	92	8.13	101	67	23	0	0	1	0	
	YAKIMA	84	47	91	40	66	4	0.01	-0.17	0.01	2.82	145	4.88	124	75	20	1	0	1	0	
	EAU CLAIRE	71	47	78	37	59	-3	0.31	-0.67	0.19	10.36	115	11.11	100	91	40	0	0	3	0	
	GREEN BAY	70	48	74	41	59	-2	0.38	-0.49	0.25	8.48	102	9.96	91	90	43	0	0	2	0	
	LA CROSSE	71	50	76	39	60	-5	0.63	-0.46	0.56	11.34	112	12.28	97	91	41	0	0	2	1	
	MADISON	69	46	75	40	57	-5	0.17	-0.85	0.17	10.87	107	11.94	90	94	40	0	0	1	0	
WV	MILWAUKEE	63	48	73	43	55	-6	0.61	-0.22	0.49	11.39	118	13.08	100	87	55	0	0	2	0	
	BECKLEY																				



## National Agricultural Summary

May 26 – June 1, 2025

*Weekly National Agricultural Summary provided by USDA/NASS*

### HIGHLIGHTS

**Temperatures were below normal across most of the Great Plains and Ohio Valley. Some areas in the Mississippi Valley and Great Plains experienced a mix of rain and**

**low temperatures, limiting the number of days suitable for fieldwork. Dry conditions dominated in the Pacific Northwest and Southwest.**

**Corn:** By June 1, ninety-three percent of this year's corn crop had been planted, 3 percentage points ahead of last year but equal to the 5-year average. Nationally, 78 percent of the corn crop had emerged by week's end, 6 percentage points ahead of last year and 1 point ahead of average. On June 1, sixty-nine percent of the nation's corn was rated in good to excellent condition, 1 percentage point above last week. In Iowa, the largest corn-producing state, 84 percent of the corn was rated in good to excellent condition.

**Soybeans:** Eighty-four percent of the nation's soybean acreage was planted by June 1, seven percentage points ahead of last year and 4 points ahead of the 5-year average. Producers in Minnesota had planted 97 percent of the intended soybean acreage by June 1. Nationally, 63 percent of the soybean crop had emerged by June 1, ten percentage points ahead of last year and 6 points ahead of average. On June 1, sixty-seven percent of the nation's soybean crop was rated in good to excellent condition.

**Winter Wheat:** By week's end, eighty-three percent of the nation's winter wheat crop was headed, 1 percentage point ahead of last year and 4 points ahead of the 5-year average. Three percent of the nation's winter wheat acreage had been harvested by week's end, 2 percentage points behind last year but equal to the 5-year average. On June 1, fifty-two percent of the 2025 winter wheat crop was reported in good to excellent condition, 2 percentage points above the previous week and 3 points above the same time last year. In Kansas, the largest winter wheat-producing state, 51 percent of the winter wheat was rated in good to excellent condition.

**Cotton:** By June 1, producers had planted 66 percent of the nation's cotton crop, 2 percentage points behind last year and 3 points behind the 5-year average. Producers in California had planted all the 2025 intended cotton acreage by week's end. Eight percent of the nation's cotton acreage had reached the squaring stage by June 1, equal to last year but 1 percentage point ahead of average. On June 1, forty-nine percent of the 2025 cotton acreage was rated in good to excellent condition, 12 percentage points below the same time last year.

**Sorghum:** Nationally, forty-six percent of the sorghum crop was planted by June 1, four percentage points behind last year and 2 point behind the 5-year average. Producers in Texas had planted 84 percent of their sorghum acreage by week's end, equal to both last year and the 5-year average.

**Rice:** Ninety-seven percent of the rice crop had been planted by week's end, 2 percentage points behind last year but equal to the

5-year average. Producers in Mississippi had planted 90 percent of the 2025 intended rice acreage by week's end, 7 percentage points behind both last year and the average. By June 1, eighty-eight percent of the nation's rice had emerged, 1 percentage point ahead of last year and 3 points ahead of average. On June 1, seventy-five percent of the nation's rice acreage was rated in good to excellent condition, 2 percentage points below the previous week and 6 points below the same time last year.

**Other Small Grains:** Ninety-seven percent of this year's oat crop had been sown by week's end, 1 percentage point ahead of last year and 2 points ahead of the 5-year average. Nationally, 86 percent of the oat crop had emerged by June 1, equal to last year but 2 percentage points ahead of average. Thirty-three percent of the nation's oat crop had headed, 1 percentage point ahead of last year and 4 points ahead of average. Fifty percent of the oat crop was rated in good to excellent condition, 1 percentage point below the previous week and 18 points below last year.

Barley producers had sown 90 percent of the crop by June 1, three percentage points behind last year and 2 points behind the 5-year average. By June 1, seventy-one percent of the nation's barley had emerged, 1 percentage point behind both last year and the average. On June 1, forty-three percent of the nation's barley was rated in good to excellent condition, 31 percentage points below the same time last year.

By June 1, ninety-five percent of the nation's spring wheat was seeded, 2 percentage points ahead of last year and 5 points ahead of the 5-year average. By June 1, seventy-three percent of the spring wheat crop had emerged, 3 percentage points behind last year but 4 points ahead of average. On June 1, fifty percent of the nation's spring wheat acreage was rated in good to excellent condition, 5 percentage points above last week.

**Other Crops:** Nationally, peanut producers had planted 81 percent of the 2025 peanut acreage by June 1, one percentage point ahead of both last year and the 5-year average. Producers in Virginia had planted 96 percent of the 2025 intended peanut acreage by week's end. On June 1, sixty-five percent of the nation's peanut acreage was rated in good to excellent condition.

By June 1, producers had planted 41 percent of this year's sunflower crop, 6 percentage points ahead of last year and 5 points ahead of the 5-year average. Producers in North Dakota had sown 59 percent of the crop, 12 percentage points ahead of last year and 16 points ahead of average.

## Crop Progress and Condition

### Week Ending June 1, 2025

Accessible Data Available from USDA/NASS

Corn Percent Planted				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
CO	84	87	95	89
IL	88	82	93	93
IN	85	76	86	90
IA	92	95	97	97
KS	91	85	92	89
KY	78	70	80	89
MI	84	76	89	87
MN	92	97	99	95
MO	92	94	97	94
NE	95	95	98	97
NC	100	96	99	100
ND	84	78	89	81
OH	88	54	72	87
PA	68	51	64	77
SD	93	92	96	94
TN	92	87	90	95
TX	95	93	95	95
WI	83	85	93	90
18 Sts	90	87	93	93
These 18 States planted 92% of last year's corn acreage.				

Corn Percent Emerged				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
CO	46	39	55	58
IL	76	70	80	82
IN	68	57	70	73
IA	79	76	87	86
KS	77	63	73	72
KY	65	55	64	74
MI	62	41	62	64
MN	72	78	87	77
MO	79	78	86	85
NE	76	77	90	84
NC	96	93	95	96
ND	42	39	56	37
OH	70	36	49	65
PA	38	26	41	46
SD	65	70	82	71
TN	81	76	82	85
TX	87	88	92	90
WI	65	52	69	70
18 Sts	72	67	78	77
These 18 States planted 92% of last year's corn acreage.				

Corn Condition by Percent					
	VP	P	F	G	EX
CO	1	4	28	54	13
IL	2	5	30	51	12
IN	1	5	24	60	10
IA	0	2	14	61	23
KS	1	4	29	55	11
KY	1	2	24	65	8
MI	1	8	38	48	5
MN	4	3	17	65	11
MO	1	4	21	69	5
NE	1	3	28	54	14
NC	1	2	15	68	14
ND	0	5	44	50	1
OH	2	6	46	35	11
PA	0	5	11	62	22
SD	1	7	36	51	5
TN	5	6	23	49	17
TX	2	4	31	49	14
WI	1	4	25	60	10
18 Sts	1	4	26	57	12
Prev Wk	1	4	27	56	12
Prev Yr	1	3	21	60	15

Soybeans Percent Planted				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
AR	91	80	84	83
IL	80	75	86	84
IN	79	71	81	83
IA	82	92	96	91
KS	65	67	72	65
KY	62	52	60	66
LA	89	94	96	91
MI	77	67	82	81
MN	79	91	97	85
MS	94	79	83	91
MO	66	72	79	63
NE	89	91	95	93
NC	68	68	72	66
ND	64	58	80	61
OH	77	52	66	77
SD	73	79	87	80
TN	67	59	65	65
WI	81	80	90	86
18 Sts	77	76	84	80
These 18 States planted 96% of last year's soybean acreage.				

Soybeans Percent Emerged				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
AR	83	68	75	74
IL	56	58	71	66
IN	61	49	63	63
IA	57	60	79	69
KS	44	41	50	46
KY	48	37	45	49
LA	82	86	90	82
MI	55	35	51	55
MN	46	56	73	59
MS	88	73	78	82
MO	50	48	60	47
NE	61	63	77	70
NC	56	57	65	54
ND	21	12	28	22
OH	59	33	42	53
SD	32	45	62	45
TN	53	44	53	48
WI	59	42	57	57
18 Sts	53	50	63	57
These 18 States planted 96% of last year's soybean acreage.				

Soybean Condition by Percent					
	VP	P	F	G	EX
AR	2	9	28	49	12
IL	2	5	34	48	11
IN	2	4	25	60	9
IA	1	2	16	63	18
KS	1	2	25	63	9
KY	0	1	20	72	7
LA	0	0	22	76	2
MI	0	4	42	51	3
MN	0	4	22	65	9
MS	0	3	26	58	13
MO	1	3	27	66	3
NE	1	2	30	55	12
NC	1	5	17	74	3
ND	1	3	38	57	1
OH	4	6	40	43	7
SD	2	6	42	44	6
TN	5	5	26	50	14
WI	1	3	16	64	16
18 Sts	1	4	28	58	9
Prev Wk	NA	NA	NA	NA	NA
Prev Yr	NA	NA	NA	NA	NA

## Crop Progress and Condition

Week Ending June 1, 2025

Cotton Percent Planted				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
AL	85	55	67	88
AZ	100	98	99	98
AR	92	74	85	93
CA	100	90	100	98
GA	75	58	74	77
KS	82	74	82	77
LA	89	80	88	89
MS	89	43	54	87
MO	98	72	96	87
NC	86	60	74	79
OK	47	31	40	38
SC	81	73	92	81
TN	81	67	81	84
TX	60	47	61	61
VA	91	72	85	84
15 Sts	68	52	66	69
These 15 States planted 99% of last year's cotton acreage.				

Cotton Percent Squaring				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
AL	3	0	2	2
AZ	22	10	14	23
AR	1	0	0	1
CA	4	0	5	2
GA	4	1	8	4
KS	0	0	0	0
LA	2	0	0	3
MS	1	0	0	1
MO	1	0	0	2
NC	1	0	0	1
OK	0	0	0	0
SC	0	0	2	0
TN	6	1	4	5
TX	12	4	12	11
VA	6	0	2	3
15 Sts	8	3	8	7
These 15 States planted 99% of last year's cotton acreage.				

Cotton Condition by Percent					
	VP	P	F	G	EX
AL	2	9	19	69	1
AZ	0	0	24	61	15
AR	0	6	27	52	15
CA	0	0	5	5	90
GA	1	4	32	57	6
KS	1	4	27	49	19
LA	0	0	11	88	1
MS	3	4	47	43	3
MO	0	10	36	54	0
NC	7	14	25	50	4
OK	1	5	22	70	2
SC	0	2	32	57	9
TN	12	13	24	45	6
TX	12	20	30	34	4
VA	0	0	4	94	2
15 Sts	8	14	29	44	5
Prev Wk	NA	NA	NA	NA	NA
Prev Yr	3	5	31	54	7

Rice Percent Planted				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
AR	100	94	97	96
CA	89	80	95	94
LA	100	100	100	99
MS	97	88	90	97
MO	98	88	98	95
TX	100	100	100	99
6 Sts	99	93	97	97
These 6 States planted 100% of last year's rice acreage.				

Rice Percent Emerged				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
AR	96	87	92	90
CA	42	45	60	54
LA	98	97	99	96
MS	85	82	86	90
MO	93	75	85	85
TX	99	95	97	94
6 Sts	87	82	88	85
These 6 States planted 100% of last year's rice acreage.				

Rice Condition by Percent					
	VP	P	F	G	EX
AR	2	8	26	48	16
CA	0	0	5	20	75
LA	1	1	11	81	6
MS	0	0	40	47	13
MO	0	5	17	76	2
TX	0	0	27	62	11
6 Sts	1	4	20	53	22
Prev Wk	1	4	18	53	24
Prev Yr	1	1	17	67	14

Peanut Condition by Percent					
	VP	P	F	G	EX
AL	0	2	5	89	4
FL	0	0	12	82	6
GA	1	3	34	55	7
NC	5	8	22	63	2
OK	2	9	23	64	2
SC	0	0	26	69	5
TX	5	20	50	20	5
VA	0	0	3	87	10
8 Sts	2	5	28	59	6
Prev Wk	NA	NA	NA	NA	NA
Prev Yr	1	3	33	58	5

Peanuts Percent Planted				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
AL	80	54	71	81
FL	88	73	80	90
GA	77	74	86	83
NC	88	77	88	79
OK	67	42	48	44
SC	85	82	94	86
TX	74	46	60	60
VA	98	90	96	90
8 Sts	80	69	81	80
These 8 States planted 95% of last year's peanut acreage.				

Sorghum Percent Planted				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
CO	31	22	32	32
KS	33	21	29	28
NE	49	27	38	59
OK	46	34	39	34
SD	64	37	49	59
TX	84	81	84	84
6 Sts	50	39	46	48
These 6 States planted 100% of last year's sorghum acreage.				



## Crop Progress and Condition

Week Ending June 1, 2025

Winter Wheat Percent Headed				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
AR	98	95	97	99
CA	97	97	99	99
CO	61	53	64	62
ID	17	16	36	19
IL	96	72	94	93
IN	91	68	79	81
KS	97	93	96	94
MI	74	26	61	48
MO	99	96	98	97
MT	10	1	19	5
NE	69	60	80	56
NC	100	95	98	99
OH	95	75	86	82
OK	100	97	100	100
OR	88	70	88	74
SD	20	3	21	29
TX	100	97	100	99
WA	66	48	66	50
18 Sts	82	75	83	79
These 18 States planted 90% of last year's winter wheat acreage.				

Winter Wheat Percent Harvested				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
AR	9	1	8	9
CA	4	0	5	3
CO	0	0	0	0
ID	0	0	0	0
IL	0	0	0	0
IN	0	0	0	0
KS	0	0	0	0
MI	0	0	0	0
MO	5	0	1	1
MT	0	0	0	0
NE	0	0	0	0
NC	9	1	5	7
OH	0	0	0	0
OK	21	3	4	9
OR	0	0	0	0
SD	0	0	0	0
TX	31	17	25	27
WA	0	0	0	0
18 Sts	5	0	3	3
These 18 States harvested 91% of last year's winter wheat acreage.				

Winter Wheat Condition by Percent					
	VP	P	F	G	EX
AR	3	8	40	46	3
CA	0	0	5	25	70
CO	5	8	32	47	8
ID	0	2	19	76	3
IL	4	6	33	47	10
IN	1	3	22	61	13
KS	7	13	29	44	7
MI	0	4	27	58	11
MO	0	4	21	65	10
MT	1	12	12	60	15
NE	26	22	29	20	3
NC	0	2	24	68	6
OH	1	4	27	56	12
OK	4	9	32	51	4
OR	3	13	23	44	17
SD	4	19	46	30	1
TX	11	18	41	25	5
WA	3	6	16	65	10
18 Sts	6	12	30	44	8
Prev Wk	6	13	31	43	7
Prev Yr	6	12	33	41	8

Spring Wheat Percent Planted				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
ID	99	100	100	99
MN	98	97	100	90
MT	93	82	92	93
ND	90	84	94	85
SD	100	100	100	99
WA	100	100	100	100
6 Sts	93	87	95	90
These 6 States planted 100% of last year's spring wheat acreage.				

Spring Wheat Percent Emerged				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
ID	92	90	97	90
MN	91	80	95	72
MT	75	44	52	77
ND	67	53	71	57
SD	89	92	97	91
WA	100	97	99	93
6 Sts	76	60	73	69
These 6 States planted 100% of last year's spring wheat acreage.				

Spring Wheat Condition by Percent					
	VP	P	F	G	EX
ID	1	2	28	68	1
MN	0	2	13	80	5
MT	1	26	40	33	0
ND	0	12	40	45	3
SD	1	4	43	47	5
WA	1	3	37	54	5
6 Sts	0	13	37	47	3
Prev Wk	3	15	37	43	2
Prev Yr	0	2	24	69	5

Barley Percent Planted				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
ID	97	99	100	97
MN	92	90	95	87
MT	94	78	84	93
ND	90	71	89	85
WA	100	99	100	100
5 Sts	93	82	90	92
These 5 States planted 81% of last year's barley acreage.				

Barley Percent Emerged				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
ID	85	88	96	87
MN	82	64	81	71
MT	74	50	61	76
ND	55	40	63	49
WA	99	93	98	89
5 Sts	72	58	71	72
These 5 States planted 81% of last year's barley acreage.				

Barley Condition by Percent					
	VP	P	F	G	EX
ID	1	3	20	75	1
MN	0	1	9	85	5
MT	1	19	67	13	0
ND	0	1	40	56	3
WA	1	1	32	63	3
5 Sts	1	9	47	42	1
Prev Wk	2	11	44	42	1
Prev Yr	0	5	21	70	4

## Crop Progress and Condition

Week Ending June 1, 2025

Oats Percent Planted				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
IA	99	100	100	99
MN	97	97	99	95
NE	100	97	100	99
ND	87	76	87	85
OH	92	88	98	95
PA	97	97	99	95
SD	100	100	100	98
TX	100	100	100	100
WI	92	90	95	94
9 Sts	96	94	97	95
These 9 States planted 75% of last year's oat acreage.				

Oats Percent Emerged				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
IA	97	92	95	97
MN	88	76	88	82
NE	95	92	94	95
ND	56	47	58	52
OH	88	84	86	88
PA	83	75	90	82
SD	89	90	92	91
TX	100	100	100	100
WI	77	68	79	80
9 Sts	86	81	86	84
These 9 States planted 75% of last year's oat acreage.				

Oats Percent Headed				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
IA	39	26	41	23
MN	5	0	1	4
NE	34	9	20	21
ND	0	0	0	0
OH	14	1	5	12
PA	0	0	5	2
SD	3	5	20	7
TX	100	100	100	100
WI	7	1	4	6
9 Sts	32	29	33	29
These 9 States planted 75% of last year's oat acreage.				

Pasture and Range Condition by Percent Week Ending Jun 1, 2025												
	VP	P	F	G	EX		VP	P	F	G	EX	
AL	1	2	18	63	16		NH	0	0	0	72	28
AZ	50	35	13	2	0		NJ	0	0	35	65	0
AR	1	9	28	51	11		NM	25	22	18	5	30
CA	0	0	5	85	10		NY	0	1	14	73	12
CO	5	14	35	39	7		NC	0	0	31	64	5
CT	0	0	100	0	0		ND	3	12	36	44	5
DE	1	6	34	54	5		OH	0	1	15	73	11
FL	1	19	44	30	6		OK	2	9	31	49	9
GA	2	7	31	48	12		OR	6	13	23	38	20
ID	1	5	26	43	25		PA	2	2	8	66	22
IL	2	6	27	39	26		RI	0	0	40	60	0
IN	1	3	25	57	14		SC	1	3	33	56	7
IA	1	4	22	55	18		SD	3	20	45	29	3
KS	4	10	28	51	7		TN	2	5	19	57	17
KY	1	5	21	61	12		TX	9	25	19	34	13
LA	0	2	27	69	2		UT	5	20	25	45	5
ME	0	5	20	50	25		VT	0	0	50	50	0
MD	1	11	41	40	7		VA	2	13	36	45	4
MA	0	0	35	65	0		WA	1	3	35	60	1
MI	1	2	26	50	21		WV	2	7	33	50	8
MN	2	5	34	47	12		WI	2	6	20	55	17
MS	2	8	30	51	9		WY	13	20	35	27	5
MO	0	2	11	80	7		48 Sts	13	20	25	31	11
MT	26	27	28	6	13							
NE	19	37	24	19	1		Prev Wk	13	20	26	32	9
NV	35	55	10	0	0		Prev Yr	7	12	30	41	10

Oat Condition by Percent					
	VP	P	F	G	EX
IA	0	1	14	68	17
MN	1	1	21	68	9
NE	3	4	58	31	4
ND	0	1	60	38	1
OH	0	0	26	70	4
PA	1	6	20	70	3
SD	1	8	45	40	6
TX	23	25	33	18	1
WI	0	1	14	70	15
9 Sts	6	8	36	44	6
Prev Wk	6	8	35	44	7
Prev Yr	4	5	23	58	10

Sunflowers Percent Planted				
	Prev Year	Prev Week	Jun 1 2025	5-Yr Avg
CO	26	27	35	27
KS	20	14	23	24
ND	47	36	59	43
SD	24	12	23	31
4 Sts	35	24	41	36
These 4 States planted 87% of last year's sunflower acreage.				

VP - Very Poor;

P - Poor;

F - Fair;

G - Good;



EX - Excellent

NA - Not Available;

\*Revised



## Crop Progress and Condition

Week Ending June 1, 2025



Crop Progress and Condition

Week Ending June 1, 2025



## International Weather and Crop Summary

May 25 – 31, 2025

*International Weather and Crop Highlights and Summaries provided by USDA/WAOB*

### HIGHLIGHTS

**EUROPE:** Dry and hot weather on the Iberian Peninsula contrasted with widespread, locally heavy showers and thunderstorms across the remainder of Europe.

**WESTERN FSU:** Heavy rain and cool temperatures in the west juxtaposed with increasingly warm and dry conditions farther east.

**EASTERN FSU:** Additional showers across northeastern Kazakhstan and east-central Russia favored spring grain and summer crop establishment, while showers and cooler temperatures ended the recent heat wave in Uzbekistan and environs.

**MIDDLE EAST:** Widespread rain returned to Turkey, while seasonably dry and hot weather continued elsewhere.

**SOUTH ASIA:** Very heavy rainfall was observed in parts of India and Bangladesh due to the northward advancement of the Southwest Monsoon along with an area of low pressure that developed over northwest Bay of Bengal.

**EAST ASIA:** Widespread showers continued in the south, while dry weather prevailed for most of the North China Plain.

**SOUTHEAST ASIA:** Monsoon showers continued for most of the region.


**AUSTRALIA:** Widespread albeit highly variable showers moistened soils locally for winter crops, though drought persisted over southern and southeastern Australia.

**MEXICO:** More regular rainfall across the southern plateau corn belt promoted seasonal planting activities between showers, but precipitation remained scarce from Jalisco northward, including drought-stricken northwestern Mexico.

**CANADIAN PRARIES:** Very warm, dry weather allowed spring grain and oilseed planting to near completion across the western half of Canada, although heavy smoke from boreal wildfires shrouded the eastern Prairies.

**SOUTHEASTERN CANADA:** Chilly conditions and lingering showers slowed crop development, including the emergence and growth of recently planted summer crops.





Rainfall data from France is either missing or suspect.

CLIMATE PREDICTION CENTER, NOAA  
Computer generated contours  
Based on preliminary data



## EUROPE


Increasingly hot and dry weather on the Iberian Peninsula contrasted sharply with widespread showers and cooler temperatures elsewhere in Europe. A compact stationary area of high pressure maintained sunny skies and much-above-normal temperatures (4-9°C above normal) in Spain, with temperatures as high as 38°C reported in southwestern portions of the country. Despite the heat, winter grains were mostly maturing and well past the temperature-sensitive flowering and filling stages of development. Dryness and warmth (low to mid-30s degrees C) extended into southwestern France, facilitating seasonal fieldwork and summer crop emergence. Meanwhile, showers from southeastern England (10-25 mm) into northern France\*, Germany (10-50 mm), and northern Italy (5-25 mm) eased dryness concerns and improved

prospects for flowering to filling winter grains and oilseeds. Similar showers also benefited winter crops across Austria, the Czech Republic, and Poland, while Hungary mostly missed out on the rain due to the drying effects of the surrounding mountainous terrain. In southeastern Europe, a ribbon of heavy to excessive showers and thunderstorms (25-100 mm, locally more) boosted moisture reserves for spring grains and summer crops, though chilly temperatures (up to 4°C below normal) slowed winter grain and oilseed maturation. However, western Romania and northern Serbia were mostly dry (5 mm or less).

*\*Surface-based weather station data from France were either missing or suspect; radar and satellite data were used to augment the analysis.*



WESTERN FSU  
Total Precipitation(mm)  
May 25 - 31, 2025



Data availability may be affected by the current geopolitical situation in Ukraine

CLIMATE PREDICTION CENTER, NOAA  
Computer generated contours  
Based on preliminary data




WESTERN FSU

Chilly and wet weather in the west juxtaposed with dry and increasingly warm conditions farther east. A stationary frontal boundary separated temperatures up to 5°C below normal across the western third of the region from readings up to 5°C above normal in western Russia. The front was also the focus for persistent showers and thunderstorms (25-100 mm) from Moldova northward through western Ukraine into Belarus, boosting moisture reserves for reproductive to filling winter crops as well as emerging to vegetative summer crops.

However, the persistent rain curtailed late planting efforts and other seasonal fieldwork. Rainfall totals diminished rapidly to less than 10 mm farther east across eastern Ukraine and western portions of Russia's Central District, with little to no rain reported across west-central Russia. The drier and warmer conditions in these eastern growing areas promoted fieldwork and summer crop development. However, showers (10-45 mm) in far southern Russia maintained good to excellent yield prospects for filling winter wheat.

EASTERN FSU  
Total Precipitation(mm)  
May 25 - 31, 2025



CLIMATE PREDICTION CENTER, NOAA  
Computer generated contours  
Based on preliminary data




### EASTERN FSU

A cold front ushered cooler weather into much of the region and triggered widespread showers in eastern and southern crop areas. Following last week's extreme heat, showers and thunderstorms (5-50 mm) across eastern Kazakhstan and Russia's Siberia District kept soils favorably moist for spring grain establishment and ushered in favorably cooler temperatures (2-6°C below normal). Conversely, sunny skies and near-normal temperatures across the western spring grain belt promoted wheat and barley development and seasonal fieldwork in the southern Urals District and environs. Overall, early spring grain prospects across northern

Kazakhstan and central Russia remained favorable. The aforementioned cold front pushed south across the Commonwealth of Independent States as the week progressed, generating showers and thunderstorms (5-45 mm) from central Uzbekistan eastward into the catchment basins for both the Syr and Amu Darya Rivers. The late-season rain boosted irrigation reserves for cotton and other summer crops but slowed winter wheat drydown and harvesting. Behind the front, cooler weather (up to 2°C below normal) eased the recent very high evapotranspiration rates caused by May's protracted heat wave.

MIDDLE EAST  
Total Precipitation(mm)  
May 25 - 31, 2025



CLIMATE PREDICTION CENTER, NOAA  
Computer generated contours  
Based on preliminary data




MIDDLE EAST

Rain in Turkey contrasted with seasonably dry and hot conditions elsewhere. Following a recent spell of hot weather, widespread showers and thunderstorms in Turkey (10-50 mm) boosted yield prospects for filling winter grains but slowed late summer crop planting efforts. However, sunny and hot conditions (2-5°C above normal) in southeastern Turkey's GAP Region favored wheat and

barley harvesting and accelerated the development of irrigated summer crops such as corn and cotton. Meanwhile, the rainy season (October-May) has come to an end from the eastern Mediterranean Coast into southern and eastern Iran, with sunny skies and near- to above-normal temperatures (1-4°C above normal) accelerating winter grain drydown and harvesting.

SOUTH ASIA  
Total Precipitation(mm)  
May 25 - 31, 2025



CLIMATE PREDICTION CENTER, NOAA  
Computer generated contours  
Based on preliminary data




**SOUTH ASIA**

The leading edge of the Southwest Monsoon moved farther northward into India. As of May 29, it had reached as far north as central Maharashtra and southern parts of Odisha, as well as most of Bangladesh and northeastern India. A pronounced area of low pressure developed in the northwestern Bay of Bengal, bringing heavy to very heavy showers to Odisha and surrounding areas (amounts totaling 25 – 165 mm). This, mixed with the southwest monsoon,

caused localized downpours (up to 460 mm) along the western coast from Kerala northward to northern parts of Maharashtra. Extremely heavy rainfall was also observed in Bangladesh (up to 800 mm) and in northeastern India (up to 400 mm). Extreme heat conditions continued for much of Pakistan and northwestern India, where daytime highs ranged from the lower to upper 40s (degrees C). Elsewhere, daytime highs ranged in the lower to upper 30s.

EASTERN ASIA  
Total Precipitation(mm)  
May 25 - 31, 2025



CLIMATE PREDICTION CENTER, NOAA  
Computer generated contours  
Based on preliminary data




**EASTERN ASIA**

Drier weather conditions returned to some key wheat-growing provinces (Henan, Shandong, Hebei, and Jiangsu), supporting winter wheat maturation. However, moderate showers (10-50mm) continued for Anhui province. Moderate to heavy rainfall (10-130 mm) was recorded for southern and parts of central China. Elsewhere in the region, widespread showers (25-200 mm) fell across most of Japan,

while drier conditions with some scattered showers (10-25 mm) prevailed throughout the Korean Peninsula. Temperatures in and around the North China Plain were cooler than previous weeks, with daytime highs ranging from the upper 20s to lower 30s (degrees C). Daytime highs for most of Japan and the Korean Peninsula ranged from the middle to upper 20s (degrees C).

SOUTHEAST ASIA  
Total Precipitation(mm)  
May 25 - 31, 2025



CLIMATE PREDICTION CENTER, NOAA  
Computer generated contours  
Based on preliminary data




#### SOUTHEAST ASIA

The Southwest Monsoon prevailed over the Andaman Sea, Thailand, and the Gulf of Thailand, bringing heavy to very heavy showers to Thailand and the surrounding areas. While most locales recorded 25 to 150 mm of rainfall, some recorded amounts as high as 350 mm. Widespread showers continued in Malaysia and Indonesia (10-150 mm),

benefiting oil palm areas. In the Philippines, heavy to very heavy rainfall (25-300 mm) was observed, with the higher amounts (up to 300 mm) occurring along the northwestern coast of the Luzon region. Temperatures throughout the region averaged near normal, with daytime highs in the lower to middle 30s (degrees C).



AUSTRALIA  
Total Precipitation(mm)  
May 25 - 31, 2025



Gridded data from the Australian Bureau of Meteorology: [www.bom.gov.au/](http://www.bom.gov.au/)  
Creative Commons License found at:  
<https://creativecommons.org/licenses/by/3.0/au/legalcode>

CLIMATE PREDICTION CENTER, NOAA  
Computer generated contours  
Based on preliminary data




**AUSTRALIA**

Widespread albeit highly variable showers improved soil moisture locally for winter crops but did little to alleviate severe drought in southern and southeastern portions of the country. In Western Australia, rain was heaviest (locally more than 25 mm) in the driest northern growing areas, improving soil moisture for winter crop establishment. Farther east, rainfall in South Australia varied sharply from totally dry across inland croplands to as much as 25 mm in areas immediately adjacent to the coast. Showers were similarly placed in southern Victoria, with coastal showers bypassing the state's primary northwestern growing areas in the Murray Basin.

Rainfall in New South Wales and southern Queensland continued the recent trend of favorable in northern growing areas (5-20 mm) to unfavorably dry in the south. The latest satellite-derived Vegetation Health Index (VHI) continued to depict the impacts of the drought from South Australia eastward into Victoria as well as southern and central New South Wales, while the VHI depicted much better crop vigor along the border between New South Wales and Queensland. There were no significant temperature anomalies noted during the monitoring period save for abnormal warmth (up to 3°C above normal) in eastern Queensland.

MEXICO  
Total Precipitation(mm)  
May 25 - 31, 2025



CLIMATE PREDICTION CENTER, NOAA  
Computer generated contours  
Based on preliminary data



**MEXICO**


Somewhat cooler weather and an increase in seasonal showers benefited recently planted crops on the southern plateau corn belt, although showers remained scarce in much of Jalisco and portions of neighboring corn-production states. In areas that received rain (mostly 10 to 50 mm, with several higher amounts), planting activities commenced or accelerated between showers. Meanwhile, near- or slightly above-normal temperatures were noted nationwide, although scattered

readings of 40°C or higher were still observed in northern Mexico, especially Coahuila. On May 29, Tropical Storm Alvin formed about 500 miles south-southeast of Cabo San Lucas, Baja California Sur. Two days later, on May 31, Alvin degenerated into a remnant low-pressure system while situated some 150 miles south of the southern tip of Baja California, although residual tropical moisture eventually contributed to isolated showers in northern Mexico.

## CANADIAN PRAIRIES

Total Precipitation(mm)

May 25 - 31, 2025



CLIMATE PREDICTION CENTER, NOAA  
Computer generated contours  
Based on preliminary data



## CANADIAN PRAIRIES


By early in the week, planting of all crops was 90 and 88 percent complete, respectively, in Alberta and Saskatchewan. As the week progressed, mostly dry weather and the return of summer-like warmth allowed Prairie planting activities to near completion. Across the eastern Prairies, however, dense smoke drifting southward from boreal wildfires resulted in significant

degradations in air quality, as well as reductions in visibility. Weekly temperatures generally averaged 3 to 7°C above normal, while maxima peaked above 30°C in much of Alberta and parts of Saskatchewan. Meanwhile, rainfall was scarce, with any showers (mostly 10 mm or less) limited to some of Alberta's northern crop production areas.

## SOUTHEASTERN CANADA

Total Precipitation(mm)

May 25 - 31, 2025



CLIMATE PREDICTION CENTER, NOAA  
Computer generated contours  
Based on preliminary data



## SOUTHEASTERN CANADA

Cool weather and lingering showers maintained a generally slow pace of fieldwork and limited the emergence and development of recently planted summer crops. Weekly temperatures averaged as much as 1 to 3°C below normal in Ontario's primary crop production areas, with

scattered frost reported away from the Great Lakes. With drier air moving into Ontario, weekly rainfall totaled mostly 10 mm or less between Lakes Erie, Huron, and Ontario. However, totals of 10 to 25 mm or more were common across Quebec and eastern Ontario.




United States  
Department of  
Agriculture

This product was prepared by the  
USDA Office of the Chief Economist (OCE)  
World Agricultural Outlook Board (WAOB)

# Days Suitable for Fieldwork

## Week Ending

June 1, 2025



The *Weekly Weather and Crop Bulletin* (ISSN 0043-1974) is jointly prepared by the U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA) and the U.S. Department of Agriculture (USDA). Publication began in 1872 as the *Weekly Weather Chronicle*. It is issued under general authority of the Act of January 12, 1895 (44-USC 213), 53rd Congress, 3rd Session. The contents may be redistributed freely with proper credit.

Correspondence to the meteorologists should be directed to:  
***Weekly Weather and Crop Bulletin*, NOAA/USDA, Joint Agricultural Weather Facility, USDA South Building, Room 4443B, Washington, DC 20250.**

Internet URL: [www.usda.gov/oce/weather-drought-monitor](http://www.usda.gov/oce/weather-drought-monitor)

E-mail address: [brad.rippey@usda.gov](mailto:brad.rippey@usda.gov)

An archive of past *Weekly Weather and Crop Bulletins* can be found at <https://usda.library.cornell.edu/>, keyword search "*Weekly Weather and Crop Bulletin*".

### U.S. DEPARTMENT OF AGRICULTURE

#### World Agricultural Outlook Board

Managing Editor..... **Brad Rippey**

Agricultural Weather Analysts..... **Eric Luebehusen and Maureen Sartini**

#### National Agricultural Statistics Service

Agricultural Statistician and State Summaries Editor..... **Noemi Guindin**

### U.S. DEPARTMENT OF COMMERCE

#### National Oceanic and Atmospheric Administration

#### National Weather Service/Climate Prediction Center

Meteorologists..... **Brad Pugh, Adam Allgood, Ryan Bolt, and Rich Tinker**

USDA is an equal opportunity provider and employer. To file a complaint of discrimination, write: USDA, Office of the Assistant Secretary for Civil Rights, Office of Adjudication, 1400 Independence Ave., SW, Washington, DC 20250-9410 or call (866) 632-9992 (Toll-Free Customer Service), (800) 877-8339 (Local or Federal relay), (866) 377-8642 (Relay voice users).