

Crop Report

For the Period August 11 to August 17, 2020

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 16, August 20, 2020

Warm temperatures have continued to rapidly develop and ripen crops, with some reports of premature ripening. Four per cent of the crop has been combined, up from one per cent last week and slightly behind the five-year average (2015-2019) of five per cent for this time of year. Six per cent of the crop has been swathed or is ready to straight-cut, behind the five-year average (2015-2019) of eight per cent.

Sixty-two per cent of fall rye, 37 per cent of winter wheat, 22 per cent of field peas, 19 per cent of lentils and six per cent of barley has been combined. An additional three per cent of canola has been swathed or is ready to straight-cut.

Eleven per cent of the crop in the southwest region has been combined, five per cent in the southeast, two per cent in the central regions and less than one per cent in the northern regions. Some farmers in the northern regions have started to desiccate and swath earlier seeded crops and many more plan to in the next few weeks.

Most of the province received trace amounts of rainfall this week. Areas near Glenavon received the highest amount with 77 mm. Some rain was reported in parts of the eastern crop

Harvest Progress in SK Per cent Combined All Crops	
Aug 17/20	4
5-year avg. (2015-2019)	5
Aug 19/19	2
Aug 13/18	5
Aug 14/17	7
Aug 15/16	3
Aug 17/15	9
10-year avg. (2010-2019)	4

districts of the east-central and southeast regions. Most of the rest of the province received anywhere from zero to up to half an inch of rain. Rain is not needed in near-mature or ready-to-harvest crops, but some later-seeded crops and pastures would benefit from more moisture.

Moisture conditions declined throughout most of the province this week, except for areas in the southeast and east-central regions that received rain. Cropland topsoil moisture is rated as 44 per cent adequate, 39 per cent short and 17 per cent very

One year ago

Two per cent of the crop had been combined and five per cent was swathed or ready to straight-cut. Most of this progress was in the southern regions. Some areas of the province reported light frost.

Follow the 2020 Crop Report on Twitter @SKAgriculture

Saskatchewan Harvest August 17, 2020 Per cent combined

Winter wheat	37
Fall rye*	62
Spring wheat	1
Durum	2
Oats**	3
Barley***	6
Canaryseed	0
Flax	0
Canola	0
Mustard	14
Soybeans	2
Lentils	19
Peas	22
Chickpeas	2

*includes eight per cent 'other'

**includes two per cent 'other'

***includes one per cent 'other'

For further information, contact Sara Tetland, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-631-0483, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

short. Hay and pasture land topsoil moisture is rated as 33 per cent adequate, 42 per cent short and 25 per cent very short.

Crop damage causes this week remain the same with the majority caused by wind, heat, lack of moisture, wildlife and insects such as grasshoppers. There have been some reports of flea beetle damage in canola, as well as localized hail damage.

Farmers are busy getting equipment and bins ready for harvest, swathing and desiccating crops, and combining.

Saskatchewan Harvest by Crop District August 17, 2020					
Crop District	Per cent combined	Crop District	Per cent combined	Crop District	Per cent combined
1A	5	4A	15	7A	3
1B	4	4B	11	7B	<1
2A	N/A	5A	1	8A	<1
2B	7	5B	<1	8B	<1
3ASE	5	6A	3	9AE	<1
3ASW	4	6B	4	9AW	<1
3AN	7			9B	<1
3BS	17				
3BN	13				

Southeastern Saskatchewan:

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu’Appelle areas
- Crop District 3ASE – Radville, Minton and Lake Alma areas

Favorable conditions allowed harvest to progress in the region. Currently, five per cent of the crop has been combined, up from one per cent last week, but behind the five-year average of nine per cent (2015-2019) for this time of year. Six per cent of the crops have been swathed or are ready to straight cut, behind the five-year average of 13 per cent (2015-2019).

Sixty-seven per cent of fall rye, 47 per cent of winter wheat, 42 per cent of field peas, 23 per cent of lentils and 12 per cent of barley are now combined. An additional six per cent of the canola has been swathed. Some of the barley and oat crops are being harvested for greenfeed.

Parts of the southeast region, specifically in the eastern areas, received rain this past week. Areas around Glenavon received the most rain in the province with 77 mm. The Broadview area received 45 mm, the Whitewood area 42 mm, the Kisbey area 38 mm, the Odessa

area 32.5 mm, the Carnduff area 20 mm, the Wilcox area 13 mm, the Indian Head area 10.1 mm and the area west of Weyburn eight mm. The Tantallon area received the most precipitation in the region since April 1 with 263 mm.

Topsoil moisture conditions improved in the region this week, especially in areas that received rainfall. Cropland topsoil moisture is rated as 62 per cent adequate, 33 per cent short and five per cent very short. Hay and pasture land topsoil moisture is rated as 50 per cent adequate, 38 per cent short and 12 per cent very short.

The majority of crop damage this week was due to wind, lack of moisture, heat and grasshoppers. There were reports of flea beetle and hail damage in the region as well.

Farmers are busy getting equipment ready, desiccating and swathing crops, and combining in some areas.

Southwestern Saskatchewan:

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

Dry, warm conditions helped farmers make progress harvesting this week, with 11 per cent of the crop currently combined. This is up from two per cent last week and on track with the five-year average (2015-2019) for this time of year. Currently, 10 per cent of the crop has been swathed or is ready to straight-cut. The five-year (2015-2019) average is 11 per cent.

Seventy-five per cent of fall rye, 43 per cent of field peas, 27 per cent of winter wheat, 25 per cent of lentils, 23 per cent of barley and 13 per cent of oats are now combined. An additional six per cent of the canola has been swathed or is ready to straight-cut.

There was almost no rainfall in the southwest region this past week. The Cabri area received the most rain in the region with three mm, while most of the rest of the region reported none. The Swift Current area has reported the most precipitation in the region since April 1 with 242 mm.

With minimal rain and hot weather continuing this week, topsoil moisture continued to deteriorate. Cropland topsoil moisture is rated as 16 per cent adequate, 45 per cent short and 39 per cent very short. Hay and pasture land topsoil moisture is rated as nine per cent adequate, 49 per cent short and 42 per cent very short. Crop District 4A rated all of the cropland and hay and pasture land as either short or very short for topsoil moisture.

The majority of crop damage this week was due to heat, dry conditions, wind, wildlife, grasshoppers and some reports of flea beetles. There were also reports of localized hail damage. Farmers have noted concerns about fire hazards in the area with it being so dry and hot.

Farmers are busy getting equipment and bins ready for harvest, desiccating and swathing crops and combining.

East-Central Saskatchewan:

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

Currently, two per cent of the crop is combined in the region, which is ahead of the five-year average of one per cent for this time of year. Five per cent of the crop has been swathed or is ready to straight-cut. The five-year (2015-2019) is five per cent. High temperatures paired with dry conditions have resulted in premature ripening in some areas.

Forty-eight per cent of the fall rye, 30 per cent of the winter wheat, 18 per cent of the field peas, 11 per cent of the lentils and three per cent of the barley has been combined. An additional one per cent of the canola has been swathed.

Certain areas of the east-central region received rain this past week, with some of the eastern parts receiving half an inch to two inches. The Yorkton area receive the most rain with 53 mm. The Rhein area received 32 mm, the Langenburg area 28 mm, Rama area 23 mm, the Lipton and Goodeve areas 18 mm, the Elfros area 13 mm, the Earl Grey area 12 mm, the Allan area six mm and the Stalwart area five mm. The Kuroki area received the most precipitation in the region since April 1 with 283 mm.

Overall, topsoil moisture was maintained this week. Cropland topsoil moisture is rated as 36 per cent adequate, 40 per cent short and 24 per cent very short. Hay and pasture land topsoil moisture is rated as 17 per cent adequate, 50 per cent short and 33 per cent very short. Crop District 6A reported that 86 per cent of the cropland and 97 per cent of the hay and pasture land has a topsoil moisture rating of short or very short.

The majority of crop damage this week was due to dry conditions, heat and wind. There have also been reports of localized hail in the region.

Farmers are busy hauling grain, getting equipment and bins ready for harvest and starting to swath, desiccate and combine in some areas.

West-Central Saskatchewan:

- Crop District 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston and Major areas
- Crop District 7B – Kerrobert, Macklin, Wilkie and Biggar areas

Two per cent of the crop has been combined in the west-central region, which is on track with the five-year average of two per cent for this time of year. Currently, seven per cent of the crop has been swathed or is ready to straight-cut, which is on track with the five-year

average. Heat and dry conditions have been noted to have effected development of later seeded crops.

Fifty-five per cent of the fall rye, 16 per cent of the oats, 10 per cent of the field peas and seven per cent of the lentils have been combined. An additional four per cent of the canola has been swathed.

Most of the west-central region received zero to trace amounts of rain this past week. The Macklin area received the most rain in the region with 10 mm. The Netherhill and Hanley areas received four mm, the Luseland area two mm and the Conquest, Rosthern and Phippen areas one mm. The Luseland area has received the most precipitation in the region since April 1 with 358 mm.

There was a slight reduction in topsoil moisture conditions in the region. Cropland topsoil moisture is rated as 52 per cent adequate, 44 per cent short and four per cent very short. Hay and pasture land topsoil moisture is rated as 45 per cent adequate, 45 per cent short and 10 per cent very short.

The majority of crop damage this week was due to lack of moisture, heat and wind. There was also damage caused by grasshoppers and sclerotinia reported.

Farmers are busy getting equipment ready, desiccating and swathing crops, and combining in some areas.

Northeastern Saskatchewan:

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

Crops are turning quickly in the region, with some farmers desiccating and swathing crops or planning to within the next few weeks. Less than one per cent of the crops in the northeast region have been combined and one per cent has been swathed or is ready to straight-cut, which is on track with the five-year average for this time of year. There have been reports of forages grown for seed being combined in the region.

The northeast region received very little rainfall this week. The Nipawin area received the highest amount of rain with 14 mm. The Garrick area received 13 mm, areas south of Tisdale 5.4 mm, the Lake Lenore and Melfort areas three mm and the Arborfield area one mm. Areas around Humboldt have received the most precipitation in the region since April 1 with 323 mm.

Warm, dry conditions this week have reduced topsoil moisture conditions in the region. Cropland topsoil moisture is rated as two per cent surplus, 62 per cent adequate, 34 per cent short and two per cent very short. Hay and pasture land topsoil moisture is rated as three per cent surplus, 50 per cent adequate, 44 per cent short and three per cent very short.

The majority of crop damage this week was due to heat, wind and lack of moisture in some areas. There were also reports of damage due to hail.

Farmers are busy getting equipment and bins ready for harvest as well as swathing and desiccating crops.

Northwestern Saskatchewan:

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

Heat helped advance crops in the region this week. Some farmers have started to desiccate or swath crops, with more planning to soon. Less than one per cent of the crop have been combined, which is the same as the five-year average for this time of year. One per cent has been swathed or is ready to straight-cut, with the five-year average (2015-2019) being one per cent.

The northwest region received very little rain, ranging from zero to 10 mm in the Frenchman Butte area. Areas east of Neilburg received five mm, the St. Walburg area three mm, the Glaslyn area two mm and the Mayfair area one mm. The St. Walburg area continues to be the area that has received the most precipitation since April 1 with 436 mm.

Minimal rainfall has resulted in reduced topsoil moisture conditions in the region. Cropland topsoil moisture is rated as two per cent surplus, 71 per cent adequate, 25 per cent short and two per cent very short. Hay and pasture land topsoil moisture is rated as one per cent surplus, 67 per cent adequate, 21 per cent short and 11 per cent very short. Eighty-nine per cent of the cropland and 91 per cent of the hay and pasture land in Crop District 9B is rated as adequate for topsoil moisture.

The majority of crop damage this week was due to heat, wind, wildlife and grasshoppers.

Farmers are busy hauling grain, getting equipment ready for harvest and starting to swath and desiccate in earlier maturing fields.



Saskatchewan Harvest Progress - August 17, 2020

*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed or silage

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	29	1	23	47	0
southwest	72	1	0	27	0
east central	43	5	22	30	0
west central	N/A	N/A	N/A	N/A	N/A
northeast	N/A	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A	N/A
provincial	42	3	18	37	0
Fall Rye	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	20	1	12	66	1
southwest	23	2	0	52	23
east central	32	0	20	48	0
west central	7	38	0	55	0
northeast	N/A	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A	N/A
provincial	24	4	10	54	8
Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	93	0	5	2	
southwest	91	0	6	3	
east central	97	1	2	0	
west central	93	1	6	0	
northeast	99	0	1	0	
northwest	99	1	0	0	
provincial	95	1	3	1	
Durum	% Standing	% in swath	% ready to straight combine	% combined	
southeast	96	2	1	1	
southwest	90	0	7	3	
east central	98	0	2	0	
west central	89	0	11	0	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	92	1	5	2	
Barley	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	77	3	8	7	5
southwest	60	1	16	21	2
east central	81	10	6	3	0
west central	90	4	3	2	1
northeast	93	5	2	0	0
northwest	98	2	0	0	0
provincial	83	5	6	5	1
Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	94	1	1	1	3
southwest	71	3	13	3	10
east central	98	1	0	0	1
west central	82	2	0	1	15
northeast	100	0	0	0	0
northwest	99	0	0	0	1
provincial	95	1	1	1	2
Canaryseed	% Standing	% in swath	% ready to straight combine	% combined	
southeast	98	0	2	0	
southwest	100	0	0	0	
east central	100	0	0	0	
west central	88	0	12	0	
northeast	100	0	0	0	
northwest	100	0	0	0	
provincial	97	0	3	0	

Flax	% Standing	% in swath	% ready to straight combine	% combined
southeast	100	0	0	0
southwest	100	0	0	0
east central	100	0	0	0
west central	94	1	5	0
northeast	100	0	0	0
northwest	100	0	0	0
provincial	99	0	1	0
Canola	% Standing	% in swath	% ready to straight combine	% combined
southeast	94	6	0	0
southwest	93	4	2	1
east central	99	1	0	0
west central	96	4	0	0
northeast	100	0	0	0
northwest	100	0	0	0
provincial	97	3	0	0
Mustard	% Standing	% in swath	% ready to straight combine	% combined
southeast	99	1	0	0
southwest	74	0	8	18
east central	N/A	N/A	N/A	N/A
west central	80	0	20	0
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
provincial	78	0	8	14
Soybeans	% Standing	% in swath	% ready to straight combine	% combined
southeast	96	0	0	4
southwest	100	0	0	0
east central	100	0	0	0
west central	100	0	0	0
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
provincial	98	0	0	2
Field Peas	% Standing	% in swath	% ready to straight combine	% combined
southeast	40	2	16	42
southwest	45	1	11	43
east central	62	2	18	18
west central	69	2	19	10
northeast	96	0	4	0
northwest	92	5	3	0
provincial	63	2	13	22
Lentils	% Standing	% in swath	% ready to straight combine	% combined
southeast	53	3	21	23
southwest	56	3	16	25
east central	69	0	20	11
west central	76	3	14	7
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
provincial	62	3	16	19
Chickpeas	% Standing	% in swath	% ready to straight combine	% combined
southeast	99	0	0	1
southwest	94	0	3	3
east central	N/A	N/A	N/A	N/A
west central	N/A	N/A	N/A	N/A
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
provincial	97	0	1	2

Crop Districts and Rural Municipalities in Saskatchewan




Data Source:
Crop Districts - Saskatchewan Ministry of Agriculture

Projection: UTM Zone 13 Datum: NAD83

Geomatics Services, Ministry of Agriculture October 17, 2019

Weekly Rainfall

from August 11 to August 17, 2020



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

	<p>1:3,500,000</p> <p>0 25 50 100 150 200 Kilometers</p> <p>Projection: UTM Zone 13 Datum: NAD83</p>	<p>Data Source: Rainfall - Ministry of Agriculture, Crop Report Database IDW interpolation (power 2.5, fixed radius 300 km)</p> <p>Geomatics Services, Ministry of Agriculture August 19, 2020</p>
--	--	--

Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period from August 11 to August 17, 2020


Crop Dist.	R.M. No.	R.M. Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	R.M. Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	R.M. Name	Past Week	Since 1-Apr	
1A	2	Mount Pleasant	20	205.5	4A	51	Reno	TR	111.1	7A	287	St. Andrews	NIL	173	
	3	Enniskillen	8	201		79 A	Arlington	NIL	158		288	Pleasant Valley	N/A	198	
	32	Reciprocity	19	203		79 B	Arlington	NIL	93.5		290 A	Kindersley	4	193.2	
	34	Browning	17	160		109	Carmichael	N/A	62		290 B	Kindersley	N/A	13	
	61	Antler	N/A	179		110	Piapot	N/A	66		292	Milton	NIL	242	
	64	Brock	38	261		111	Maple Creek	N/A	N/A		317	Marriott	NIL	225	
	65	Tecumseh	41	203	4B	139	Gull Lake	NIL	136		320 A	Oakdale	1	263.9	
1B	91	Maryfield	23	194		169	Pittville	N/A	121		320 B	Oakdale	NIL	230	
	94	Hazelwood	N/A	47		229	Miry Creek	3	178.6		321	Prairiedale	N/A	249	
	95	Golden West	N/A	N/A		231	Happyland	NIL	108	7B	347	Biggar	NIL	218	
	122	Martin	42	200	5A	152	Spy Hill	N/A	44		350	Mariposa	1	243	
	123	Silverwood	36	225		183	Fertile Belt	25	213		351	Progress	2	258	
	124	Kingsley	28	176		211	Churchbridge	28	241		377	Glenside	NIL	282	
	125 A	Chester	62	188		213	Saltcoats	42	168		378	Rosemount	NIL	320	
	125 B	Chester	77	201.8		217	Lipton	18	161		379	Reford	N/A	150	
	151	Rocanville	50	263		241	Calder	31	189		382	Eye Hill	10	315.4	
	154 A	Elcapo	45	155		243	Wallace	53	177.3		409 A	Buffalo	NIL	275	
	154 B	Elcapo	N/A	3		244	Orkney	N/A	N/A		409 B	Buffalo	1	282	
	155	Wolseley	13	169		245 A	Garry	N/A	78		410	Round Valley	NIL	253.6	
2A	67	Weyburn	N/A	196		245 B	Garry	18	145	8A	394	Hudson Bay	N/A	246	
	68	Brokenshell	8	240		246 A	Ituna Bon Accord	12	144		395	Porcupine	N/A	211	
	96	Fillmore	N/A	31		246 B	Ituna Bon Accord	11.8	129.9		397	Barrier Valley	5.4	241.4	
	97	Wellington	N/A	161		247	Kellross	18	210		427	Tisdale	NIL	228	
2B	127 A	Francis	32.5	203.5		248	Touchwood	2	152		428	Star City	N/A	193	
	127 B	Francis	NIL	100	5B	273	Sliding Hills	32	108		456	Arborfield	1	248	
	129	Bratt's Lake	13	196		277	Emerald	3	175		457 A	Connaught	10	182	
	131	Baldon	NIL	177		305	Invermay	23	223		457 B	Connaught	N/A	N/A	
	156 A	Indian Head	10.1	125.8		307	Elfros	13	173		486	Moose Range	14	278	
	156 B	Indian Head	N/A	155		308 A	Big Quill	2	174		487	Nipawin	N/A	307.5	
	159	Sherwood	TR	179		308 B	Big Quill	N/A	230.8	8B	369	St. Peter	TR	209	
	160 A	Pense	N/A	104		331	Livingston	22	182		370 A	Humboldt	1	323	
	160 B	Pense	N/A	16		336	Sasman	7	283		370 B	Humboldt	N/A	168	
	161 A	Moose Jaw	1	155		337	Lakeview	NIL	192		371	Bayne	N/A	200	
	161 B	Moose Jaw	N/A	N/A		366	Kelvington	NIL	222		372	Grant	NIL	224.4	
	162 A	Caron	NIL	126.1		367	Ponass Lake	NIL	101		400	Three Lakes	3	211	
	162 B	Caron	N/A	137.5	6A	190 A	Dufferin	4	150		429 A	Flett's Springs	3	210	
	191	Marquis	N/A	78		190 B	Dufferin	NIL	113		429 B	Flett's Springs	N/A	193.5	
3ASE	38 A	Laurier	7.6	150.1		190 C	Dufferin	N/A	120		459	Kinistino	NIL	210	
	38 B	Laurier	5	161		190 D	Dufferin	9	114	9AE	460	Birch Hills	NIL	205.9	
	39	The Gap	N/A	N/A		219 A	Longlaketon	12	184		488	Torch River	13	269	
3ASW	10	Happy Valley	N/A	197		219 B	Longlaketon	N/A	120		491	Buckland	TR	270	
	12	Poplar Valley	NIL	175		220	McKillop	N/A	131		520	Paddockwood	N/A	357	
	40	Bengough	N/A	311		221	Sarnia	TR	113.2		521	Lakeland	N/A	353	
	43	Old Post	NIL	187		222	Craik	2	126	9AW	405	Great Bend	N/A	71	
	73 A	Stonehenge	N/A	147		251	Big Arm	5	137.2		435	Redberry	NIL	376	
	73 B	Stonehenge	NIL	163		252	Arm River	1	121		436	Douglas	NIL	271	
	74	Wood River	N/A	119.2		279	Mount Hope	N/A	116.1		463	Duck Lake	NIL	306	
3AN	102	Lake Johnston	NIL	133		282	McCraney	7	205		466	Meeting Lake	1	376	
	103	Sutton	N/A	87		339	Leroy	0.8	217.4		467 A	Round Hill	2	324	
	132 A	Hillsborough	NIL	159		341	Viscount	TR	155		467 B	Round Hill	1	358	
	132 B	Hillsborough	NIL	133		343	Blucher	6	164		493	Shellbrook	N/A	212.1	
	193	Eyebrow	NIL	197	6B	223 A	Huron	NIL	136.5		497	Medstead	N/A	191.5	
3BS	17	Val Marie	N/A	N/A		223 B	Huron	N/A	161		9B	440	Hillsdale	5	384.5
	75	Pinto Creek	NIL	123		284 A	Rudy	N/A	145		442	Manitou Lake	2.1	334	
	77	Wise Creek	NIL	157		284 B	Rudy	NIL	53		498	Parkdale	2	245.7	
	78	Grassy Creek	N/A	123.6		285	Fertile Valley	1	167		499	Mervin	N/A	303	
	105	Glen Bain	N/A	N/A		286	Milden	TR	210		501 A	Frenchman Butte	N/A	N/A	
	106	Whiska Creek	NIL	155		314	Dundurn	4	190.5		501 B	Frenchman Butte	NIL	318	
	107	Lac Pelletier	NIL	161		344	Corman Park	NIL	287		501 C	Frenchman Butte	10	228	
	108	Bone Creek	NIL	130		345	Vanscoy	NIL	216		501 D	Frenchman Butte	3	436	
3BN	138	Webb	NIL	191		376	Eagle Creek	NIL	274		502	Britannia	N/A	137	
	165	Morse	N/A	334.3		403	Rosthern	1	291		561	Loon Lake	NIL	324	
	168 A	Riverside	NIL	242							588 A	Meadow Lake	N/A	N/A	
	168 B	Riverside	1	87.8							588 B	Meadow Lake	NIL	318	
	226	Victory	NIL	188							622	Beaver River	N/A	197.2	
	228	Lacadena	TR	230											
	257	Monet	N/A	222											

Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall


from April 1 to August 17, 2020




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Cropland Topsoil Moisture Conditions

August 17, 2020



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Projection: UTM Zone 13 Datum: NAD83




Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)


Geomatics Services, Ministry of Agriculture August 19, 2020

Hay and Pasture Topsoil Moisture Conditions

August 17, 2020



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Projection: UTM Zone 13 Datum: NAD83




Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)


Geomatics Services, Ministry of Agriculture August 19, 2020

Maximum Temperature

from August 10 to August 17, 2020



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Projection: UTM Zone 13 Datum: NAD83

Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture August 19, 2020