


WEEKLY WEATHER AND CROP BULLETIN

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Weather Service

U.S. DEPARTMENT OF AGRICULTURE
National Agricultural Statistics Service
and World Agricultural Outlook Board



HIGHLIGHTS

July 13 – 19, 2025



Highlights provided by USDA/WAOB

Showers east of the Rockies became a little less widespread, although rainfall still totaled 2 to 4 inches or more in many locations from the **southern Corn Belt into middle Atlantic States**, as well as scattered communities from **central and eastern Texas to Florida**. A weak low-pressure system helped to consolidate rainfall in the **central and eastern Gulf Coast States**, although the disturbance moved inland without achieving tropical characteristics. Separately, cold fronts across the **northern half of the U.S.** produced heavy showers and locally severe

(Continued on page 3)

Contents

Highlights & Total Precipitation Map.....	1
Extreme Maximum & Minimum Temperature Maps.....	2
Temperature Departure Map	3
July 15 Drought Monitor & U.S. Seasonal Drought Outlook	4
Palmer Drought & Crop Moisture Maps.....	5
Growing Degree Day Maps	6
National Weather Data for Selected Cities	8
National Agricultural Summary	11
Crop Progress and Condition Tables.....	12
International Weather and Crop Summary	18
Bulletin Information & Days Suitable for Fieldwork	30




(Continued from front cover)

thunderstorms, encompassing the **northern half of the Plains and Midwest**, extending eastward to the **middle Atlantic Coast**. Widespread showers in key **U.S. corn and soybean production areas** maintained mostly favorable growing conditions for reproductive to filling crops. In contrast, hot, dry weather in much of the **West** led to heavy irrigation demands, increased wildfire activity, and stress on some rangeland, pastures, and rain-fed summer crops. However, monsoon-related showers provided limited relief in a few areas, mainly across the **Four Corners States**. Weekly temperatures averaged at least 5°F above normal in parts of **Oregon, Washington, and northern sections of California and Nevada**. Similar positive departures were noted in areas from the **central Appalachians to northern New England**. Conversely, temperatures averaged more than 5°F below normal in much of the **north-central U.S.**, including the **Dakotas**. Cool weather (as much as 5°F below normal) also prevailed in **central Texas**.



Early-week heat was focused across the **West**, where record-setting highs for July 13 soared to 104°F in **Reno, NV**, and 101°F in **Ellensburg, WA**. **Reno** topped the 100-degree mark each day from July 12-14. By July 14, heat persisted in the **West** and briefly spread to the **Plains**. In **Nevada**, daily-record highs for the 14th included 106°F in **Winnemucca** and 101°F in **Tonopah**. Meanwhile in **South Dakota**, **Pierre** posted a daily record-tying high (104°F) for July 14. For much of the remainder of the country, conditions were very warm but not exceedingly hot. Still, daily-record highs in **Florida** included 97°F (on July 14) in **Winter Haven** and 96°F (on July 18) in **Fort Myers**. In contrast, a surge of unusually cool air trailed a cold front into the **north-central U.S.** By July 17, daily-record lows in **North Dakota** dipped to 40°F in **Bismarck** and **Dickinson**. Elsewhere, record-setting lows for the 17th fell to 42°F in **International Falls, MN**; 44°F in **Mobridge, SD**; and 47°F in **Valentine, NE**.



As the week began, some of the heaviest rain fell across the **South, East, and lower Midwest**. In **New York**, **Binghamton** collected a record-setting rainfall total (2.53 inches) for July 13. The following day, daily-record amounts for the 14th topped the 2-inch mark in **New York's Central Park** (2.64 inches), **Scranton, PA** (2.52 inches), and **Newark, NJ** (2.13 inches). Meanwhile, heavy showers and locally severe thunderstorms developed across the **northern U.S.**, where **Pierre, SD**, clocked a wind gust to 82 mph on July 14, following a high of 104°F. By July 15, daily-record amounts included 2.71 inches in **Ashland, WI**; 1.81 inches in **Aberdeen, SD**; and 1.15 inches in **Great Falls, MT**. As the week progressed, thunderstorms shifted farther south. On July







16, **Dodge City, KS**, received rainfall totaling 1.95 inches, along with a northerly wind gust to 78 mph. Farther south, a weak low-pressure system crossing the **eastern Gulf Coast region** during the early- to mid-week period contributed to daily-record rainfall totals in **Florida** locations such as **Daytona Beach** (2.25 inches on July 15) and **Gainesville** (2.60 inches on July 16). Late in the week, heavy showers stretched eastward from the **Ohio Valley**. **Louisville, KY**, received measurable rain each day from July 12-19, totaling 5.26 inches. Well over half of **Louisville's** rain, 3.17 inches, fell on July 17-18. Similarly, **Evansville, IN**, netted more than an inch of rain each day from July 17-19, totaling 5.15 inches. Daily-record amounts occurred in **Evansville** on the 17th and 19th—1.77 and 2.16 inches, respectively.

Despite widespread showers, about three dozen wildfires remained active across **Alaska**. Northwest of **Healy, AK**, the Bear Creek Fire Group—consisting of several individual fires that were sparked by lightning on June 19—has burned more than 73,000 acres of vegetation. Meanwhile, near- or above-normal temperatures prevailed throughout **Alaska**, with readings rising to 81°F in **Fairbanks** on July 18 and 19. Earlier, **Nome** had reported 1.09 inches of rain on July 14-15. Two-day (July 16-17) rainfall totals reached 0.93 inch in **King Salmon** and 0.78 inch in **Bethel**. In contrast, mostly dry weather prevailed in **southeastern Alaska**, where July 13-19 rainfall totaled a trace in **Ketchikan** and 0.03 inch in **Juneau**. Farther south, parts of **Hawaii** received beneficial rainfall, especially on July 19-20 across windward sections of **Kauai, Oahu, and Maui**. A few spots on **Kauai**, including famously wet **Mount Waialeale**, received more than 5 inches of rain in a 24-hour period on July 19-20. At the state's major airport observation sites, month-to-date rainfall through July 19 ranged from 0.08 inch (26 percent of normal) in **Honolulu, Oahu**, to 2.79 inches (53 percent) in **Hilo, on the Big Island**.









National Weather Data for Selected Cities

Weather Data for the Week Ending July 19, 2025

Accessible Data Available from the Climate Prediction Center

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
																	TEMP. °F		PRECIP	
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
AK	ANCHORAGE	65	52	68	48	59	-1	0.13	-0.29	0.12	1.22	59	7.64	140	89	57	0	0	2	0
	BARROW	51	39	69	36	45	0	0.07	-0.15	0.07	0.43	44	0.60	30	97	86	0	0	1	0
	FAIRBANKS	75	56	81	51	65	2	0.16	-0.37	0.11	2.51	89	6.71	128	88	42	0	0	2	0
	JUNEAU	68	50	74	45	59	2	0.11	-1.09	0.11	11.29	163	39.91	143	87	54	0	0	1	0
	KODIAK	60	50	67	46	55	-1	0.67	-0.35	0.50	12.92	162	53.82	136	99	71	0	0	2	1
	NOME	57	49	60	47	53	1	1.17	0.65	0.70	4.11	184	10.15	155	97	72	0	0	3	1
AL	BIRMINGHAM	91	75	93	72	83	1	0.78	-0.48	0.54	10.92	133	41.76	123	90	54	5	0	2	1
	HUNTSVILLE	93	75	95	72	84	3	1.57	0.53	1.39	8.36	118	39.87	124	94	18	6	0	2	1
	MOBILE	92	75	95	72	83	1	1.18	-0.59	0.62	15.24	134	46.22	121	96	57	6	0	4	1
	MONTGOMERY	92	74	96	72	83	0	0.74	-0.44	0.38	10.01	137	34.07	113	97	56	6	0	2	0
AR	FORT SMITH	92	75	96	72	84	0	1.02	0.28	0.62	11.02	161	36.02	134	96	54	6	0	2	1
	LITTLE ROCK	93	73	95	71	83	2	1.17	0.41	1.17	6.81	119	33.97	118	97	52	6	0	1	1
AZ	FLAGSTAFF	82	53	88	50	67	0	2.37	1.73	1.72	2.95	186	8.94	95	80	26	0	0	5	2
	PHOENIX	105	87	108	80	96	0	0.00	-0.22	0.00	0.70	145	2.03	59	42	19	7	0	0	0
	PRESCOTT	90	65	97	62	78	1	0.96	0.52	0.79	3.28	249	7.92	139	63	23	3	0	4	1
	TUCSON	99	76	105	68	88	-1	1.38	0.83	1.04	2.28	158	2.86	69	66	25	6	0	2	1
CA	BAKERSFIELD	100	73	103	69	86	1	0.00	0.00	0.00	0.01	23	2.96	67	47	20	7	0	0	0
	EUREKA	60	52	61	51	56	-2	0.00	-0.03	0.00	0.06	7	22.30	92	99	79	0	0	0	0
	FRESNO	100	69	104	65	84	0	0.00	0.00	0.00	0.00	0	6.29	81	58	19	7	0	0	0
	LOS ANGELES	72	63	74	60	68	-2	0.00	-0.01	0.00	0.01	11	5.31	62	87	64	0	0	0	0
	REDDING	100	69	105	63	84	0	0.00	-0.01	0.00	0.00	0	18.20	86	63	18	7	0	0	0
	SACRAMENTO	90	57	98	55	73	-3	0.00	0.00	0.00	0.00	0	7.05	58	59	40	4	0	0	0
	SAN DIEGO	73	65	74	65	69	-2	0.00	-0.02	0.00	0.01	12	4.74	71	83	66	0	0	0	0
	SAN FRANCISCO	68	56	71	55	62	-2	0.00	0.00	0.00	0.00	0	7.74	61	90	60	0	0	0	0
CO	STOCKTON	94	57	101	55	75	-3	0.00	0.00	0.00	0.00	0	6.74	76	87	24	6	0	0	0
	ALAMOSA	84	47	89	43	65	0	1.13	0.89	0.78	1.88	185	6.18	187	89	26	0	0	4	1
	CO SPRINGS	86	56	93	54	71	-2	0.84	0.13	0.41	6.51	162	14.28	161	81	28	2	0	4	0
	DENVER INTL	90	61	95	56	76	0	0.37	-0.14	0.19	3.52	111	10.80	124	76	24	6	0	3	0
	GRAND JUNCTION	97	69	101	64	83	3	0.00	-0.13	0.00	1.01	137	2.81	62	34	12	7	0	0	0
	PUEBLO	93	59	100	55	76	-1	0.31	-0.12	0.13	2.47	108	6.66	97	88	24	5	0	3	0
CT	BRIDGEPORT	85	71	90	65	78	2	0.39	-0.35	0.32	2.40	42	17.60	73	89	59	1	0	2	0
	HARTFORD	87	66	93	55	77	2	0.26	-0.68	0.26	7.19	107	28.52	116	93	52	3	0	1	0
DC	WASHINGTON	90	76	94	74	83	1	1.43	0.42	0.74	9.12	131	29.71	128	92	61	3	0	4	1
DE	WILMINGTON	88	75	93	74	81	3	1.61	0.59	0.95	9.06	123	29.46	120	93	64	3	0	4	2
FL	DAYTONA BEACH	90	74	93	72	82	0	4.42	3.11	2.25	10.90	101	23.47	92	96	64	5	0	5	3
	JACKSONVILLE	95	75	99	73	85	2	0.04	-1.44	0.04	9.14	77	27.62	100	92	53	6	0	1	0
	KEY WEST	89	80	91	75	85	-1	1.43	0.65	0.67	7.02	110	18.04	109	91	70	2	0	5	2
	MIAMI	90	78	92	74	84	0	1.79	0.28	1.37	17.26	114	29.38	94	87	62	5	0	2	1
	ORLANDO	92	74	96	73	83	1	1.95	0.33	1.23	11.44	91	28.09	105	95	54	6	0	4	1
	PENSACOLA	93	78	98	76	85	2	1.88	0.07	1.51	8.09	66	34.44	94	89	55	6	0	3	1
	TALLAHASSEE	95	75	98	73	85	2	1.19	-0.34	0.68	14.04	116	35.45	107	96	50	6	0	3	1
	TAMPA	92	79	94	74	85	2	1.57	-0.08	1.51	13.43	111	25.66	102	89	62	5	0	3	1
GA	WEST PALM BEACH	91	78	94	73	84	1	3.30	2.17	1.52	11.35	95	23.05	77	88	61	6	0	4	2
	ATHENS	94	73	97	71	83	2	0.00	-0.89	0.00	7.43	98	29.71	108	96	48	7	0	0	0
	ATLANTA	94	76	97	73	85	3	1.05	-0.04	1.05	7.38	96	31.44	109	86	44	7	0	1	1
	AUGUSTA	95	73	97	72	84	1	0.00	-1.00	0.00	5.63	75	25.42	101	98	47	7	0	0	0
	COLUMBUS	95	74	99	73	85	1	0.21	-0.77	0.11	6.50	96	34.19	123	90	45	7	0	3	0
	MACON	95	72	97	69	83	0	0.00	-1.11	0.00	9.60	126	30.35	113	99	48	7	0	0	0
HI	SAVANNAH	93	76	96	74	85	1	1.69	0.42	1.43	9.54	94	27.55	103	96	56	7	0	5	1
	HILO	83	71	85	69	77	1	0.91	-1.13	0.31	8.57	67	33.60	56	93	61	0	0	7	0
	HONOLULU	88	76	89	75	82	1	0.04	-0.07	0.04	0.42	52	9.70	113	77	49	0	0	1	0
	KAHULUI	88	74	90	73	81	1	0.13	-0.01	0.11	0.30	63	6.54	68	85	51	2	0	2	0
	LIHUE	85	76	85	75	80	1	0.33	-0.05	0.16	2.84	100	12.40	65	85	61	0	0	4	0
	BURLINGTON	83	68	89	65	76	0	1.57	0.65	1.57	6.70	89	16.42	78	98	65	0	0	1	1
IA	CEDAR RAPIDS	82	63	87	59	72	-1	0.66	-0.34	0.57	5.40	64	14.43	70	99	65	0	0	2	1
	DES MOINES	84	65	89	61	74	-2	1.37	0.54	1.33	10.84	141	24.33	113	90	56	0	0	2	1
	DUBUQUE	80	62	86	59	71	-1	1.90	0.76	1.89	9.26	113	19.10	88	97	62	0	0	2	1
	SIOUX CITY	82	63	88	56	72	-2	0.87	0.13	0.65	9.10	140	16.26	96	97	64	0	0	3	1
ID	WATERLOO	82	61	88	54	71	-3	1.45	0.50	1.07	13.79	162	25.07	117	97	60	0	0	2	1
	BOISE	95	64	101	60	80	2	0.00	-0.04	0.00	0.66	74	7.03	96	48	15	7	0	0	0
	LEWISTON	94	67	101	60	81	4	0.00	-0.09	0.00	0.12	7	5.93	72	50	21	5	0	0	0
	POCATELLO	93	52	96	49	73	1	0.00	-0.12	0.00	0.57	46	7.28	102	67	16	5	0	0	0
IL	CHICAGO/O_HARE	83	66	91	58	75	-1	0.55	-0.27	0.36	7.42	118	17.98	85	87	52	2	0	2	0
	MOLINE	83	65	88	62	74	-1	0.77	-0.20	0.77	9.83	126	23.00	102	96	60	0	0	1	1
	PEORIA	86	69	91	66	78	1	0.74	-0.09	0.50	6.91	115	19.44	90	95	62	2	0	2	1
	ROCKFORD	83	63	88	53	73	-1	1.69	0.86	1.49	9.13	120	18.05	85	88	54	0	0	2	1
IN	SPRINGFIELD	86	69	90	66	77	1	3.72	2.83	1.30	8.73	123	19.89	89	99	68	2	0	5	3
	EVANSVILLE	90	74	93	72	82	3	6.07	5.08	2.22	14.18	195								

Weather Data for the Week Ending July 19, 2025

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.	
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
KY	WICHITA	91	71	95	67	81	-1	1.57	0.70	1.20	13.27	179	27.19	135	92	49	5	0	2	1
	LEXINGTON	88	71	91	69	79	3	4.23	3.06	2.24	9.82	121	42.59	144	97	61	3	0	7	2
	LOUISVILLE	90	74	93	72	82	2	6.18	5.30	1.75	10.51	156	40.56	144	90	59	4	0	7	5
LA	PADUCAH	90	73	92	70	81	1	1.34	0.35	0.75	12.23	168	40.39	135	99	65	4	0	5	1
	BATON ROUGE	91	75	95	73	83	0	1.67	0.55	1.24	12.83	131	41.81	118	99	59	5	0	3	1
	LAKE CHARLES	90	75	94	74	83	-1	2.74	1.48	1.78	8.64	85	32.52	99	96	62	4	0	4	1
MA	NEW ORLEANS	92	77	95	75	84	0	1.17	-0.36	0.65	14.80	123	43.46	119	97	61	6	0	4	1
	SHREVEPORT	94	77	97	73	86	2	***	***	***	***	***	***	***	88	51	6	0	***	***
	BOSTON	87	69	95	65	78	3	0.00	-0.74	0.00	4.16	71	25.56	108	90	52	2	0	0	0
MD	WORCESTER	83	67	89	63	75	4	0.07	-0.83	0.06	2.65	40	27.26	108	92	52	0	0	2	0
	BALTIMORE	88	74	95	72	81	3	3.57	2.52	2.02	9.15	137	26.64	111	96	60	1	0	4	2
	CARIBOU	83	61	90	54	72	5	1.48	0.52	1.06	6.43	96	25.35	119	97	51	1	0	3	1
MI	PORTLAND	81	63	89	54	72	1	0.39	-0.38	0.39	3.19	50	24.64	96	97	59	0	0	1	0
	ALPENA	81	56	90	48	68	0	1.41	0.65	0.90	5.67	120	18.11	118	99	48	2	0	3	1
	GRAND RAPIDS	83	61	89	56	72	-1	0.80	-0.11	0.55	3.94	62	17.85	83	95	49	0	0	2	1
MN	HOUGHTON LAKE	80	53	88	41	67	-1	1.21	0.59	0.69	5.36	109	25.48	159	99	51	0	0	3	1
	LANSING	83	61	89	52	72	0	0.59	-0.05	0.59	5.37	96	17.19	93	95	52	0	0	1	1
	MUSKEGON	81	60	88	51	71	-2	0.93	0.31	0.81	3.81	81	16.68	90	96	54	0	0	2	1
MO	TRAVERSE CITY	81	59	90	48	70	-1	1.38	0.74	0.97	6.70	159	19.29	137	94	50	1	0	3	1
	DULUTH	73	53	84	46	63	-4	1.43	0.56	0.83	5.77	82	13.69	83	96	60	0	0	4	2
	INT_L FALLS	72	50	83	42	61	-4	1.85	0.94	1.08	8.63	132	22.60	165	98	54	0	0	2	2
MS	MINNEAPOLIS	82	62	93	52	72	-2	1.45	0.57	0.69	7.83	109	17.01	97	89	50	2	0	4	2
	ROCHESTER	79	58	85	51	69	-2	0.37	-0.56	0.19	7.68	96	17.89	90	96	62	0	0	2	0
	ST. CLOUD	79	57	88	50	68	-3	0.66	-0.15	0.41	10.81	179	19.48	127	96	55	0	0	3	0
MT	COLUMBIA	87	71	91	67	79	0	0.35	-0.62	0.22	11.47	165	23.52	98	98	63	2	0	2	0
	KANSAS CITY	89	69	94	66	79	1	5.16	4.11	2.78	13.32	160	25.40	112	95	56	4	0	2	2
	SAINT LOUIS	88	74	95	72	81	1	1.80	0.94	0.67	6.70	96	29.26	118	93	61	1	0	4	2
NC	SPRINGFIELD	87	71	91	68	79	0	1.58	0.72	0.71	9.61	139	33.74	131	96	58	2	0	5	1
	JACKSON	95	75	98	72	85	2	2.25	1.11	1.88	10.03	134	44.19	130	97	53	7	0	2	1
	MERIDIAN	93	74	96	70	83	1	0.30	-0.85	0.16	11.15	142	36.95	108	96	56	6	0	3	0
ND	TUPELO	93	75	98	71	84	1	0.38	-0.60	0.38	12.09	153	44.63	130	93	53	6	0	1	0
	BILLINGS	82	57	98	51	70	-4	0.38	0.10	0.24	3.02	99	13.99	153	84	38	3	0	2	0
	BUTTE	81	47	89	43	64	0	0.12	-0.14	0.06	1.85	57	8.63	107	80	24	0	0	2	0
NE	CUT BANK	71	49	90	42	60	-5	1.15	0.88	0.98	3.90	119	6.45	96	91	49	1	0	3	1
	GREAT FALLS	80	53	92	48	66	-2	1.23	0.96	1.16	3.17	88	10.93	114	88	37	1	0	3	1
	HAVRE	78	52	86	46	65	-5	0.40	0.05	0.39	2.65	74	7.37	95	98	45	0	0	2	0
NV	MISSOULA	88	55	96	50	71	2	0.00	-0.18	0.00	1.30	47	7.52	87	66	22	4	0	0	0
	ASHEVILLE	89	69	91	67	79	4	1.12	0.11	0.45	6.78	88	26.04	95	96	53	1	0	4	0
	CHARLOTTE	95	75	98	73	85	5	1.54	0.72	0.93	5.78	93	23.37	97	87	45	7	0	3	2
OH	GREENSBORO	90	73	92	72	82	3	2.28	1.33	1.24	12.85	197	32.50	137	97	58	5	0	5	1
	HATTERAS	88	77	90	74	83	1	0.07	-1.17	0.06	9.29	124	31.88	108	95	71	1	0	2	0
	RALEIGH	94	76	96	74	85	5	3.17	2.00	1.48	11.33	166	28.56	119	88	54	7	0	5	2
PA	WILMINGTON	91	77	97	73	84	2	0.06	-1.49	0.03	11.00	112	25.96	90	95	58	4	0	3	0
	BISMARCK	79	53	98	40	66	-6	0.18	-0.52	0.16	2.71	50	11.39	103	92	42	1	0	2	0
	DICKINSON	75	52	91	40	64	-6	0.62	0.04	0.26	5.49	114	13.79	140	94	50	1	0	4	0
RI	FARGO	78	56	89	43	67	-4	0.04	-0.64	0.04	5.32	83	11.98	87	92	52	0	0	1	0
	GRAND FORKS	76	53	87	41	64	-5	1.87	1.06	0.93	6.22	101	11.65	96	90	46	0	0	3	2
	JAMESTOWN	76	52	90	43	64	-6	0.03	-0.84	0.02	3.65	63	6.17	53	98	49	1	0	2	0
SD	GRAND ISLAND	84	63	91	60	73	-4	1.03	0.22	0.94	13.95	226	20.09	124	94	59	2	0	3	1
	LINCOLN	87	65	94	55	76	-2	0.74	0.01	0.43	8.91	135	15.73	90	94	53	3	0	3	0
	NORFOLK	83	64	91	59	73	-2	1.59	0.95	1.04	12.67	200	20.00	125	93	62	1	0	3	1
TN	NORTH PLATTE	87	62	95	58	74	-2	0.91	0.17	0.75	6.29	116	13.62	106	95	50	5	0	2	1
	OMAHA	86	66	91	60	76	-2	0.96	0.16	0.72	8.05	120	16.80	93	91	54	3	0	2	1
	SCOTTSBLUFF	89	59	100	55	74	-2	0.43	0.05	0.43	3.95	108	12.00	116	91	34	4	0	1	0
TX	VALENTINE	84	58	97	47	71	-5	0.13	-0.50	0.13	7.01	121	15.69	119	98	46	3	0	1	0
	CONCORD	89	62	95	50	76	4	0.83	0.02	0.59	4.60	77	25.35	117	97	43	4	0	2	1
	ATLANTIC_CITY	87	74	94	72	80	3	0.33	-0.73	0.21	7.37	117	28.13	117	90	62	2	0	5	0
UT	NEWARK	89	74	96	71	82	3	2.15	1.06	2.15	6.76	95	23.43	92	81	49	3	0	1	1
	ALBUQUERQUE	92	68	95	65	80	1	0.04	-0.36	0.04	1.35	91	3.12	84	57	18	7	0	1	0
	ELY	91	54	95	45	73	3	0.00	-0.15	0.00	0.02	2	3.78	67	50	10	5	0	0	0
VY	LAS VEGAS	105	84	111	80	95	1	0.00	-0.10	0.00	0.03	10	2.09	90	31	12	7	0	0	0
	RENO	98	66	103	60	82	4	0.00	-0.04	0.00	0.85	166	5.01	109	39	10	7	0	0	0
	WINNEMUCCA	98	58	105	54	78	3	0.00	-0.03	0.00	0.00	0	2.73	51	39	10	4	0	0	0
WY	ALBANY	87	66	93	54	77	3	0.04	-1.01	0.01	6.44	94	25.51	119	89	48	3	0	3	0
	BINGHAMTON	81	62	85	54	72	2	2.61	1.81	2.58	8.87	126	28.31	125	96	56	0	0	3	1
	BUFFALO	84	66	91	57	75	3	0.00	-0.73	0.00	3.28	62	18.69	90	87	49	2	0	0	0
ZV	ROCHESTER	84	63	89	53	74	1	1.02	0.21	0.71	8.23	149	26.09	140	94	50	0	0	2	1
	SYRACUSE	87	64	94	53	75	3	0.74</												

Weather Data for the Week Ending July 19, 2025

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION								RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN, SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN, SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.		
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE	
OK	YOUNGSTOWN	84	65	87	62	74	2	0.54	-0.47	0.39	9.27	142	28.98	127	96	58	0	0	3	0	
	OKLAHOMA CITY	91	70	95	67	81	-1	0.02	-0.80	0.02	10.63	156	33.87	161	96	50	5	0	1	0	
	TULSA	91	75	94	71	83	-1	1.26	0.41	1.04	17.76	249	43.71	185	91	54	4	0	2	1	
OR	ASTORIA	69	55	78	52	62	1	0.00	-0.17	0.00	1.41	49	27.19	72	93	63	0	0	0	0	
	BURNS	92	52	97	41	72	3	0.00	-0.06	0.00	0.48	52	7.00	113	61	15	5	0	0	0	
	EUGENE	92	55	99	48	74	5	0.00	-0.07	0.00	0.55	37	20.35	90	87	25	5	0	0	0	
PA	MEDFORD	99	66	105	61	83	7	0.00	-0.05	0.00	0.51	59	11.54	113	60	18	7	0	0	0	
	PENDLETON	92	61	100	52	76	3	0.00	-0.05	0.00	0.01	1	5.83	73	53	17	4	0	0	0	
	PORTLAND	88	61	96	56	74	4	0.00	-0.10	0.00	1.78	89	19.11	95	80	28	3	0	0	0	
RI	SALEM	91	58	98	53	74	5	0.00	-0.04	0.00	0.85	59	19.61	90	78	24	3	0	0	0	
	ALLENTOWN	85	70	90	64	78	2	0.63	-0.61	0.33	7.69	101	28.88	117	93	57	1	0	3	0	
	ERIE	81	66	87	59	74	1	1.37	0.63	0.70	6.93	121	24.19	111	88	60	0	0	2	2	
SC	MIDDLETOWN	86	73	91	68	79	2	4.56	3.43	2.11	12.41	182	33.16	141	92	64	2	0	6	2	
	PHILADELPHIA	90	75	95	75	82	3	0.66	-0.36	0.51	6.63	101	23.85	102	95	57	5	0	3	1	
	PITTSBURGH	85	71	88	69	78	4	1.01	0.01	0.75	9.24	136	28.03	123	94	57	0	0	4	1	
SD	WILKES-BARRE	84	66	89	59	75	1	2.76	1.96	2.53	10.20	172	26.95	135	96	57	0	0	2	1	
	WILLIAMSPORT	85	68	90	65	77	3	1.13	0.07	0.98	7.66	117	24.21	108	96	58	1	0	4	1	
	PROVIDENCE	84	69	90	62	77	2	0.00	-0.64	0.00	5.06	91	26.85	105	93	57	1	0	0	0	
TN	CHARLESTON	92	76	95	74	84	1	0.68	-0.81	0.56	8.43	82	21.73	81	95	57	7	0	3	1	
	COLUMBIA	95	75	97	72	85	2	0.16	-1.06	0.14	7.85	96	28.31	113	92	48	7	0	2	0	
	FLORENCE	95	74	98	72	84	2	0.04	-1.33	0.03	7.48	91	23.30	97	98	52	7	0	2	0	
TX	GREENVILLE	94	73	95	70	83	3	0.00	-1.11	0.00	6.26	93	28.46	104	86	43	7	0	0	0	
	ABERDEEN	79	55	91	45	67	-5	1.72	1.01	1.72	8.63	147	17.42	133	92	55	1	0	1	1	
	HURON	83	58	94	47	70	-4	0.30	-0.31	0.30	4.48	80	11.64	84	97	51	2	0	1	0	
UT	RAPID CITY	81	58	99	55	70	-3	0.93	0.42	0.53	5.36	125	16.31	141	84	48	2	0	4	1	
	SIOUX FALLS	80	62	89	53	71	-4	1.75	1.05	1.06	8.52	137	15.82	98	96	64	0	0	3	1	
	BRISTOL	89	68	91	67	78	3	2.47	1.30	0.97	11.51	166	30.56	117	100	55	3	0	4	3	
VA	CHATTANOOGA	93	74	96	70	83	2	0.84	-0.37	0.83	7.57	102	39.39	124	93	47	6	0	2	1	
	KNOXVILLE	92	74	95	70	83	5	0.46	-0.78	0.46	5.14	67	32.85	106	90	46	5	0	1	0	
	MEMPHIS	92	76	95	73	84	1	1.30	0.19	0.96	3.61	52	26.68	82	91	55	6	0	3	1	
WV	NASHVILLE	94	74	95	72	84	3	1.90	0.96	1.04	9.68	137	38.71	129	88	51	7	0	4	1	
	ABILENE	93	72	97	69	83	-2	0.04	-0.41	0.04	5.12	108	15.41	110	87	41	6	0	1	0	
	AMARILLO	91	66	95	63	78	-2	0.56	-0.08	0.55	5.48	120	15.69	145	88	38	5	0	2	1	
WY	AUSTIN	93	75	96	72	84	-2	0.15	-0.25	0.15	7.30	146	22.65	114	92	48	6	0	1	0	
	BEAUMONT	91	75	93	74	83	-1	1.09	-0.52	0.39	11.50	103	34.14	107	98	61	5	0	4	0	
	BROWNSVILLE	94	78	95	76	86	0	0.35	-0.06	0.35	6.13	144	20.60	179	92	54	7	0	1	0	
WY	CORPUS CHRISTI	95	77	96	73	86	1	0.00	-0.55	0.00	6.81	125	15.19	96	97	53	7	0	0	0	
	DEL RIO	93	75	98	72	84	-3	0.63	0.30	0.60	4.18	128	6.30	61	87	46	6	0	2	1	
	EL PASO	97	74	100	71	86	1	0.36	0.00	0.34	1.93	118	2.67	81	61	21	7	0	2	0	
WY	FORT WORTH	94	75	96	71	85	-1	0.61	0.16	0.61	4.48	86	24.34	111	86	42	7	0	1	1	
	GALVESTON	91	82	92	80	87	1	0.00	-0.80	0.00	4.33	65	15.93	75	85	66	7	0	0	0	
	HOUSTON	94	77	97	74	85	0	1.88	1.09	1.58	11.01	128	30.45	109	91	49	7	0	2	1	
WY	LUBBOCK	94	71	98	67	82	1	0.00	-0.46	0.00	10.14	255	14.95	143	81	35	6	0	0	0	
	MIDLAND	95	72	99	70	83	-1	0.00	-0.37	0.00	3.81	137	5.12	73	79	30	7	0	0	0	
	SAN ANGELO	89	69	93	65	79	-6	0.81	0.60	0.53	9.81	324	19.35	173	93	46	4	0	2	1	
WY	SAN ANTONIO	95	76	98	74	86	1	0.26	-0.26	0.25	10.31	202	23.33	130	88	41	7	0	2	0	
	VICTORIA	95	76	96	73	86	1	0.00	-0.76	0.00	15.04	229	29.43	131	97	49	7	0	0	0	
	WACO	91	75	94	71	83	-3	1.00	0.61	0.74	12.50	275	28.78	138	91	55	6	0	2	1	
WY	WICHITA FALLS	96	71	100	68	83	-2	0.00	-0.46	0.00	7.67	164	27.15	174	92	40	6	0	0	0	
	SALT LAKE CITY	96	71	99	66	84	2	0.00	-0.11	0.00	0.46	37	5.76	59	40	14	7	0	0	0	
	LYNCHBURG	90	70	91	69	80	4	4.67	3.67	2.59	9.23	146	29.87	125	99	57	5	0	5	3	
WY	NORFOLK	89	76	92	74	82	1	1.32	-0.06	0.71	6.31	81	24.26	97	95	64	3	0	4	1	
	RICHMOND	89	73	93	72	81	2	1.64	0.67	0.54	13.20	181	36.98	152	96	64	5	0	5	1	
	ROANOKE	90	71	94	69	81	3	2.45	1.44	1.22	5.43	74	25.19	101	94	52	4	0	5	2	
WY	WASH/DULLES	89	72	94	70	81	3	1.10	0.12	0.66	9.96	144	24.75	102	99	59	3	0	3	1	
	BURLINGTON	87	65	93	54	76	4	0.82	-0.08	0.59	5.40	78	23.10	116	89	45	3	0	4	1	
	OLYMPIA	83	54	94	49	69	4	0.00	-0.11	0.00	0.46	25	17.96	68	90	35	2	0	0	0	
WY	QUILLAYUTE	70	52	88	48	61	1	0.00	-0.32	0.00	1.61	37	35.25	65	98	59	0	0	0	0	
	SEATTLE-TACOMA	82	60	93	55	71	3	0.00	-0.11	0.00	0.58	31	15.20	73	81	39	1	0	0	0	
	SPOKANE	86	62	97	55	74	2	0.00	-0.08	0.00	0.16	11	8.30	87	54	21	2	0	0	0	
WY	YAKIMA	93	58	102	54	76	3	0.00	-0.04	0.00	0.02	3	4.90	107	66	20	4	0	0	0	
	EAU CLAIRE	80	58	90	49	69	-3	0.22	-0.56	0.22	7.38	104	18.49	102	96	53	1	0	1	0	
	GREEN BAY	81	58	86	49	69	-1	1.06	0.22	0.87	6.70	104	16.66	96	98	59	0	0	3	1	
WY	LA CROSSE	82	63	90	55	73	-3	2.28	1.33	2.25	9.74	125	22.02	108	91	52	1	0	2	1	
	MADISON	82	61	87	51	71	-1	0.99	-0.02	0.87	10.91	133	22.85	107	97	54	0	0	2	1	
	MILWAUKEE	80	64	86	58	72	-2	0.10	-0.64	0.10	6.52	100	19.60	100	88	57	0	0	1	0	
WY	BECKLEY	85	67	88	66	76	5	1.22	0.02	0.42	5.06	69	30.25	117	92	54	0	0	6	0	
	CHARLESTON	89	71	90	69	80	4	3.64	2.34	1.26	13.32</										

National Agricultural Summary

July 14 – 20, 2025

Weekly National Agricultural Summary provided by USDA/NASS

HIGHLIGHTS

The week brought mixed conditions across key U.S. agricultural regions. Temperatures ranged from 2 to 8°F below normal across much of the northern Great Plains. Meanwhile, rainfall was scattered

across central and eastern U.S., with localized areas receiving up to 400 percent of normal weekly amount. However, the Pacific Northwest remained mostly dry throughout the week.

Corn: Fifty-six percent of the nation's corn crop had reached the silking stage by July 20, two percentage points behind both last year and the 5-year average. Fourteen percent of the corn was at the dough stage by week's end, 2 percentage points behind last year but 2 points ahead of average. On July 20, seventy-four percent of the nation's corn was rated in good to excellent condition, unchanged from the previous week. In Iowa, the largest corn-producing state, 86 percent of the corn crop was rated in good to excellent condition.

Soybeans: Nationally, 62 percent of the nation's soybean crop had reached the blooming stage by July 20, one percentage point behind both last year and the 5-year average. Twenty-six percent of the soybean crop had begun setting pods by week's end, 1 percentage point behind last year but equal to the average. On July 20, sixty-eight percent of the nation's soybean crop was rated in good to excellent condition, 2 percentage points below last week.

Winter Wheat: Seventy-three percent of the nation's winter wheat acreage had been harvested by July 20, two percentage points behind last year but 1 point ahead of the 5-year average. Producers in Illinois, Kansas, Missouri, North Carolina, Oklahoma, and Texas had harvested more than 95 percent of their winter wheat by week's end.

Cotton: By July 20, seventy-one percent of the nation's cotton had reached the squaring stage, 8 percentage points behind last year and 4 points behind the 5-year average. By July 20, thirty-three percent of the cotton was setting bolls, 7 percentage points behind last year but equal to the average. On July 20, fifty-seven percent of the nation's cotton was rated in good to excellent condition, 3 percentage points above last week.

Sorghum: Twenty-eight percent of the nation's sorghum had reached the headed stage by July 20, five percentage points behind last year and 6 points behind the 5-year average. Seventeen percent of the sorghum

acreage had reached the coloring stage by week's end, 2 percentage points behind both last year and the average. On July 20, sixty-eight percent of the nation's sorghum crop was rated in good to excellent condition, 1 percentage point below last week.

Rice: Forty-six percent of the nation's rice had reached the headed stage by July 20, ten percentage points behind last year but 6 points ahead of the 5-year average. Seventy-nine percent of the nation's rice was rated in good to excellent condition by July 20, two percentage points above the previous week.

Other Small Grains: Nationally, ninety-six percent of the nation's oat crop had headed by July 20, two percentage points ahead of last year and 1 point ahead of the 5-year average. Twenty percent of the oat crop had been harvested by July 20, one percentage point behind last year but equal to the average. On July 20, fifty-eight percent of the nation's oat crop was rated in good to excellent condition, 1 percentage point below the previous week.

By July 20, seventy-six percent of the nation's barley crop had headed, 7 percentage points behind last year and 11 points behind the 5-year average. On July 20, forty-five percent of the nation's barley crop was rated in good to excellent condition, 1 percentage point above last week.

Eighty-seven percent of the nation's spring wheat was headed by July 20, equal to last year but 1 percentage point behind the 5-year average. On July 20, fifty-two percent of the spring wheat was rated in good to excellent condition, 2 percentage points below the previous week.

Other Crops: Eighty percent of the nation's peanut crop had reached the pegging stage by July 20, one percentage point ahead of last year and 3 points ahead of the 5-year average. On July 20, sixty-nine percent of the peanut crop was rated in good to excellent condition, 1 percentage point below last week.

Crop Progress and Condition

Week Ending July 20, 2025

Accessible Data Available from USDA/NASS

Corn Percent Silking				
	Prev Year	Prev Week	Jul 20 2025	5-Yr Avg
CO	27	5	20	29
IL	77	46	79	76
IN	63	31	55	60
IA	65	36	62	63
KS	74	51	61	64
KY	75	58	70	71
MI	46	21	38	36
MN	35	19	44	54
MO	85	69	86	79
NE	72	27	56	64
NC	90	89	95	89
ND	9	6	33	24
OH	56	21	40	41
PA	32	11	27	21
SD	20	15	35	36
TN	86	78	85	85
TX	83	82	88	84
WI	37	13	30	31
18 Sts	58	34	56	58
These 18 States planted 92% of last year's corn acreage.				

Corn Percent Dough				
	Prev Year	Prev Week	Jul 20 2025	5-Yr Avg
CO	1	0	0	2
IL	17	6	15	13
IN	12	1	9	9
IA	16	5	18	11
KS	28	11	24	21
KY	17	12	23	16
MI	2	0	5	1
MN	3	1	2	6
MO	48	20	35	31
NE	17	5	10	8
NC	56	50	71	48
ND	0	0	0	0
OH	11	0	6	4
PA	1	0	2	1
SD	2	0	3	2
TN	45	30	43	41
TX	65	69	74	64
WI	3	0	2	2
18 Sts	16	7	14	12
These 18 States planted 92% of last year's corn acreage.				

Corn Condition by Percent					
	VP	P	F	G	EX
CO	5	6	10	70	9
IL	3	5	22	54	16
IN	3	8	29	49	11
IA	1	2	11	59	27
KS	1	8	27	47	17
KY	2	5	26	57	10
MI	1	12	37	40	10
MN	1	5	17	54	23
MO	0	4	17	62	17
NE	1	3	18	56	22
NC	1	3	13	60	23
ND	1	5	25	65	4
OH	1	5	35	51	8
PA	1	4	16	51	28
SD	1	4	18	56	21
TN	3	5	21	49	22
TX	1	5	24	53	17
WI	1	3	17	59	20
18 Sts	1	5	20	56	18
Prev Wk	1	4	21	57	17
Prev Yr	3	7	23	51	16

Soybeans Percent Blooming				
	Prev Year	Prev Week	Jul 20 2025	5-Yr Avg
AR	93	84	90	87
IL	79	53	68	64
IN	65	38	57	59
IA	66	54	69	71
KS	49	38	51	51
KY	55	37	48	49
LA	92	96	99	94
MI	60	37	53	56
MN	58	43	60	70
MS	92	82	88	87
MO	56	42	57	50
NE	82	40	61	73
NC	53	48	59	50
ND	38	53	74	54
OH	67	34	50	57
SD	36	28	40	50
TN	69	51	59	60
WI	45	44	59	59
18 Sts	63	47	62	63
These 18 States planted 96% of last year's soybean acreage.				

Soybeans Percent Setting Pods				
	Prev Year	Prev Week	Jul 20 2025	5-Yr Avg
AR	77	63	73	62
IL	40	12	30	26
IN	33	11	25	23
IA	23	18	33	28
KS	15	6	17	15
KY	30	21	30	26
LA	68	82	87	78
MI	20	9	20	19
MN	18	13	22	27
MS	78	64	74	65
MO	25	14	24	19
NE	37	9	16	31
NC	31	22	38	28
ND	6	1	8	14
OH	24	5	14	19
SD	3	0	5	15
TN	40	21	32	31
WI	13	5	17	21
18 Sts	27	15	26	26
These 18 States planted 96% of last year's soybean acreage.				

Soybean Condition by Percent					
	VP	P	F	G	EX
AR	2	5	30	46	17
IL	4	6	30	44	16
IN	3	8	29	51	9
IA	1	2	17	59	21
KS	1	6	29	53	11
KY	1	3	23	63	10
LA	0	0	10	87	3
MI	1	14	37	41	7
MN	1	5	19	56	19
MS	1	2	28	48	21
MO	0	4	19	67	10
NE	1	3	23	54	19
NC	1	2	15	66	16
ND	2	8	33	55	2
OH	1	5	38	49	7
SD	2	6	19	58	15
TN	3	6	24	50	17
WI	2	4	19	58	17
18 Sts	2	5	25	54	14
Prev Wk	1	4	25	58	12
Prev Yr	2	6	24	56	12

Crop Progress and Condition

Week Ending July 20, 2025

Cotton Percent Squaring				
	Prev Year	Prev Week	Jul 20 2025	5-Yr Avg
AL	87	73	84	86
AZ	99	98	99	99
AR	93	75	86	95
CA	79	75	85	82
GA	84	79	87	86
KS	84	45	66	82
LA	84	84	86	92
MS	92	57	62	84
MO	82	73	80	79
NC	90	86	89	78
OK	63	35	50	57
SC	92	69	78	80
TN	87	62	69	82
TX	74	55	65	69
VA	86	67	79	83
15 Sts	79	61	71	75
These 15 States planted 99% of last year's cotton acreage.				

Cotton Percent Setting Bolls				
	Prev Year	Prev Week	Jul 20 2025	5-Yr Avg
AL	53	38	48	47
AZ	87	49	56	76
AR	68	29	50	65
CA	33	25	35	31
GA	43	32	44	43
KS	49	6	20	26
LA	57	17	30	62
MS	50	20	29	42
MO	17	4	12	28
NC	47	29	49	30
OK	4	0	3	9
SC	55	23	31	39
TN	49	18	32	38
TX	37	23	31	28
VA	40	16	30	36
15 Sts	40	23	33	33
These 15 States planted 99% of last year's cotton acreage.				

Cotton Condition by Percent					
	VP	P	F	G	EX
AL	1	10	21	62	6
AZ	2	1	5	82	10
AR	1	3	26	49	21
CA	0	0	0	5	95
GA	1	4	30	56	9
KS	0	9	41	38	12
LA	0	0	29	70	1
MS	2	6	45	37	10
MO	0	16	28	56	0
NC	1	2	22	65	10
OK	1	1	36	61	1
SC	2	4	25	58	11
TN	16	9	26	41	8
TX	9	9	30	43	9
VA	1	1	16	75	7
15 Sts	6	7	30	48	9
Prev Wk	7	10	29	45	9
Prev Yr	7	11	29	42	11

Oats Percent Headed				
	Prev Year	Prev Week	Jul 20 2025	5-Yr Avg
IA	98	96	99	99
MN	95	82	93	95
NE	100	95	97	100
ND	79	78	88	83
OH	92	97	98	96
PA	94	97	99	92
SD	98	98	100	97
TX	100	100	100	100
WI	95	88	94	95
9 Sts	94	92	96	95
These 9 States planted 75% of last year's oat acreage.				

Oats Percent Harvested				
	Prev Year	Prev Week	Jul 20 2025	5-Yr Avg
IA	41	19	35	30
MN	10	1	5	10
NE	56	32	49	46
ND	0	0	1	0
OH	21	11	23	32
PA	12	0	26	5
SD	9	1	13	17
TX	100	95	98	99
WI	11	2	7	7
9 Sts	21	12	20	20
These 9 States harvested 76% of last year's oat acreage.				

Oat Condition by Percent					
	VP	P	F	G	EX
IA	0	1	15	68	16
MN	1	3	16	69	11
NE	16	17	36	27	4
ND	1	3	27	63	6
OH	0	0	23	72	5
PA	1	1	25	65	8
SD	4	5	21	59	11
TX	23	26	31	15	5
WI	1	2	14	65	18
9 Sts	8	10	24	49	9
Prev Wk	7	9	25	51	8
Prev Yr	6	5	23	55	11

Sorghum Percent Headed				
	Prev Year	Prev Week	Jul 20 2025	5-Yr Avg
CO	13	6	10	6
KS	17	5	7	15
NE	13	12	14	15
OK	17	10	17	21
SD	16	7	13	29
TX	78	74	78	79
6 Sts	33	24	28	34
These 6 States planted 100% of last year's sorghum acreage.				

Sorghum Percent Coloring				
	Prev Year	Prev Week	Jul 20 2025	5-Yr Avg
CO	0	0	0	0
KS	4	0	0	2
NE	0	0	1	0
OK	4	1	5	4
SD	0	0	0	0
TX	62	53	62	60
6 Sts	19	14	17	19
These 6 States planted 100% of last year's sorghum acreage.				

Sorghum Condition by Percent					
	VP	P	F	G	EX
CO	1	1	15	71	12
KS	1	4	30	50	15
NE	0	1	25	70	4
OK	1	2	17	73	7
SD	1	5	37	53	4
TX	2	4	27	47	20
6 Sts	1	4	27	53	15
Prev Wk	1	3	27	53	16
Prev Yr	4	7	29	48	12

Crop Progress and Condition

Week Ending July 20, 2025

Peanuts Percent Pegging				
	Prev Year	Prev Week	Jul 20 2025	5-Yr Avg
AL	77	66	75	74
FL	82	83	94	87
GA	88	81	89	87
NC	79	67	83	74
OK	48	25	40	44
SC	90	74	81	84
TX	35	25	40	35
VA	82	49	71	73
8 Sts	79	70	80	77
These 8 States planted 95% of last year's peanut acreage.				

Peanut Condition by Percent					
	VP	P	F	G	EX
AL	0	4	17	72	7
FL	0	5	41	53	1
GA	0	4	32	54	10
NC	2	3	7	65	23
OK	1	6	20	73	0
SC	2	5	19	62	12
TX	0	4	27	58	11
VA	0	0	13	83	4
8 Sts	0	4	27	59	10
Prev Wk	0	5	25	59	11
Prev Yr	1	5	31	56	7

Winter Wheat Percent Harvested				
	Prev Year	Prev Week	Jul 20 2025	5-Yr Avg
AR	100	100	100	100
CA	79	80	90	87
CO	88	47	81	71
ID	6	4	12	9
IL	98	93	98	96
IN	97	81	92	95
KS	99	93	97	94
MI	68	30	60	53
MO	99	97	99	99
MT	3	0	2	7
NE	84	35	47	67
NC	99	95	97	98
OH	100	79	93	94
OK	100	94	98	100
OR	33	13	36	27
SD	29	10	30	38
TX	100	90	97	100
WA	9	5	18	14
18 Sts	75	63	73	72
These 18 States harvested 91% of last year's winter wheat acreage.				

Spring Wheat Percent Headed				
	Prev Year	Prev Week	Jul 20 2025	5-Yr Avg
ID	90	95	99	94
MN	96	86	99	94
MT	86	57	66	84
ND	83	81	91	86
SD	95	100	100	96
WA	100	97	100	97
6 Sts	87	78	87	88
These 6 States planted 100% of last year's spring wheat acreage.				

Spring Wheat Condition by Percent					
	VP	P	F	G	EX
ID	1	13	30	52	4
MN	0	3	10	82	5
MT	8	33	52	7	0
ND	2	4	27	61	6
SD	1	4	25	57	13
WA	6	32	41	19	2
6 Sts	3	13	32	47	5
Prev Wk	1	12	33	49	5
Prev Yr	1	4	18	65	12

Rice Percent Headed				
	Prev Year	Prev Week	Jul 20 2025	5-Yr Avg
AR	59	17	36	26
CA	24	20	25	27
LA	72	76	83	78
MS	65	49	66	59
MO	21	16	25	22
TX	92	80	87	80
6 Sts	56	33	46	40
These 6 States planted 100% of last year's rice acreage.				

Rice Condition by Percent					
	VP	P	F	G	EX
AR	1	3	22	52	22
CA	0	0	10	50	40
LA	2	2	10	76	10
MS	0	0	38	45	17
MO	0	3	18	64	15
TX	0	0	19	71	10
6 Sts	1	2	18	58	21
Prev Wk	1	2	20	58	19
Prev Yr	1	3	13	62	21

Barley Percent Headed				
	Prev Year	Prev Week	Jul 20 2025	5-Yr Avg
ID	86	95	99	91
MN	91	75	90	92
MT	79	46	51	82
ND	85	78	91	87
WA	99	98	100	99
5 Sts	83	68	76	87
These 5 States planted 81% of last year's barley acreage.				

Barley Condition by Percent					
	VP	P	F	G	EX
ID	1	3	20	74	2
MN	0	1	8	87	4
MT	3	25	60	10	2
ND	1	3	24	66	6
WA	3	30	43	23	1
5 Sts	2	14	39	42	3
Prev Wk	1	13	42	41	3
Prev Yr	0	3	23	68	6

Crop Progress and Condition

Week Ending July 20, 2025

Pasture and Range Condition by Percent Week Ending Jul 20, 2025												
	VP	P	F	G	EX			VP	P	F	G	EX
AL	1	2	14	58	25		NH	0	0	12	88	0
AZ	47	31	18	3	1		NJ	2	3	19	53	23
AR	1	5	37	42	15		NM	19	23	18	8	32
CA	0	0	65	25	10		NY	0	3	23	65	9
CO	6	15	29	45	5		NC	0	0	11	82	7
CT	0	0	70	24	6		ND	2	9	35	49	5
DE	1	1	51	47	0		OH	0	3	20	73	4
FL	0	2	19	44	35		OK	1	5	25	57	12
GA	2	10	35	45	8		OR	17	24	24	27	8
ID	7	19	26	34	14		PA	1	3	8	80	8
IL	1	3	29	50	17		RI	0	0	28	60	12
IN	2	6	33	50	9		SC	1	19	38	37	5
IA	1	2	18	63	16		SD	3	14	36	39	8
KS	3	10	30	49	8		TN	1	7	24	57	11
KY	1	6	23	59	11		TX	4	12	26	39	19
LA	1	4	29	60	6		UT	5	12	48	35	0
ME	0	4	13	55	28		VT	0	0	0	67	33
MD	3	11	25	46	15		VA	1	4	22	64	9
MA	0	0	30	62	8		WA	15	20	45	20	0
MI	1	5	37	46	11		WV	1	9	42	48	0
MN	2	7	23	54	14		WI	1	5	20	55	19
MS	2	5	28	51	14		WY	13	30	36	18	3
MO	0	1	9	77	13		48 Sts	11	17	29	32	11
MT	30	26	27	17	0							
NE	6	20	41	30	3		Prev Wk	11	17	26	33	13
NV	35	55	10	0	0		Prev Yr	12	17	31	33	7

VP - Very Poor;

P - Poor;

F - Fair;

G - Good;



EX - Excellent

NA - Not Available;

*Revised



Crop Progress and Condition

Week Ending July 20, 2025



Crop Progress and Condition

Week Ending July 20, 2025



International Weather and Crop Summary

July 13 – 19, 2025

International Weather and Crop Highlights and Summaries provided by USDA/WAOB

HIGHLIGHTS

EUROPE: Widespread showers boosted yield prospects for reproductive summer crops, though heat lingered in Spain and the southern Balkans.

WESTERN FSU: Widespread showers eased the recent heat wave and improved yield prospects for reproductive summer crops across much of the region, although locally hot and dry conditions lingered in southern Russia.

EASTERN FSU: Drier and cooler weather across the western spring grain belt favored wheat and barley development, while seasonably sunny and hot conditions accelerated the development of flowering cotton farther south.

MIDDLE EAST: Hot weather in Turkey hastened the development of reproductive to filling summer crops, though showers eased crop stress and irrigation requirements on the Anatolia Plateau.

SOUTH ASIA: Widespread monsoon rains continued to benefit kharif crop sowing in most areas, though some regions experienced localized excessive rainfall and flooding.

EAST ASIA: Heavy monsoon rains led to localized flooding in parts of South Korea and Japan, damaging farms and raising concerns about crop viability.

SOUTHEAST ASIA: Monsoon showers maintained adequate moisture for rice in Indochina, but pockets of dryness persisted in some key growing.

AUSTRALIA: Mostly sunny skies and near- to below-normal temperatures favored the development of vegetative winter crops, though drought persisted in southern and southeastern growing areas.


MEXICO: Showers maintained favorable and drought-free growing conditions for summer crops on the southern plateau corn belt.

CANADIAN PRARIES: Unusually cool weather temporarily slowed crop development, while rain on the southwestern Prairies provided drought relief.

SOUTHEASTERN CANADA: Ongoing warmth favored winter wheat harvesting and summer crop development.



EUROPE
Total Precipitation(mm)
July 13 - 19, 2025



Station precipitation reports from France and Hungary are either missing or suspect.

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EUROPE

Widespread showers further improved summer crop yield prospects across much of the continent, though hot and dry conditions lingered in some southern growing areas. A pair of storm systems bookended the week, producing widespread moderate to heavy showers and thunderstorms (10-75 mm) from England and eastern France* eastward into Poland and the northern Balkans. The rain maintained or improved yield prospects for corn, sunflowers, and soybeans entering or progressing into or through the reproductive stages of development. Conversely, mostly dry and hot weather in Spain hastened summer crops through reproduction and maintained high irrigation demands and lowered yield prospects; silking corn in

northwestern Spain was subjected to temperatures as high as 39.6°C before cooler weather arrived at week's end. Likewise, temperatures briefly spiked into the upper 30s (degrees C) in southern Romania and northern Bulgaria, though somewhat cooler conditions later in the monitoring period prevented more significant yield impacts. Scattered showers and near-normal temperatures in northern Italy further stabilized conditions for summer crops following extreme heat from late June into early July.

**Surface-based weather station data from France and Hungary were either missing or suspect; radar and satellite data were used to augment the analysis.*

WESTERN FSU
Total Precipitation(mm)
July 13 - 19, 2025



Data availability may be affected by the current geopolitical situation in Ukraine

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




WESTERN FSU

Widespread showers brought an end to the recent heat wave over much of the region, though locally hot and dry conditions lingered in southern Russia. A slow-moving cold front triggered moderate to heavy showers (10-80 mm, locally more) from Moldova and western Ukraine eastward into western Russia, alleviating heat stress and improving prospects for reproductive summer

crops and filling spring grains. Despite the beneficial rain, temperatures up to 6°C above normal in western Russia hastened corn, sunflower, and soybean development. Furthermore, maxima approaching or topping 40°C in Russia's Southern District lowered summer crop yield prospects, especially in locales that missed out on the rain (Krasnodar Krai and Rostov).

EASTERN FSU
Total Precipitation(mm)
July 13 - 19, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EASTERN FSU

Somewhat drier and cooler conditions in the spring grain belt juxtaposed with seasonably sunny and hot weather farther south. Showers were not as heavy (10 mm or less) across northern Kazakhstan as well as southern portions of the Urals and Siberia Districts, promoting the development of reproductive spring wheat and barley. However, moderate to heavy rain (25-80 mm) maintained adequate to abundant moisture supplies over the northern half of the Siberia District. Temperatures averaged near to as much as 3°C below normal,

sustaining near-optimal conditions for spring grain development. Farther south across the Commonwealth of Independent States, seasonably sunny skies and above-normal temperatures accelerated the development of flowering cotton. However, daytime highs in the middle and upper 40s (degrees C) increased irrigation demands following the preceding week's cooler weather, with 7-day average temperatures in excess of 30°C (an indicator of stress to cotton) noted over central and western portions of the cotton belt.

MIDDLE EAST
Total Precipitation(mm)
July 13 - 19, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




MIDDLE EAST

Mostly sunny and hot weather in Turkey accelerated summer crops through reproduction. Above-normal temperatures (2-5°C above normal) across most of Turkey accelerated corn, sunflowers, and cotton through reproduction and into the filling stages of development, though readings adjacent to the Mediterranean Coast were close to normal. Daytime highs topped 45°C in

southeastern Turkey's GAP Region and approached 40°C on the climatologically cooler Anatolian Plateau. The heat heightened irrigation demands for reproductive to filling summer crops and likely lowered yield prospects in areas where irrigation supplies were limited. However, late-week showers (10-40 mm) in west-central Turkey eased irrigation demands and reduced heat stress somewhat.

SOUTH ASIA
Total Precipitation(mm)
July 13 - 19, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




SOUTH ASIA

Widespread monsoon rains continued across India and nearby areas, providing crucial moisture for kharif sowing of summer crops such as rice, soybeans, cotton, and corn. Most locations recorded rainfall exceeding 25 mm, with some areas receiving over 200 mm. India's southwest coast witnessed exceptionally heavy downpours, topping 600 mm. Previously dry regions in the southwest received

much-needed rain, which helped revive soil moisture levels and support crop growth. While growing conditions in Pakistan were largely favorable, some areas in the northeast experienced excessive rainfall (50-250 mm). This led to localized flooding that may have impacted crops in those regions. Most of the region continued to experience daytime highs ranging from the lower to upper 30s (degrees C).

EASTERN ASIA
Total Precipitation(mm)
July 13 - 19, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EASTERN ASIA

With rainfall exceeding 200 mm in many areas and topping 400 mm in some locales, torrential monsoon rains in parts of South Korea and Japan resulted in localized flooding that could adversely affect crop production. Beyond the areas affected by torrential downpours, widespread favorable showers continued across the Korean Peninsula and Japan, with rainfall totals generally between 25 and 100 mm. Moisture levels for corn and soybeans entering reproduction

improved in most of northeastern China due to widespread showers, with rainfall ranging from 10 to 100 mm. While this wet weather extended onto parts of the North China Plain, unseasonable dryness persisted in other areas of the Plain and some southern provinces, recording less than 10 mm of rain. This lack of precipitation provided little relief from above-average temperatures (1-6°C above normal) in those drier regions, causing stress to rice in some locations.

SOUTHEAST ASIA
Total Precipitation(mm)
July 13 - 19, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




SOUTHEAST ASIA

Most areas of Thailand and neighboring regions received beneficial monsoon showers (25-100 mm, with some areas exceeding 100 mm). This ensured sufficient moisture for rain-fed rice and irrigation. However, pockets of dryness persisted, notably in Cambodia, where rainfall was minimal or absent. Despite localized flooding caused by Tropical Storm Whipa and intensified monsoon rains (nearly 400 mm) in western Luzon, Philippines, eastern

Luzon received beneficial rainfall (25-100 mm) which improved moisture conditions for rice and corn. Elsewhere, oil palm in Malaysia and Indonesia benefited from occasional showers (25-100 mm, higher in some localized areas). Temperatures continued to be near normal throughout the region, with daytime highs averaging in the middle to upper 30s (degrees C) and nighttime lows in the lower to middle 20s.

AUSTRALIA
Total Precipitation(mm)
July 13 - 19, 2025



Gridded data from the Australian Bureau of Meteorology: www.bom.gov.au/
Creative Commons License found at:
<https://creativecommons.org/licenses/by/3.0/au/legalcode>

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




AUSTRALIA

Mostly sunny skies and near- to below-normal temperatures favored fieldwork and winter crop development. In Western Australia, dry weather prevailed over the state's primary growing areas, with significant rain (10-35 mm) falling along and west of the Darling Scarp. In South Australia, light to moderate showers (3-20 mm) on the Eyre Peninsula gave way to dry conditions farther east. Mostly sunny skies (3 mm or less) sustained

drought concerns across the Murray River Basin of northwestern Victoria and southern New South Wales, while showers maintained good moisture conditions in northern New South Wales (10-30 mm) and southern Queensland (2-10 mm). Despite the unfavorably dry conditions in southern and southeastern Australia, near- to below-normal temperatures (up to 3°C below normal) maintained relatively low crop-water demands.

MEXICO
Total Precipitation(mm)
July 13 - 19, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



MEXICO


Widespread showers across the southern plateau corn belt produced highly variable weekly rainfall totals, generally ranging from 10 to 100 mm. Given ongoing rainfall, the southern plateau remained completely free of drought on July 15, according to the Mexican Drought Monitor. Ample rainfall not only benefited corn and other summer crops, but also helped to suppress temperatures, which averaged within 2°C of normal nationwide. Meanwhile, scattered showers associated with the North

American monsoon circulation extended into northern Mexico, although significant long-term drought — and attendant water-supply shortages — persisted across much of Sonora, extending eastward into northern Coahuila. On July 19 along Rio Bravo, Amistad Reservoir was 32.2 percent full, while farther downstream, Falcon Lake was only 16.5 percent full. Elsewhere, only light showers were observed during the week in southeastern Mexico and across the Yucatan Peninsula.

CANADIAN PRAIRIES

Total Precipitation(mm)

July 13 - 19, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



CANADIAN PRAIRIES


As the week began, cropland topsoil moisture in Saskatchewan was rated 40 percent very short to short, according to provincial reports. Subsequently, significant rain — totaling 10 to 50 mm or more — benefited small grains and oilseeds across roughly the southwestern half of Saskatchewan's cropland, while generally dry weather prevailed farther north and east, extending across southern Manitoba. Meanwhile, rainfall totals of 10 to 50 mm or more were also observed in southern Alberta, stretching into portions of the Peace River Valley. On July 15, nearly two-thirds (66 percent)

of all crops in Alberta were rated in good to excellent condition, above the 5-year average of 62 percent. Soon, chilly air settled across the Prairies, with mid-week minimum temperatures below 5°C reported in Alberta and northern production areas in Saskatchewan. Weekly temperatures averaged 2 to 4°C below normal throughout the region, except for near-normal readings in the Peace River Valley. Despite the cool weather, most Prairie crops remained at or ahead of the typical pace of development, due to a favorable planting season and earlier periods of very warm weather.

SOUTHEASTERN CANADA

Total Precipitation(mm)

July 13 - 19, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



SOUTHEASTERN CANADA

Ongoing warmth and mostly dry conditions favored an acceleration of winter wheat harvesting in southwestern Ontario, while widespread showers occurred across eastern Ontario and southern Quebec. In fact, warmth (weekly temperatures averaging as much as 3°C above normal) promoted pasture growth and

summer crop development throughout southeastern Canada, as extreme maximum temperatures ranged from 30 to 34°C. Meanwhile, rainfall largely totaled less than 10 mm in southwestern Ontario, while amounts ranging from 10 to 50 mm were common across eastern Ontario and southern Quebec.




United States
Department of
Agriculture

This product was prepared by the
USDA Office of the Chief Economist (OCE)
World Agricultural Outlook Board (WAOB)

Days Suitable for Fieldwork

Week Ending

July 20, 2025



Data obtained from USDA National Agricultural
Statistics Service (NASS) weekly Crop Progress reports..

The *Weekly Weather and Crop Bulletin* (ISSN 0043-1974) is jointly prepared by the U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA) and the U.S. Department of Agriculture (USDA). Publication began in 1872 as the *Weekly Weather Chronicle*. It is issued under general authority of the Act of January 12, 1895 (44-USC 213), 53rd Congress, 3rd Session. The contents may be redistributed freely with proper credit.

Correspondence to the meteorologists should be directed to:
***Weekly Weather and Crop Bulletin*, NOAA/USDA, Joint Agricultural Weather Facility, USDA South Building, Room 4443B, Washington, DC 20250.**

Internet URL: www.usda.gov/oce/weather-drought-monitor

E-mail address: brad.rippy@usda.gov

An archive of past *Weekly Weather and Crop Bulletins* can be found at <https://usda.library.cornell.edu/>, keyword search "*Weekly Weather and Crop Bulletin*".

U.S. DEPARTMENT OF AGRICULTURE

World Agricultural Outlook Board

Managing Editor..... **Brad Rippey**

Agricultural Weather Analysts..... **Eric Luebehusen and Maureen Sartini**

National Agricultural Statistics Service

Agricultural Statistician and State Summaries Editor..... **Noemi Guindin**

U.S. DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

National Weather Service/Climate Prediction Center

Meteorologists..... **Brad Pugh, Adam Allgood, Ryan Bolt, and Rich Tinker**

USDA is an equal opportunity provider and employer. To file a complaint of discrimination, write: USDA, Office of the Assistant Secretary for Civil Rights, Office of Adjudication, 1400 Independence Ave., SW, Washington, DC 20250-9410 or call (866) 632-9992 (Toll-Free Customer Service), (800) 877-8339 (Local or Federal relay), (866) 377-8642 (Relay voice users).